

CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

BULK SKU CO.O.FS10	BATCH# GE16	SERVING SIZE 1 tsp
PRODUCT NAME Org. Cocol	nut Oil - 10ma	LABORATORY SC Labs

POTENCY	PE	PER SERVING		RAM
Cannabidiol (CBD)	45.372	mg/serving	10.228	mg/g
Total THC (d9-THC, THCA)	1.659	mg/serving	0.374	mg/g
Cannabigerol (CBG)	1.726	mg/serving	0.389	mg/g
Cannabinol (CBN)	0.031	mg/serving	0.007	mg/g
Cannabichromene (CBC)	3.913	mg/serving	0.882	mg/g
Tetrahydrocannabinolic Acid (THCA)	<loq< td=""><td>mg/serving</td><td><loq< td=""><td>mg/g</td></loq<></td></loq<>	mg/serving	<loq< td=""><td>mg/g</td></loq<>	mg/g
Delta-9-THC (d9-THC)	1.659	mg/serving	0.374	mg/g
Delta-8-THC (d8-THC)	<loq< td=""><td>mg/serving</td><td><loq< td=""><td>mg/g</td></loq<></td></loq<>	mg/serving	<loq< td=""><td>mg/g</td></loq<>	mg/g

HEAVY METALS	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	<loq g<="" td="" μg=""><td>1.5 μg/g</td></loq>	1.5 μg/g
Cadmium	<loq g<="" td="" μg=""><td>0.5 μg/g</td></loq>	0.5 μg/g
Lead	<loq g<="" td="" μg=""><td>0.5 μg/g</td></loq>	0.5 μg/g
Mercury	<loq g<="" td="" μg=""><td>3.0 µg/g</td></loq>	3.0 µg/g

RESIDUAL SOLVENTS	PER GRAM	REGULATORY ACTION LEVEL
Ethanol ^[1]	<loq g<="" td="" μg=""><td>5,000 μg/g</td></loq>	5,000 μg/g
Heptane	<loq g<="" td="" μg=""><td>5,000 μg/g</td></loq>	5,000 μg/g

None of the other 18 residual solvents tested found above the limit of quantitation.

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Coliform	Pass
PESTICIDES	DECLU ATORY
PESTICIDES	REGULATORY ACTION LEVEL



Ethanol is a food additive used in some of our ingredients. The FDA has labeled ethanol as Generally Recognized as Safe (GRAS). Many foods contain trace amounts of ethanol, including soy sauce, pasta sauces, fruits and juices, etc. Our products contain safe levels of ethanol and always below pertinent regulatory action levels. American Herbal Pharmacopoeia. (2014). Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control. Washington DC: AHP.



Hemp Quality Assurance Testing

CERTIFICATE OF ANALYSIS

DATE ISSUED 05/27/2024

SAMPLE NAME: FORM-CO.O.FS10-GE16

Infused, Topical

CULTIVATOR / MANUFACTURER

Business Name: License Number:

Address:

SAMPLE DETAIL

Batch Number: GE16 Sample ID: 240522N020 **DISTRIBUTOR / TESTED FOR**

Business Name: Lazarus Naturals

License Number:

Address:

Date Collected: 05/22/2024 Date Received: 05/22/2024

Batch Size:

Sample Size: 1.0 units

Unit Mass: Serving Size:





Scan QR code to verify authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: 0.374 mg/g

Total CBD: 10.228 mg/g

Sum of Cannabinoids: 12.041 mg/g

Total Cannabinoids: 12,041 mg/g

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step: Total THC = Δ^9 -THC + (THCa (0.877))

Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids = Δ^9 -THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8 -THC + CBL + CBN Total Cannabinoids = $(\Delta^9$ -THC+0.877*THCa) + (CBD+0.877*CBDa) + (CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) +

 $(CBDV+0.877*CBDVa) + \Delta^{8}-THC + CBL + CBN$

SAFETY ANALYSIS - SUMMARY

Pesticides: PASS

Microbiology (PCR): PASS

Residual Solvents: PASS

Microbiology (Plating): ND

Heavy Metals: PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)

LQC verified by: Carmen Stackhouse Job Title: Senior Laboratory Analyst Date: 05/27/2024

Approved by: Josh Wurzer Job Title: Chief Compliance Officer Date: 05/27/2024

CERTIFICATE OF ANALYSIS



FORM-CO.O.FS10-GE16 | DATE ISSUED 05/27/2024



Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: 0.374 mg/g Total THC (Δ^9 -THC+0.877*THCa)

TOTAL CBD: 10.228 mg/g
Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 12.041 mg/g

 $\begin{array}{l} Total \ Cannabinoids \ (Total \ THC) + (Total \ CBD) + \\ (Total \ CBG) + (Total \ THCV) + (Total \ CBC) + \\ (Total \ CBDV) + \Delta^8 - THC + CBL + CBN \end{array}$

TOTAL CBG: 0.389 mg/g
Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: 0.882 mg/g
Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: 0.089 mg/g
Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 05/25/2024

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
CBD	0.004 / 0.011	±0.3815	10.228	1.0228
СВС	0.003 / 0.010	±0.0284	0.882	0.0882
CBG	0.002 / 0.006	±0.0189	0.389	0.0389
Δ ⁹ -THC	0.002/0.014	±0.0205	0.374	0.0374
CBDV	0.002/0.012	±0.0036	0.089	0.0089
CBL	0.003 / 0.010	±0.0027	0.072	0.0072
CBN	0.001 / 0.007	±0.0002	0.007	0.0007
Δ^8 -THC	0.01 / 0.02	N/A	ND	ND
THCa	0.001 / 0.005	N/A	ND	ND
THCV	0.002 / 0.012	N/A	ND	ND
THCVa	0.002/0.019	N/A	ND	ND
CBDa	0.001 / 0.026	N/A	ND	ND
CBDVa	0.001 / 0.018	N/A	ND	ND
CBGa	0.002 / 0.007	N/A	ND	ND
CBCa	0.001 / 0.015	N/A	ND	ND
SUM OF CANNAE	BINOIDS		12.041 mg/g	1.2041%

Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

PESTICIDE TEST RESULTS - 05/27/2024 **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Abamectin	0.03 / 0.10	0.3	N/A	ND	PASS
Acephate	0.02 / 0.07	5	N/A	ND	PASS
Acequinocyl	0.02 / 0.07	4	N/A	ND	PASS
Acetamiprid	0.02 / 0.05	5	N/A	ND	PASS
Aldicarb	0.03 / 0.08	≥LOD	N/A	ND	PASS
Azoxystrobin	0.02 / 0.07	40	N/A	ND	PASS
Bifenazate	0.01 / 0.04	5	N/A	ND	PASS
Bifenthrin	0.02 / 0.05	0.5	N/A	ND	PASS
Boscalid	0.03 / 0.09	10	N/A	ND	PASS
Captan	0.19/0.57	5	N/A	ND	PASS
Carbaryl	0.02 / 0.06	0.5	N/A	ND	PASS
Carbofuran	0.02 / 0.05	≥LOD	N/A	ND	PASS
Chlorantraniliprole	0.04 / 0.12	40	N/A	ND	PASS

Continued on next page







Pesticide Analysis Continued

PESTICIDE TEST RESULTS - 05/27/2024 continued **⊘** PASS

Chlordane* 0.03 / 0.08 ≥ LOD N/A ND PASS Chlorepyrifios 0.03 / 0.01 ≥ LOD N/A ND PASS Chlorpyifios 0.02 / 0.06 ≥ LOD N/A ND PASS Coumaphos 0.02 / 0.07 ≥ LOD N/A ND PASS Cypermethrin 0.12 / 0.38 1 N/A ND PASS Opportunity 0.02 / 0.07 ≥ LOD N/A ND PASS Diaminozide 0.02 / 0.07 ≥ LOD N/A ND PASS Diazinon 0.02 / 0.06 0.2 N/A ND PASS Diazinon 0.03 / 0.09 ≥ LOD N/A ND PASS Dimethoate 0.03 / 0.09 ≥ LOD N/A ND PASS Ethoprophos 0.03 / 0.09 20 N/A ND PASS Ethoprophos 0.02 / 0.06 1.5 N/A ND PASS Etosarole 0.02 / 0.06 1.5 N/A </th <th>COMPOUND</th> <th>LOD/LOQ (µg/g)</th> <th>ACTION LIMIT (µg/g)</th> <th>MEASUREMENT UNCERTAINTY (µg/g)</th> <th>RESULT (μg/g)</th> <th>RESULT</th>	COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (μg/g)	RESULT
Chlorpyrifos 0.02/0.06 ≥ LOD N/A ND PASS Clofentezine 0.03/0.09 0.5 N/A ND PASS Coumaphos 0.02/0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.05 0.2 N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.09 20 N/A ND PASS Ettofenprox 0.02/0.06 1.5 N/A ND PASS Etosazole 0.02/0.06 1.5 N/A ND	Chlordane*	0.03 / 0.08	≥LOD	N/A	ND	PASS
Clofentezine 0.03 / 0.09 0.5 N/A ND PASS Coumaphos 0.02 / 0.07 ≥ LOD N/A ND PASS Cyfluthin 0.12 / 0.38 1 N/A ND PASS Cypermethrin 0.11 / 0.32 1 N/A ND PASS Daminozide 0.02 / 0.07 ≥ LOD N/A ND PASS Diazinon 0.02 / 0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03 / 0.09 ≥ LOD N/A ND PASS Dimethoate 0.03 / 0.08 ≥ LOD N/A ND PASS Ethoprophos 0.03 / 0.09 20 N/A ND PASS Ethoprophos 0.03 / 0.06 ≥ LOD N/A ND PASS Ethoprophos 0.02 / 0.06 ≥ LOD N/A ND PASS Etosazole 0.02 / 0.06 ≥ LOD N/A ND PASS Fenbexamid 0.03 / 0.08 ≥ LOD N/A<	Chlorfenapyr*	0.03/0.10	≥LOD	N/A	ND	PASS
Coumaphos 0.02 / 0.07 ≥ LOD N/A ND PASS Cyfluthrin 0.12 / 0.38 1 N/A ND PASS Cypermethrin 0.11 / 0.32 1 N/A ND PASS Daminozide 0.02 / 0.07 ≥ LOD N/A ND PASS Diazinon 0.02 / 0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03 / 0.09 ≥ LOD N/A ND PASS Dimethoate 0.03 / 0.09 ≥ LOD N/A ND PASS Ethoprophos 0.03 / 0.09 ≥ LOD N/A ND PASS Etoazole 0.02 / 0.06 1.5 N/A ND PASS Etoxazole 0.02 / 0.06 1.5 N/A ND PASS Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND PASS Fenopyroximate 0.02 / 0.06 2 N/A ND PASS Fiporoil 0.03 / 0.08 ≥ LOD N/A	Chlorpyrifos	0.02 / 0.06	≥LOD	N/A	ND	PASS
Cyfluthrin 0.12/0.38 1 N/A ND PASS Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Dizazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.09 20 N/A ND PASS Etofanprox 0.02/0.06 ≥ LOD N/A ND PASS Etosazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.08 ≥ LOD N/A ND PASS Fenentramid 0.03/0.08 ≥ LOD N/A ND	Clofentezine	0.03 / 0.09	0.5	N/A	ND	PASS
Cypermethrin 0.11/0.32 1 N/A ND PASS Daminozide 0.02/0.07 ≥LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichloros (DDVP) 0.03/0.09 ≥LOD N/A ND PASS Dimethoate 0.03/0.08 ≥LOD N/A ND PASS Dimethoate 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.10 ≥LOD N/A ND PASS Ethoprophos 0.03/0.10 ≥LOD N/A ND PASS Etoazole 0.02/0.06 ≥LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenbexamid 0.03/0.08 ≥LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥LOD N/A ND	Coumaphos	0.02 / 0.07	≥LOD	N/A	ND	PASS
Daminozide 0.02/0.07 ≥ LOD N/A ND PASS Diazinon 0.02/0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03/0.09 ≥ LOD N/A ND PASS Dimethoate 0.03/0.09 ≥ LOD N/A ND PASS Eithoprophos 0.03/0.10 ≥ LOD N/A ND PASS Ethoprophos 0.02/0.06 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 1.5 N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexmid 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND	Cyfluthrin	0.12/0.38	1	N/A	ND	PASS
Diazinon 0.02 / 0.05 0.2 N/A ND PASS Dichlorvos (DDVP) 0.03 / 0.09 ≥ LOD N/A ND PASS Dimethoate 0.03 / 0.09 ≥ LOD N/A ND PASS Dimethomorph 0.03 / 0.10 ≥ LOD N/A ND PASS Ethoprophos 0.03 / 0.10 ≥ LOD N/A ND PASS Etofazole 0.02 / 0.06 ≥ LOD N/A ND PASS Fenhexamid 0.03 / 0.09 ≥ LOD N/A ND PASS Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND PASS Fenorycarb 0.03 / 0.06 2 N/A ND PASS Fipronil 0.03 / 0.08 ≥ LOD N/A ND PASS Fipronil 0.03 / 0.01 2 N/A ND PASS Fludioxonil 0.03 / 0.02 2 N/A ND PASS Fludioxonil 0.03 / 0.07 2 N/A	Cypermethrin	0.11/0.32	1	N/A	ND	PASS
Dichlorvos (DDVP) 0.03 / 0.09 ≥ LOD N/A ND PASS Dimethoate 0.03 / 0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03 / 0.09 20 N/A ND PASS Ethoprophos 0.03 / 0.10 ≥ LOD N/A ND PASS Etofenprox 0.02 / 0.06 ≥ LOD N/A ND PASS Etoxacole 0.02 / 0.06 1.5 N/A ND PASS Fenhexamid 0.03 / 0.09 10 N/A ND PASS Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02 / 0.06 2 N/A ND PASS Fipronil 0.03 / 0.08 ≥ LOD N/A ND PASS Fludioxonil 0.03 / 0.10 30 N/A ND PASS Imazalii 0.02 / 0.07 2 N/A ND PASS Imazalii 0.02 / 0.07 1 N/A	Daminozide	0.02 / 0.07	≥LOD	N/A	ND	PASS
Dimethoate 0.03/0.08 ≥ LOD N/A ND PASS Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenopyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Fludioxoril 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.07 1 N/A ND PASS <th>Diazinon</th> <th>0.02 / 0.05</th> <th>0.2</th> <th>N/A</th> <th>ND</th> <th>PASS</th>	Diazinon	0.02 / 0.05	0.2	N/A	ND	PASS
Dimethomorph 0.03/0.09 20 N/A ND PASS Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenoxycarb 0.03/0.06 2 N/A ND PASS Fenorycamate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Floricamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Fludioxonil 0.03/0.07 2 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS	Dichlorvos (DDVP)	0.03/0.09	≥LOD	N/A	ND	PASS
Ethoprophos 0.03/0.10 ≥ LOD N/A ND PASS Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenorycamate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Floricamid 0.03/0.10 2 N/A ND PASS Floricamid 0.03/0.10 30 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Fludioxonil 0.03/0.07 2 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazali 0.02/0.07 1 N/A ND PASS	Dimethoate	0.03/0.08	≥LOD	N/A	ND	PASS
Etofenprox 0.02/0.06 ≥ LOD N/A ND PASS Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenorycamate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Metalaxyl 0.02/0.07 ≥ LOD N/A ND PASS	Dimethomorph	0.03/0.09	20	N/A	ND	PASS
Etoxazole 0.02/0.06 1.5 N/A ND PASS Fenhexamid 0.03/0.09 10 N/A ND PASS Fenoxycarb 0.03/0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.07 1 N/A ND PASS Imazalil 0.02/0.07 1 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS	Ethoprophos	0.03 / 0.10	≥LOD	N/A	ND	PASS
Fenhexamid 0.03 / 0.09 10 N/A ND PASS Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02 / 0.06 2 N/A ND PASS Fipronil 0.03 / 0.08 ≥ LOD N/A ND PASS Flonicamid 0.03 / 0.10 2 N/A ND PASS Fludioxonil 0.03 / 0.10 30 N/A ND PASS Hexythiazox 0.02 / 0.07 2 N/A ND PASS Imazalil 0.02 / 0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04 / 0.11 3 N/A ND PASS Kresoxim-methyl 0.02 / 0.07 1 N/A ND PASS Metalaxyl 0.02 / 0.07 15 N/A ND PASS Methocarb 0.02 / 0.07 ≥ LOD N/A ND PASS Methocyl 0.03 / 0.09 ≥ LOD N/A ND	Etofenprox	0.02/0.06	≥LOD	N/A	ND	PASS
Fenoxycarb 0.03 / 0.08 ≥ LOD N/A ND PASS Fenpyroximate 0.02 / 0.06 2 N/A ND PASS Fipronil 0.03 / 0.08 ≥ LOD N/A ND PASS Flonicamid 0.03 / 0.10 2 N/A ND PASS Fludioxonil 0.03 / 0.10 30 N/A ND PASS Hexythiazox 0.02 / 0.07 2 N/A ND PASS Imazalil 0.02 / 0.06 ≥ LOD N/A ND PASS Imazalid 0.04 / 0.11 3 N/A ND PASS Kresoxim-methyl 0.02 / 0.07 1 N/A ND PASS Metalaxyl 0.02 / 0.07 15 N/A ND PASS Methocarb 0.02 / 0.07 ≥ LOD N/A ND PASS Methomyl 0.03 / 0.10 0.1 N/A ND PASS Mevinphos 0.03 / 0.09 ≥ LOD N/A ND <th>Etoxazole</th> <th>0.02 / 0.06</th> <th>1.5</th> <th>N/A</th> <th>ND</th> <th>PASS</th>	Etoxazole	0.02 / 0.06	1.5	N/A	ND	PASS
Fenpyroximate 0.02/0.06 2 N/A ND PASS Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS Methocarb 0.02/0.07 ≥ LOD N/A ND PASS Methomyl 0.03/0.10 0.1 N/A ND PASS Mevinphos 0.03/0.09 ≥ LOD N/A ND PASS	Fenhexamid	0.03/0.09	10	N/A	ND	PASS
Fipronil 0.03/0.08 ≥ LOD N/A ND PASS Flonicamid 0.03/0.10 2 N/A ND PASS Fludioxonil 0.03/0.10 30 N/A ND PASS Hexythiazox 0.02/0.07 2 N/A ND PASS Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS Methocarb 0.02/0.07 ≥ LOD N/A ND PASS Methomyl 0.03/0.09 ≥ LOD N/A ND PASS Mevinphos 0.03/0.09 ≥ LOD N/A ND PASS Naled 0.02/0.07 0.5 N/A ND PASS <th>Fenoxycarb</th> <th>0.03 / 0.08</th> <th>≥LOD</th> <th>N/A</th> <th>ND</th> <th>PASS</th>	Fenoxycarb	0.03 / 0.08	≥LOD	N/A	ND	PASS
Flonicamid 0.03 / 0.10 2 N/A ND PASS Fludioxonil 0.03 / 0.10 30 N/A ND PASS Hexythiazox 0.02 / 0.07 2 N/A ND PASS Imazalil 0.02 / 0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04 / 0.11 3 N/A ND PASS Kresoxim-methyl 0.02 / 0.07 1 N/A ND PASS Malathion 0.03 / 0.09 5 N/A ND PASS Metalaxyl 0.02 / 0.07 15 N/A ND PASS Methocarb 0.02 / 0.07 ≥ LOD N/A ND PASS Methomyl 0.03 / 0.10 0.1 N/A ND PASS Mevinphos 0.03 / 0.09 ≥ LOD N/A ND PASS Mydobutanil 0.03 / 0.09 9 N/A ND PASS Naled 0.02 / 0.07 0.5 N/A ND	Fenpyroximate	0.02 / 0.06	2	N/A	ND	PASS
Fludioxonil 0.03 / 0.10 30 N/A ND PASS Hexythiazox 0.02 / 0.07 2 N/A ND PASS Imazalil 0.02 / 0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04 / 0.11 3 N/A ND PASS Kresoxim-methyl 0.02 / 0.07 1 N/A ND PASS Malathion 0.03 / 0.09 5 N/A ND PASS Metalaxyl 0.02 / 0.07 15 N/A ND PASS Methomyl 0.02 / 0.07 ≥ LOD N/A ND PASS Mevinphos 0.03 / 0.09 ≥ LOD N/A ND PASS Myclobutanil 0.03 / 0.09 9 N/A ND PASS Naled 0.02 / 0.07 0.5 N/A ND PASS Value 0.04 / 0.11 0.2 N/A ND PASS Paclobutrazol 0.02 / 0.05 ≥ LOD N/A ND	Fipronil	0.03 / 0.08	≥ LOD	N/A	ND	PASS
Hexythiazox	Flonicamid	0.03/0.10	2	N/A	ND	PASS
Imazalil 0.02/0.06 ≥ LOD N/A ND PASS Imidacloprid 0.04/0.11 3 N/A ND PASS Kresoxim-methyl 0.02/0.07 1 N/A ND PASS Malathion 0.03/0.09 5 N/A ND PASS Metlaxyl 0.02/0.07 15 N/A ND PASS Methiocarb 0.02/0.07 ≥ LOD N/A ND PASS Methomyl 0.03/0.10 0.1 N/A ND PASS Mevinphos 0.03/0.09 ≥ LOD N/A ND PASS Myclobutanil 0.03/0.09 9 N/A ND PASS Naled 0.02/0.07 0.5 N/A ND PASS Namyl 0.04/0.11 0.2 N/A ND PASS Paclobutrazol 0.02/0.05 ≥ LOD N/A ND PASS Pentachloronitrobenzene* 0.03/0.09 0.2 N/A ND PA	Fludioxonil	0.03 / 0.10	30	N/A	ND	PASS
Imidacloprid 0.04 / 0.11 3 N/A ND PASS Kresoxim-methyl 0.02 / 0.07 1 N/A ND PASS Malathion 0.03 / 0.09 5 N/A ND PASS Metalaxyl 0.02 / 0.07 ≥ LOD N/A ND PASS Methiocarb 0.02 / 0.07 ≥ LOD N/A ND PASS Methomyl 0.03 / 0.10 0.1 N/A ND PASS Mevinphos 0.03 / 0.09 ≥ LOD N/A ND PASS Myclobutanil 0.03 / 0.09 9 N/A ND PASS Naled 0.02 / 0.07 0.5 N/A ND PASS Oxamyl 0.04 / 0.11 0.2 N/A ND PASS Paclobutrazol 0.02 / 0.05 ≥ LOD N/A ND PASS Parathion-methyl 0.03 / 0.09 0.2 N/A ND PASS Permethrin 0.04 / 0.12 20 N/A	Hexythiazox	0.02 / 0.07	2	N/A	ND	PASS
Kresoxim-methyl 0.02 / 0.07 1 N/A ND PASS Malathion 0.03 / 0.09 5 N/A ND PASS Metalaxyl 0.02 / 0.07 ≥ LOD N/A ND PASS Methiocarb 0.02 / 0.07 ≥ LOD N/A ND PASS Methomyl 0.03 / 0.10 0.1 N/A ND PASS Mevinphos 0.03 / 0.09 ≥ LOD N/A ND PASS Myclobutanil 0.03 / 0.09 9 N/A ND PASS Naled 0.02 / 0.07 0.5 N/A ND PASS Oxamyl 0.04 / 0.11 0.2 N/A ND PASS Paclobutrazol 0.02 / 0.05 ≥ LOD N/A ND PASS Parathion-methyl 0.03 / 0.10 ≥ LOD N/A ND PASS Permethrin 0.04 / 0.12 20 N/A ND PASS Phosmet 0.03 / 0.07 8 N/A ND<	Imazalil	0.02/0.06	≥LOD	N/A	ND	PASS
Malathion 0.03/0.09 5 N/A ND PASS Metalaxyl 0.02/0.07 15 N/A ND PASS Methiocarb 0.02/0.07 ≥ LOD N/A ND PASS Methomyl 0.03/0.10 0.1 N/A ND PASS Mevinphos 0.03/0.09 ≥ LOD N/A ND PASS Myclobutanil 0.03/0.09 9 N/A ND PASS Naled 0.02/0.07 0.5 N/A ND PASS Oxamyl 0.04/0.11 0.2 N/A ND PASS Paclobutrazol 0.02/0.05 ≥ LOD N/A ND PASS Parathion-methyl 0.03/0.09 0.2 N/A ND PASS Permethrin 0.04/0.12 20 N/A ND PASS Phosmet 0.03/0.00 0.2 N/A ND PASS Piperonyl Butoxide 0.02/0.07 8 N/A ND PASS	Imidacloprid	0.04/0.11	3	N/A	ND	PASS
Metalaxyl 0.02 / 0.07 15 N/A ND PASS Methiocarb 0.02 / 0.07 ≥ LOD N/A ND PASS Methomyl 0.03 / 0.10 0.1 N/A ND PASS Mevinphos 0.03 / 0.09 ≥ LOD N/A ND PASS Myclobutanil 0.03 / 0.09 9 N/A ND PASS Naled 0.02 / 0.07 0.5 N/A ND PASS Oxamyl 0.04 / 0.11 0.2 N/A ND PASS Paclobutrazol 0.02 / 0.05 ≥ LOD N/A ND PASS Parathion-methyl 0.03 / 0.10 ≥ LOD N/A ND PASS Permethrin 0.04 / 0.12 20 N/A ND PASS Phosmet 0.03 / 0.10 0.2 N/A ND PASS Piperonyl Butoxide 0.02 / 0.07 8 N/A ND PASS Prallethrin 0.03 / 0.08 0.4 N/A <	Kresoxim-methyl	0.02/0.07	1	N/A	ND	PASS
Methiocarb 0.02 / 0.07 ≥ LOD N/A ND PASS Methomyl 0.03 / 0.10 0.1 N/A ND PASS Mevinphos 0.03 / 0.09 ≥ LOD N/A ND PASS Myclobutanil 0.03 / 0.09 9 N/A ND PASS Naled 0.02 / 0.07 0.5 N/A ND PASS Oxamyl 0.04 / 0.11 0.2 N/A ND PASS Paclobutrazol 0.02 / 0.05 ≥ LOD N/A ND PASS Parathion-methyl 0.03 / 0.10 ≥ LOD N/A ND PASS Pentachloronitrobenzene* 0.03 / 0.09 0.2 N/A ND PASS Permethrin 0.04 / 0.12 20 N/A ND PASS Phosmet 0.03 / 0.07 8 N/A ND PASS Prallethrin 0.03 / 0.08 0.4 N/A ND PASS	Malathion	0.03/0.09	5	N/A	ND	PASS
Methomyl 0.03 / 0.10 0.1 N/A ND PASS Mevinphos 0.03 / 0.09 ≥ LOD N/A ND PASS Myclobutanil 0.03 / 0.09 9 N/A ND PASS Naled 0.02 / 0.07 0.5 N/A ND PASS Oxamyl 0.04 / 0.11 0.2 N/A ND PASS Paclobutrazol 0.02 / 0.05 ≥ LOD N/A ND PASS Parathion-methyl 0.03 / 0.10 ≥ LOD N/A ND PASS Pentachloronitrobenzene* 0.03 / 0.09 0.2 N/A ND PASS Permethrin 0.04 / 0.12 20 N/A ND PASS Phosmet 0.03 / 0.10 0.2 N/A ND PASS Piperonyl Butoxide 0.02 / 0.07 8 N/A ND PASS Prallethrin 0.03 / 0.08 0.4 N/A ND PASS	Metalaxyl	0.02 / 0.07	15	N/A	ND	PASS
Mevinphos $0.03/0.09$ ≥ LOD N/A ND PASS Myclobutanil $0.03/0.09$ 9 N/A ND PASS Naled $0.02/0.07$ 0.5 N/A ND PASS Oxamyl $0.04/0.11$ 0.2 N/A ND PASS Paclobutrazol $0.02/0.05$ ≥ LOD N/A ND PASS Parathion-methyl $0.03/0.10$ ≥ LOD N/A ND PASS Pentachloronitrobenzene* $0.03/0.09$ 0.2 N/A ND PASS Permethrin $0.04/0.12$ 20 N/A ND PASS Phosmet $0.03/0.10$ 0.2 N/A ND PASS Piperonyl Butoxide $0.02/0.07$ 8 N/A ND PASS Prallethrin $0.03/0.08$ 0.4 N/A ND PASS	Methiocarb	0.02 / 0.07	≥LOD	N/A	ND	PASS
Myclobutanil 0.03 / 0.09 9 N/A ND PASS Naled 0.02 / 0.07 0.5 N/A ND PASS Oxamyl 0.04 / 0.11 0.2 N/A ND PASS Paclobutrazol 0.02 / 0.05 ≥ LOD N/A ND PASS Parathion-methyl 0.03 / 0.10 ≥ LOD N/A ND PASS Pentachloronitrobenzene* 0.03 / 0.09 0.2 N/A ND PASS Permethrin 0.04 / 0.12 20 N/A ND PASS Phosmet 0.03 / 0.10 0.2 N/A ND PASS Piperonyl Butoxide 0.02 / 0.07 8 N/A ND PASS Prallethrin 0.03 / 0.08 0.4 N/A ND PASS	Methomyl	0.03 / 0.10	0.1	N/A	ND	PASS
Naled $0.02/0.07$ 0.5 N/A ND PASS Oxamyl $0.04/0.11$ 0.2 N/A ND PASS Paclobutrazol $0.02/0.05$ ≥ LOD N/A ND PASS Parathion-methyl $0.03/0.10$ ≥ LOD N/A ND PASS Pentachloronitrobenzene* $0.03/0.09$ 0.2 N/A ND PASS Permethrin $0.04/0.12$ 20 N/A ND PASS Phosmet $0.03/0.10$ 0.2 N/A ND PASS Piperonyl Butoxide $0.02/0.07$ 8 N/A ND PASS Prallethrin $0.03/0.08$ 0.4 N/A ND PASS	Mevinphos	0.03/0.09	≥LOD	N/A	ND	PASS
Oxamyl 0.04 / 0.11 0.2 N/A ND PASS Paclobutrazol 0.02 / 0.05 ≥ LOD N/A ND PASS Parathion-methyl 0.03 / 0.10 ≥ LOD N/A ND PASS Pentachloronitrobenzene* 0.03 / 0.09 0.2 N/A ND PASS Permethrin 0.04 / 0.12 20 N/A ND PASS Phosmet 0.03 / 0.10 0.2 N/A ND PASS Piperonyl Butoxide 0.02 / 0.07 8 N/A ND PASS Prallethrin 0.03 / 0.08 0.4 N/A ND PASS	Myclobutanil	0.03 / 0.09	9	N/A	ND	PASS
Paclobutrazol 0.02 / 0.05 ≥ LOD N/A ND PASS Parathion-methyl 0.03 / 0.10 ≥ LOD N/A ND PASS Pentachloronitrobenzene* 0.03 / 0.09 0.2 N/A ND PASS Permethrin 0.04 / 0.12 20 N/A ND PASS Phosmet 0.03 / 0.10 0.2 N/A ND PASS Piperonyl Butoxide 0.02 / 0.07 8 N/A ND PASS Prallethrin 0.03 / 0.08 0.4 N/A ND PASS	Naled	0.02 / 0.07	0.5	N/A	ND	PASS
Parathion-methyl 0.03 / 0.10 ≥ LOD N/A ND PASS Pentachloronitrobenzene* 0.03 / 0.09 0.2 N/A ND PASS Permethrin 0.04 / 0.12 20 N/A ND PASS Phosmet 0.03 / 0.10 0.2 N/A ND PASS Piperonyl Butoxide 0.02 / 0.07 8 N/A ND PASS Prallethrin 0.03 / 0.08 0.4 N/A ND PASS	Oxamyl	0.04/0.11	0.2	N/A	ND	PASS
Pentachloronitrobenzene* 0.03 / 0.09 0.2 N/A ND PASS Permethrin 0.04 / 0.12 20 N/A ND PASS Phosmet 0.03 / 0.10 0.2 N/A ND PASS Piperonyl Butoxide 0.02 / 0.07 8 N/A ND PASS Prallethrin 0.03 / 0.08 0.4 N/A ND PASS	Paclobutrazol	0.02 / 0.05	≥LOD	N/A	ND	PASS
Permethrin 0.04 / 0.12 20 N/A ND PASS Phosmet 0.03 / 0.10 0.2 N/A ND PASS Piperonyl Butoxide 0.02 / 0.07 8 N/A ND PASS Prallethrin 0.03 / 0.08 0.4 N/A ND PASS	Parathion-methyl	0.03/0.10	≥LOD	N/A	ND	PASS
Phosmet 0.03 / 0.10 0.2 N/A ND PASS Piperonyl Butoxide 0.02 / 0.07 8 N/A ND PASS Prallethrin 0.03 / 0.08 0.4 N/A ND PASS	Pentachloronitrobenzene*	0.03/0.09	0.2	N/A	ND	PASS
Piperonyl Butoxide 0.02 / 0.07 8 N/A ND PASS Prallethrin 0.03 / 0.08 0.4 N/A ND PASS	Permethrin	0.04/0.12	20	N/A	ND	PASS
Prallethrin 0.03 / 0.08 0.4 N/A ND PASS	Phosmet	0.03/0.10	0.2	N/A	ND	PASS
	Piperonyl Butoxide	0.02 / 0.07	8	N/A	ND	PASS
Propiconazole 0.02 / 0.07 20 N/A ND PASS	Prallethrin	0.03 / 0.08	0.4	N/A	ND	PASS
	Propiconazole	0.02 / 0.07	20	N/A	ND	PASS

Continued on next page



FORM-CO.O.FS10-GE16 | DATE ISSUED 05/27/2024





Pesticide Analysis Continued

PESTICIDE TEST RESULTS - 05/27/2024 continued **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Propoxur	0.03 / 0.09	≥LOD	N/A	ND	PASS
Pyrethrins	0.04 / 0.12	1	N/A	ND	PASS
Pyridaben	0.02 / 0.07	3	N/A	ND	PASS
Spinetoram	0.02 / 0.07	3	N/A	ND	PASS
Spinosad	0.02 / 0.07	3	N/A	ND	PASS
Spiromesifen	0.02 / 0.05	12	N/A	ND	PASS
Spirotetramat	0.02 / 0.06	13	N/A	ND	PASS
Spiroxamine	0.03 / 0.08	≥LOD	N/A	ND	PASS
Tebuconazole	0.02 / 0.07	2	N/A	ND	PASS
Thiacloprid	0.03 / 0.10	≥ LOD	N/A	ND	PASS
Thiamethoxam	0.03 / 0.10	4.5	N/A	ND	PASS
Trifloxystrobin	0.03 / 0.08	30	N/A	ND	PASS



$\bar{\mathbb{Q}}_{\mathbb{Q}}$ Residual Solvents Analysis

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

RESIDUAL SOLVENTS TEST RESULTS - 05/26/2024 **⊘ PASS**

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Propane	10/20	5000	N/A	ND	PASS
n-Butane	10/50	5000	N/A	ND	PASS
n-Pentane	20 / 50	5000	N/A	ND	PASS
n-Hexane	2/5	290	N/A	ND	PASS
n-Heptane	20/60	5000	N/A	ND	PASS
Benzene	0.03 / 0.09	1	N/A	ND	PASS
Toluene	7/21	890	N/A	ND	PASS
Total Xylenes	50 / 160	2170	N/A	ND	PASS
Methanol	50/200	3000	N/A	ND	PASS
Ethanol	20/50		N/A	ND	
2-Propanol (Isopropyl Alcohol)	10 / 40		N/A	ND	
Acetone	20/50	5000	N/A	ND	PASS
Ethyl Ether	20/50	5000	N/A	ND	PASS
Ethylene Oxide	0.3 / 0.8	1	N/A	ND	PASS
Ethyl Acetate	20/60	5000	N/A	ND	PASS
Chloroform	0.1 / 0.2	1	N/A	ND	PASS
Dichloromethane (Methylene Chloride)	0.3 / 0.9	1	N/A	ND	PASS
Trichloroethylene	0.1 / 0.3	1	N/A	ND	PASS
1,2-Dichloroethane	0.05 / 0.1	1	N/A	ND	PASS
Acetonitrile	2/7	410	N/A	ND	PASS









Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

HEAVY METALS TEST RESULTS - 05/26/2024 **PASS**

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Arsenic	0.02 / 0.1	1.5	N/A	ND	PASS
Cadmium	0.02 / 0.05	0.5	N/A	ND	PASS
Lead	0.04 / 0.1	0.5	N/A	ND	PASS
Mercury	0.002 / 0.01	3	N/A	ND	PASS

Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

Analysis conducted by 3M[™] Petrifilm[™] and plate counts of microbiological contaminants.

Method: QSP 6794 - Plating with $3M^{TM}$ PetrifilmTM

MICROBIOLOGY TEST RESULTS (PCR) - 05/26/2024 PASS

COMPOUND	ACTION LIMIT	RESULT	RESULT
Shiga toxin-producing Escherichia coli	Not Detected in 1g	ND	PASS
Salmonella spp.	Not Detected in 1g	ND	PASS

MICROBIOLOGY TEST RESULTS (PLATING) - 05/26/2024 ND

COMPOUND	RESULT (cfu/g)
Total Aerobic Bacteria	ND
Total Yeast and Mold	ND
Coliforms	ND