



CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

SG200	CH15(A)	NR: Not Reported NA: Not Available
CBD SOFTGEL CAPSULES - 200 MG	SERVING SIZE: 0.45 ML (1 CAPSULE)	LOQ: Limit Of Quantitation LOD: Limit Of Detection
LABORATORY: COLUMBIA LABORATORIES	OREGON ACCREDITATION: OR100028	1 g = 10 ⁻³ kg = 10 ³ mg = 10 ⁶ µg 1 mg/kg = 1 ppm = 1000 ppb

POTENCY	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Cannabidiol (CBD)	190 mg/serving	440 mg/g	N/A
Total THC (d9-THC, d8-THC, THCA)	1.15 mg/serving	2.56 mg/g	3 mg/g
Cannabigerol (CBG)	0.114 mg/serving	0.772 mg/g	N/A
Cannabinol (CBN)	<LOQ mg/serving	<LOQ mg/g	N/A
Cannabichromene (CBC)	<LOQ mg/serving	<LOQ mg/g	N/A
Tetrahydrocannabinolic Acid (THCA)	<LOQ mg/serving	<LOQ mg/g	N/A
Delta-9-THC (d9-THC)	1.15 mg/serving	2.56 mg/g	N/A
Delta-8-THC (d8-THC)	<LOQ mg/serving	<LOQ mg/g	N/A

HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	<LOQ µg/serving	<LOQ µg/g	10 µg/day ^[1]
Cadmium	<LOQ µg/serving	<LOQ µg/g	4.1 µg/day ^[1]
Lead	<LOQ µg/serving	<LOQ µg/g	3.5 µg/day ^[2]
Mercury	<LOQ µg/serving	<LOQ µg/g	2 µg/day ^[1]

PESTICIDES

None of the 59 pesticides tested found above limit of quantitation in the sample. 10 ppb^[1]

RESIDUAL SOLVENTS

None of the 36 residual solvents tested found above limit of quantitation in the sample.

MICROBIAL

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Coliform	Pass
Water Activity	Pass

1. American Herbal Pharmacopoeia. (2014). *Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control*. Washington DC: AHP.
 2. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA. US Food and Drug Administration. (2019). *Lead in Food, Foodwares, and Dietary Supplements*. Washington DC: FDA.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 20-009099/D02.R00
Report Date: 09/01/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/27/20 10:00

Customer: Etz Hayim Holdings
Product identity: CH15(A)SG200
Client/Metric ID: FORM-8/26-CH15
Laboratory ID: 20-009099-0001

Sample Date: 08/26/20 16:35

Summary

Potency:

Analyte per 1ml	Result	Limits	Units	Status	
CBD per 1ml	422		mg/1ml		CBD-Total per 1ml 422 mg/1ml
CBDV per 1ml	1.65		mg/1ml		
CBG per 1ml	0.740		mg/1ml		
CBL per 1ml	0.253		mg/1ml		
Δ9-THC per 1ml	2.56		mg/1ml		
					THC-Total per 1ml 2.56 mg/1ml
					(Reported in milligrams per serving)

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 20-009099/D02.R00
Report Date: 09/01/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/27/20 10:00



Customer: Etz Hayim Holdings

Product identity: CH15(A)SG200
Client/Metric ID: FORM-8/26-CH15
Sample Date: 08/26/20 16:35
Laboratory ID: 20-009099-0001
Relinquished by: Preston Stover
Temp: 21.1 °C
Serving Size #1: 0.959 g
Density: 0.959 g/ml

Sample Results

Potency per 1ml					
Method J AOAC 2015 V98-6 (mod) Batch: 2007178 Analyze: 9/1/20 2:09:00 PM					
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1ml	< LOQ		mg/1ml	0.0312	
CBC-A per 1ml	< LOQ		mg/1ml	0.0312	
CBC-Total per 1ml	< LOQ		mg/1ml	0.0586	
CBD per 1ml	422		mg/1ml	3.12	
CBD-A per 1ml	< LOQ		mg/1ml	0.0312	
CBD-Total per 1ml	422		mg/1ml	3.15	
CBDV per 1ml	1.65		mg/1ml	0.0312	
CBDV-A per 1ml	< LOQ		mg/1ml	0.0312	
CBDV-Total per 1ml	1.65		mg/1ml	0.0582	
CBG per 1ml	0.740		mg/1ml	0.0312	
CBG-A per 1ml	< LOQ		mg/1ml	0.0312	
CBG-Total per 1ml	0.740		mg/1ml	0.0582	
CBL per 1ml	0.253		mg/1ml	0.0312	
CBN per 1ml	< LOQ		mg/1ml	0.0312	
Δ8-THC per 1ml	< LOQ		mg/1ml	0.0312	
Δ9-THC per 1ml	2.56		mg/1ml	0.0312	
THC-A per 1ml	< LOQ		mg/1ml	0.0312	
THC-Total per 1ml	2.56		mg/1ml	0.0586	
THCV per 1ml	< LOQ		mg/1ml	0.0312	
THCV-A per 1ml	< LOQ		mg/1ml	0.0312	
THCV-Total per 1ml	< LOQ		mg/1ml	0.0586	
Total Cannabinoids 1ml†	427		mg/1ml		

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 20-009099/D03.R00
Report Date: 09/08/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/27/20 10:00

Customer: Etz Hayim Holdings
Product identity: CH15(A)SG200
Client/Metric ID: FORM-8/26-CH15
Laboratory ID: 20-009099-0003

Sample Date: 08/26/20 16:35

Summary

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 20-009099/D03.R00
Report Date: 09/08/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/27/20 10:00



Customer: Etz Hayim Holdings

Product identity: CH15(A)SG200
Client/Metric ID: FORM-8/26-CH15
Sample Date: 08/26/20 16:35
Laboratory ID: 20-009099-0003
Relinquished by: Preston Stover
Temp: 21.1 °C

Sample Results

Solvents					Method EPA5021A	Units µg/g	Batch 2007203	Analyze 09/02/20 10:53 AM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass	
Methylpropane	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 20-009099/D03.R00
Report Date: 09/08/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/27/20 10:00



Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2007288 Analyze 09/04/20 10:43 AM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes		
Arsenic	< LOQ		mg/kg	0.0465	2007229	09/02/20	AOAC 2013.06 (mod.)	X		
Cadmium	< LOQ		mg/kg	0.0465	2007229	09/02/20	AOAC 2013.06 (mod.)	X		
Lead	< LOQ		mg/kg	0.0465	2007229	09/02/20	AOAC 2013.06 (mod.)	X		
Mercury	< LOQ		mg/kg	0.0233	2007229	09/02/20	AOAC 2013.06 (mod.)	X		

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 20-009099/D04.R00
Report Date: 09/08/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/27/20 10:00

Customer: Etz Hayim Holdings
Product identity: CH15(A)SG200
Client/Metric ID: FORM-8/26-CH15
Laboratory ID: 20-009099-0002

Sample Date: 08/26/20 16:35

Summary

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 20-009099/D04.R00
Report Date: 09/08/2020
ORELAP#: OR100028
Purchase Order:
Received: 08/27/20 10:00

Customer: Etz Hayim Holdings

Product identity: CH15(A)SG200
Client/Metric ID: FORM-8/26-CH15
Sample Date: 08/26/20 16:35
Laboratory ID: 20-009099-0002
Relinquished by: Preston Stover
Temp: 21.1 °C

Sample Results

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
E.coli	< LOQ		cfu/g	10	2007193	09/04/20	AOAC 991.14 (Petrifilm)	X
Total Coliforms	< LOQ		cfu/g	10	2007193	09/04/20	AOAC 991.14 (Petrifilm)	X
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2007195	09/04/20	AOAC 2014.05 (RAPID)	X
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2007195	09/04/20	AOAC 2014.05 (RAPID)	X