

# Natural 3000mg

Overall Status: Pass

Sample ID: 2011NIVA0384.1079  
Strain: Natural 3000mg  
Matrix: Ingestible  
Type: Tincture  
Sample Size: ; Batch Size:

Produced:  
Collected:  
Received: 11/06/2020  
Completed: 11/11/2020  
Batch#: 1592BB1122

Client  
**Koi CBD**  
Lic. #  
14631 Best Ave  
Norwalk, CA 90650

	<b>Pass</b> Foreign Matter <small>SOPTS.4.001</small>	<b>Pass</b> Heavy Metals <small>SOPTS.4.500 ICP-MS</small>	<b>Not Tested</b> Moisture <small>SOPTS.4.001</small>	<b>Pass</b> Pesticides <small>SOPTS.4.301 GC-MS/MS SOPTS.4.300 LC-MS/MS</small>
	<b>Pass</b> Microbials <small>SOPTS.4.600 PathogenDx</small>	<b>Pass</b> Solvents <small>SOPTS.4.400 GC-MS</small>	<b>Pass</b> 0.17 aw Water Activity <small>SOPTS.4.003</small>	<b>Pass</b> Mycotoxins <small>SOPTS.4.300 LC-MS/MS</small>

## Cannabinoids (SOPTS.4.100 HPLC Analysis)

<b>ND</b> ND Total THC	<b>5.377%</b> 55.972 mg/mL Total CBD	<b>6.109%</b> 63.589 mg/mL Total Cannabinoids	<b>NT</b> Moisture
------------------------------	--	---	-----------------------

Analyte	LOD mg/g	LOQ mg/g	Mass mg/mL	Mass %	Mass mg/serving	Mass mg/package
CBD	0.0030	0.0100	55.972	5.38	55.96	3357.38
CBG	0.0030	0.0100	4.009	0.39	4.01	240.46
CBC	0.0030	0.0100	1.761	0.17	1.76	105.65
CBN	0.0030	0.0100	1.484	0.14	1.48	89.04
CBDV	0.0030	0.0100	0.362	0.03	0.36	21.73
CBDa	0.0030	0.0100	ND	ND	ND	ND
CBGa	0.0030	0.0100	ND	ND	ND	ND
THCa	0.0030	0.0100	ND	ND	ND	ND
THCV	0.0030	0.0100	ND	ND	ND	ND
Δ8-THC	0.0030	0.0100	ND	ND	ND	ND
Δ9-THC	0.0030	0.0100	ND	ND	ND	ND
<b>Total THC</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total CBD</b>			<b>55.972</b>	<b>5.3768</b>	<b>55.956</b>	<b>3357.381</b>
<b>Total</b>				<b>6.1085</b>	<b>63.571</b>	<b>3814.270</b>

Density: 1.041g per 1 mL

Cannabinoids Date Tested: 11/10/2020

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Water Activity Analytical Instrumentation: Rotronic HCW HC2-AW-USB Water Activity Meter. Water Activity Analysis Date: 11/09/2020

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date: 11/09/2020



Accreditation #101219  
ISO/IEC 17025:2017

Kris Marsh  
Lab Director  
11/11/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-0000024-LIC

# Natural 3000mg

Overall Status: Pass

<b>Sample ID:</b> 2011NIVA0384.1079	<b>Produced:</b>	<b>Client</b>
<b>Strain:</b> Natural 3000mg	<b>Collected:</b>	<b>Koi CBD</b>
<b>Matrix:</b> Ingestible	<b>Received:</b> 11/06/2020	<b>Lic. #</b>
<b>Type:</b> Tincture	<b>Completed:</b> 11/11/2020	14631 Best Ave
<b>Sample Size:</b> ; Batch Size:	<b>Batch#:</b> 1592BB1122	Norwalk, CA 90650

## Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 11/10/2020  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

## Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20.00	ND	Pass
Ochratoxin A	16	20	20.00	ND	Pass

Date Tested: 11/10/2020  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

## Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.009	0.090	1.500	ND	Pass
Cadmium	0.009	0.090	0.500	ND	Pass
Lead	0.009	0.090	0.500	ND	Pass
Mercury	0.005	0.020	3.000	ND	Pass

Date Tested: 11/10/2020  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Accreditation #101219  
ISO/IEC 17025:2017

*Kris Marsh*

Kris Marsh  
Lab Director  
11/11/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-0000024-LIC

QA Testing

3 of 5

# Natural 3000mg

Overall Status: Pass

Sample ID: 2011NIVA0384.1079  
Strain: Natural 3000mg  
Matrix: Ingestible  
Type: Tincture  
Sample Size: ; Batch Size:

Produced:  
Collected:  
Received: 11/06/2020  
Completed: 11/11/2020  
Batch#: 1592BB1122

Client  
**Koi CBD**  
Lic. #  
14631 Best Ave  
Norwalk, CA 90650

## Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.30	ND	Pass	Fludioxonil	0.040	0.050	30.00	ND	Pass
Acephate	0.050	0.100	5.00	ND	Pass	Hexythiazox	0.010	0.020	2.00	ND	Pass
Acequinocyl	0.040	0.050	4.00	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	5.00	ND	Pass	Imidacloprid	0.010	0.020	3.00	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	1.00	ND	Pass
Azoxystrobin	0.010	0.020	40.00	ND	Pass	Malathion	0.010	0.020	5.00	ND	Pass
Bifenazate	0.010	0.020	5.00	ND	Pass	Metalaxyl	0.010	0.020	15.00	ND	Pass
Bifenthrin	0.010	0.020	0.50	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	10.00	ND	Pass	Methomyl	0.010	0.020	0.10	ND	Pass
Captan	0.100	0.100	5.00	ND	Pass	Mevinphos	0.018	0.045	0.02	ND	Pass
Carbaryl	0.020	0.050	0.50	ND	Pass	Myclobutanil	0.040	0.050	9.00	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.50	ND	Pass
Chlorantraniliprole	0.040	0.050	40.00	ND	Pass	Oxamyl	0.010	0.020	0.20	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.02	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.20	ND	Pass
Clofentezine	0.010	0.020	0.50	ND	Pass	Permethrin	0.020	0.050	20.00	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.20	ND	Pass
Cyfluthrin	0.050	0.100	1.00	ND	Pass	Piperonyl Butoxide	0.010	0.020	8.00	ND	Pass
Cypermethrin	0.050	0.100	1.00	ND	Pass	Prallethrin	0.040	0.050	0.40	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	20.00	ND	Pass
Diazinon	0.010	0.020	0.20	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	1.00	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	3.00	ND	Pass
Dimethomorph	0.020	0.050	20.00	ND	Pass	Spinetoram	0.041	0.061	3.00	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	3.00	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	12.00	ND	Pass
Etoxazole	0.010	0.020	1.50	ND	Pass	Spirotetramat	0.020	0.050	13.00	ND	Pass
Fenhexamid	0.040	0.050	10.00	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	2.00	ND	Pass
Fenpyroximate	0.010	0.020	2.00	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	4.50	ND	Pass
Fonicamid	0.010	0.020	2.00	ND	Pass	Trifloxystrobin	0.010	0.020	30.00	ND	Pass

Date Tested: 11/10/2020  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Accreditation #101219  
ISO/IEC 17025:2017

*Kris Marsh*

Kris Marsh  
Lab Director  
11/11/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-0000024-LIC

QA Testing

4 of 5

## Natural 3000mg

Overall Status: Pass

Sample ID: 2011NIVA0384.1079

Produced:

Client

Strain: Natural 3000mg

Collected:

Koi CBD

Matrix: Ingestible

Received: 11/06/2020

Lic. #

Type: Tincture

Completed: 11/11/2020

14631 Best Ave

Sample Size: ; Batch Size:

Batch#: 1592BB1122

Norwalk, CA 90650

## Residual Solvents

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.25	0.50	1.000	ND	Pass
Acetone	5.0	10	5000.000	ND	Pass
Acetonitrile	5.0	10	410.000	ND	Pass
Benzene	0.25	0.50	1.000	ND	Pass
Butane	5.0	10	5000.000	ND	Pass
Chloroform	0.25	0.50	1.000	ND	Pass
Ethanol	5.0	10	5000.000	ND	Pass
Ethyl-Acetate	5.0	10	5000.000	ND	Pass
Ethyl-Ether	5.0	10	5000.000	ND	Pass
Ethylene Oxide	0.50	1.0	1.000	ND	Pass
Heptane	5.0	10	5000.000	<LOQ	Pass
Isopropanol	5.0	10	5000.000	ND	Pass
Methanol	5.0	10	3000.000	ND	Pass
Methylene Chloride	0.25	0.50	1.000	ND	Pass
n-Hexane	5.0	10	290.000	ND	Pass
Pentane	5.0	10	5000.000	ND	Pass
Propane	5.0	10	5000.000	ND	Pass
Toluene	5.0	10	890.000	ND	Pass
Trichloroethene	0.25	0.50	1.000	ND	Pass
Xylenes	5.0	10	2170.000	ND	Pass

Date Tested: 11/10/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



PJLA  
Testing  
Accreditation #101219  
ISO/IEC 17025:2017

*Kris Marsh*

Kris Marsh  
Lab Director  
11/11/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-0000024-LIC

# Natural 3000mg

Overall Status: Pass

Sample ID: 2011NIVA0384.1079  
Strain: Natural 3000mg  
Matrix: Ingestible  
Type: Tincture  
Sample Size: ; Batch Size:


Produced:  
Collected:  
Received: 11/06/2020  
Completed: 11/11/2020  
Batch#: 1592BB1122

Client  
**Koi CBD**  
Lic. #  
14631 Best Ave  
Norwalk, CA 90650

## Terpenes


Analyte	LOD	LOQ	Mass	Mass
	mg/g	mg/g	mg/g	%
α-Bisabolol	0.03	0.10	0.19	0.019
α-Humulene	0.03	0.10	ND	ND
α-Pinene	0.03	0.10	ND	ND
α-Terpinene	0.03	0.10	ND	ND
β-Caryophyllene	0.03	0.10	ND	ND
β-Myrcene	0.03	0.10	ND	ND
β-Pinene	0.03	0.10	ND	ND
Camphene	0.03	0.10	ND	ND
Caryophyllene Oxide	0.03	0.10	ND	ND
cis-Nerolidol	0.03	0.10	ND	ND
δ-3-Carene	0.03	0.10	ND	ND
δ-Limonene	0.03	0.10	ND	ND
Eucalyptol	0.03	0.10	ND	ND
γ-Terpinene	0.03	0.10	ND	ND
Guaiol	0.03	0.10	<LOQ	<LOQ
Isopulegol	0.03	0.10	ND	ND
Linalool	0.03	0.10	ND	ND
Ocimene	0.03	0.10	ND	ND
p-Cymene	0.03	0.10	ND	ND
Terpinolene	0.03	0.10	ND	ND
trans-Nerolidol	0.03	0.10	ND	ND
<b>Total</b>			<b>0.19</b>	<b>0.019</b>

## Primary Aromas



Chamomile

Date Tested: 11/11/2020  
 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B HS-GC-MS; SOPTS.4.200"  
 This terpenes method has not yet been evaluated for ISO/IEC 17025 accreditation.



Accreditation #101219  
ISO/IEC 17025:2017

*Kris Marsh*

Kris Marsh  
Lab Director  
11/11/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty