

CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

BULK SKU	BATCH #	NR: Not Reported NA: Not Available LOQ: Limit Of Quantitation LOD: Limit Of Detection 1 g = 10 ⁻³ kg = 10 ³ mg = 10 ⁶ µg 1 mg/kg = 1 ppm = 1000 ppb
PRODUCT NAME	SERVING SIZE	
LABORATORY: COLUMBIA LABORATORIES	OREGON ACCREDITATION: OR100028	

POTENCY	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Cannabidiol (CBD)	mg/serving	mg/g	N/A
Total THC (d9-THC, THCA)	mg/serving	mg/g	3 mg/g
Cannabigerol (CBG)	mg/serving	mg/g	N/A
Cannabinol (CBN)	mg/serving	mg/g	N/A
Cannabichromene (CBC)	mg/serving	mg/g	N/A
Tetrahydrocannabinolic Acid (THCA)	mg/serving	mg/g	N/A
Delta-9-THC (d9-THC)	mg/serving	mg/g	N/A
Delta-8-THC (d8-THC)	mg/serving	mg/g	N/A

HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVEL
Arsenic	µg/serving	µg/g	10 µg/day ^[1]
Cadmium	µg/serving	µg/g	4.1 µg/day ^[1]
Lead	µg/serving	µg/g	3.5 µg/day ^[2]
Mercury	µg/serving	µg/g	2 µg/day ^[1]

PESTICIDES	REGULATORY ACTION LEVEL
None of the 59 pesticides tested found above limit of detection in the sample.	10 ppb ^[1]

RESIDUAL SOLVENTS
None of the 36 residual solvents tested found above limit of quantitation in the sample.

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Coliform	Pass
Water Activity	Pass

1. AMERICAN HERBAL PHARMACOPOEIA. (2014). CANNABIS INFLORESCENCE: STANDARDS OF IDENTITY, ANALYSIS, AND QUALITY CONTROL. WASHINGTON DC: AHP.

2. US FOOD AND DRUG ADMINISTRATION. (2019). LEAD IN FOOD, FOODWARES, AND DIETARY SUPPLEMENTS. WASHINGTON DC: FDA.US FOOD AND DRUG ADMINISTRATION. (2019). LEAD IN FOOD, FOODWARES, AND DIETARY SUPPLEMENTS. WASHINGTON DC: FDA.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-009170/D002.R000
Report Date: 08/13/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

Customer: Etz Hayim Holdings

Product identity: FORM-DG17-CWB.OP25

Client/Metric ID: .

Laboratory ID: 21-009170-0001

Sample Date: 07/15/21 16:50

Summary

Potency:

Analyte per 1g	Result	Limits	Units	Status	
CBD per 1g	60.5		mg/1g		CBD-Total per 1g 60.5 mg/1g
					THC-Total per 1g <LOQ
					(Reported in milligrams per serving)



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 21-009170/D002.R000
Report Date: 08/13/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00



Customer: Etz Hayim Holdings
 16427 NE Airport Way
 PORTLAND 97230
 United States of America (USA)

Product identity: FORM-DG17-CWB.OP25

Client/Metric ID: .

Sample Date: 07/15/21 16:50

Laboratory ID: 21-009170-0001

Evidence of Cooling: No

Temp: 26.3 °C

Relinquished by: T. Ashmore

Serving Size #1: 1 g

Sample Results

Potency per 1g					
Method J AOAC 2015 V98-6 (mod)Units mg/se Batch: 2107192 Analyze: 8/12/21 2:32:00 AM					
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1g [†]	< LOQ		mg/1g	0.985	
CBC-A per 1g [†]	< LOQ		mg/1g	0.985	
CBC-Total per 1g [†]	< LOQ		mg/1g	1.85	
CBD per 1g	60.5		mg/1g	0.985	
CBD-A per 1g	< LOQ		mg/1g	0.985	
CBD-Total per 1g	60.5		mg/1g	1.85	
CBDV per 1g [†]	< LOQ		mg/1g	0.985	
CBDV-A per 1g [†]	< LOQ		mg/1g	0.985	
CBDV-Total per 1g [†]	< LOQ		mg/1g	1.84	
CBE per 1g [†]	< LOQ		mg/1g	0.985	
CBG per 1g [†]	< LOQ		mg/1g	0.985	
CBG-A per 1g [†]	< LOQ		mg/1g	0.985	
CBG-Total per 1g [†]	< LOQ		mg/1g	1.84	
CBL per 1g [†]	< LOQ		mg/1g	0.985	
CBL-A per 1g [†]	< LOQ		mg/1g	0.985	
CBL-Total per 1g [†]	< LOQ		mg/1g	1.85	
CBN per 1g	< LOQ		mg/1g	0.985	
CBT per 1g [†]	< LOQ		mg/1g	0.985	
Δ8-THCV per 1g [†]	< LOQ		mg/1g	0.985	
Δ8-THC per 1g [†]	< LOQ		mg/1g	0.985	
Δ9-THC per 1g	< LOQ		mg/1g	0.985	
exo-THC per 1g [†]	< LOQ		mg/1g	0.985	
THC-A per 1g	< LOQ		mg/1g	0.985	
THC-Total per 1g	< LOQ		mg/1g	1.85	
THCV per 1g [†]	< LOQ		mg/1g	0.985	
THCV-A per 1g [†]	< LOQ		mg/1g	0.985	
THCV-Total per 1g [†]	< LOQ		mg/1g	1.85	
Total Cannabinoids per 1g	60.5		mg/1g		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-009170/D002.R000
Report Date: 08/13/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

g = Gram

mg/1g = Milligram per 1g

% = Percentage of sample

% wt = $\mu\text{g/g}$ divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-009170/D002.R000
Report Date: 08/13/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

ETZHAYIM 21-009170



12423 NE Whitaker Way Portland OR 97230 p.503-254-1794

Cannabis Chain of Custody Record

Company: ETZHH INC		Analysis Requested										Elz Hayim Holdings		Order Number: 8				
Contact: Tyler Ashmore		Pesticides - OR 59 compounds	Pesticide Multi-Residue - 379 compounds	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E. Coli and Total Coliform	Heavy Metals	Mycotoxins	Other	Project Number:		<input type="checkbox"/> Report Instructions: <input type="checkbox"/> Send to State - METRC <input checked="" type="checkbox"/> Email Final Results: <input type="checkbox"/> Fax Final Results <input type="checkbox"/> Cash/Check/CC/Net 30 Other:		
Address: 16427 NE Airport Way														Project Name:				
Email: testing@lazarusnaturals.com																		
Phone: 360-921-4247 Fax:																		
Processor's License:																		
Field ID	Date/Time Collected													Matrix	Weight	Serving size for edibles	Comments/Metric ID	
FORM-DG17-CWB.OP25	7/15 1650			X														Laz Nat Discount
FORM-DG17-CWB.OP25	7/15 1650								X	X								
FORM-DG17-CWB.OP25	7/15 1650	X			X	X												

Collected By:	Relinquished By:	Date	Time	Received by:	Date	Time	Lab Use Only:
<input checked="" type="checkbox"/> Standard (5 day)	Tyler Ashmore	8/9/2021	4:00	<i>gmw</i>	8/9/21	6:00	Client Alias:
<input type="checkbox"/> Rush (3-4 day) (1.5x Standard)							Order Number:
<input type="checkbox"/> Priority Rush (2 day) (2x Standard)							Proper Container
							Sample Condition
							Temperature: 76.3
							Shipped Via: <i>Clia</i>
							Evidence of cooling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023
Effective 01/31/2019 Revised 01/31/2019

www.pixislabs.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0430



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 21-009170/D002.R000
Report Date: 08/13/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

Revision #: 0.00 Control : CFL-D06
 Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results

J AOAC 2015 V98-6 **Batch ID: 2107192**

Laboratory Control Sample							
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.207	0.2	%	103	85.0 - 115	Acceptable	
CBDV	0.213	0.2	%	106	85.0 - 115	Acceptable	
CBE	0.205	0.2	%	103	85.0 - 115	Acceptable	
CBDA	0.209	0.2	%	104	85.0 - 115	Acceptable	
CBGA	0.209	0.2	%	104	85.0 - 115	Acceptable	
CBG	0.208	0.2	%	104	85.0 - 115	Acceptable	
CBD	0.208	0.2	%	104	85.0 - 115	Acceptable	
THCV	0.210	0.2	%	105	85.0 - 115	Acceptable	
d8THCV	0.204	0.2	%	102	85.0 - 115	Acceptable	
THCVA	0.197	0.2	%	98.6	85.0 - 115	Acceptable	
CBN	0.216	0.2	%	108	85.0 - 115	Acceptable	
exo-THC	0.194	0.2	%	96.8	85.0 - 115	Acceptable	
d9THC	0.203	0.2	%	102	85.0 - 115	Acceptable	
d8THC	0.201	0.2	%	101	85.0 - 115	Acceptable	
CBL	0.198	0.2	%	99.2	85.0 - 115	Acceptable	
CBC	0.210	0.2	%	105	85.0 - 115	Acceptable	
THCA	0.202	0.2	%	101	85.0 - 115	Acceptable	
CBCA	0.201	0.2	%	101	85.0 - 115	Acceptable	
CBLA	0.207	0.2	%	104	85.0 - 115	Acceptable	
CBT	0.223	0.2	%	111	85.0 - 115	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.1	%	< 0.1	Acceptable	
CBDV	<LOQ	0.1	%	< 0.1	Acceptable	
CBE	<LOQ	0.1	%	< 0.1	Acceptable	
CBDA	<LOQ	0.1	%	< 0.1	Acceptable	
CBGA	<LOQ	0.1	%	< 0.1	Acceptable	
CBG	<LOQ	0.1	%	< 0.1	Acceptable	
CBD	<LOQ	0.1	%	< 0.1	Acceptable	
THCV	<LOQ	0.1	%	< 0.1	Acceptable	
d8THCV	<LOQ	0.1	%	< 0.1	Acceptable	
THCVA	<LOQ	0.1	%	< 0.1	Acceptable	
CBN	<LOQ	0.1	%	< 0.1	Acceptable	
exo-THC	<LOQ	0.1	%	< 0.1	Acceptable	
d9THC	<LOQ	0.1	%	< 0.1	Acceptable	
d8THC	<LOQ	0.1	%	< 0.1	Acceptable	
CBL	<LOQ	0.1	%	< 0.1	Acceptable	
CBC	<LOQ	0.1	%	< 0.1	Acceptable	
THCA	<LOQ	0.1	%	< 0.1	Acceptable	
CBCA	<LOQ	0.1	%	< 0.1	Acceptable	
CBLA	<LOQ	0.1	%	< 0.1	Acceptable	
CBT	<LOQ	0.1	%	< 0.1	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-009170/D002.R000
Report Date: 08/13/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

Revision #: 0.00 Control : CFL-D06
Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results

J AOAC 2015 V98-6								
Sample Duplicate								
Batch ID: 2107192								
Sample ID: 21-008909-0001								
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
CBDV	0.353	0.357	0.1	%	1.15	< 20	Acceptable	
CBE	3.94	3.98	0.1	%	0.981	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
CBG	0.733	0.720	0.1	%	1.86	< 20	Acceptable	
CBD	58.0	58.5	0.1	%	0.883	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
CBN	0.873	0.904	0.1	%	3.40	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
CBL	0.119	0.118	0.1	%	0.723	< 20	Acceptable	
CBC	0.860	0.892	0.1	%	3.55	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.1	%	NA	< 20	Acceptable	
CBT	2.54	2.66	0.1	%	4.59	< 20	Acceptable	

Abbreviations

- ND - None Detected at or above MRL
- RPD - Relative Percent Difference
- LOQ - Limit of Quantitation
- NA - Calculation Not Applicable given non-numerical results

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-009170/D002.R000
Report Date: 08/13/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-009170/D005.R000
Report Date: 08/20/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

Customer: Etz Hayim Holdings

Product identity: FORM-DG17-CWB.OP25

Client/Metric ID: .

Laboratory ID: 21-009170-0003

Sample Date: 07/15/21 16:50

Summary

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 21-009170/D005.R000
Report Date: 08/20/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

Customer: Etz Hayim Holdings
 16427 NE Airport Way
 PORTLAND 97230
 United States of America (USA)

Product identity: FORM-DG17-CWB.OP25

Client/Metric ID: .

Sample Date: 07/15/21 16:50

Laboratory ID: 21-009170-0003

Evidence of Cooling: No

Temp: 26.3 °C

Relinquished by: T. Ashmore

Sample Results

Solvents		Method Residual Solvents by GC/MS				Units µg/g	Batch 2107354	Analyze 08/17/21 05:55 PM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass	



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 21-009170/D005.R000
Report Date: 08/20/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00



Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2107395 Analyze 08/18/21 04:18 PM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.200	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.200	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes	
Arsenic	< LOQ		mg/kg	0.0449	2107435	08/19/21	AOAC 2013.06 (mod.)		X	
Cadmium	< LOQ		mg/kg	0.0449	2107435	08/19/21	AOAC 2013.06 (mod.)		X	
Lead	< LOQ		mg/kg	0.0449	2107435	08/19/21	AOAC 2013.06 (mod.)		X	
Mercury	< LOQ		mg/kg	0.0224	2107435	08/19/21	AOAC 2013.06 (mod.)		X	

Nutrition										
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Status	Notes	
Water Activity	0.451	0.650	Aw	0.030	2107357	08/17/21	AOAC 978.18	pass	X	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-009170/D005.R000
Report Date: 08/20/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

Aw = Water Activity

% wt = µg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 21-009170/D005.R000
Report Date: 08/20/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

ETZHAYIM 21-009170



12423 NE Whitaker Way Portland OR 97230 p.503-254-1794

Cannabis Chain of Custody Record

Company: ETZHH INC		Analysis Requested										Elz Hayim Holdings		Order Number: 8			
Contact: Tyler Ashmore		Pesticides - OR 59 compounds	Pesticide Multi-Residue - 379 compounds	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E. Coli and Total Coliform	Heavy Metals	Mycotoxins	Other	Project Number:		<input type="checkbox"/> Report Instructions: <input type="checkbox"/> Send to State - METRC <input checked="" type="checkbox"/> Email Final Results: <input type="checkbox"/> Fax Final Results <input type="checkbox"/> Cash/Check/CC/Net 30 Other:	
Address: 16427 NE Airport Way														Project Name:			
Email: testing@lazarusnaturals.com														<input type="checkbox"/> Report Instructions: <input type="checkbox"/> Send to State - METRC <input checked="" type="checkbox"/> Email Final Results: <input type="checkbox"/> Fax Final Results <input type="checkbox"/> Cash/Check/CC/Net 30 Other:			
Phone: 360-921-4247 Fax:																	
Processor's License:																	
Field ID	Date/Time Collected													Matrix	Weight	Serving size for edibles	Comments/Metric ID
FORM-DG17-CWB.OP25	7/15 1650			X													Laz Nat Discount
FORM-DG17-CWB.OP25	7/15 1650								X	X							
FORM-DG17-CWB.OP25	7/15 1650	X			X	X											

Collected By:	Relinquished By:	Date	Time	Received by:	Date	Time	Lab Use Only:
<input checked="" type="checkbox"/> Standard (5 day)	Tyler Ashmore	8/9/2021	4:00	<i>gmw</i>	8/9/21	6:00	Client Alias:
<input type="checkbox"/> Rush (3-4 day) (1.5x Standard)							Order Number:
<input type="checkbox"/> Priority Rush (2 day) (2x Standard)							Proper Container
							Sample Condition
							Temperature: 76.3
							Shipped Via: <i>Clia</i>
							Evidence of cooling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023
Effective 01/31/2019 Revised 01/31/2019

www.pixislabs.com

Page 1 of 2

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.
Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 21-009170/D005.R000
Report Date: 08/20/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2107354					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		580	595	µg/g	97.5	70	- 130
Isobutane	ND	< 200		675	761	µg/g	88.7	70	- 130
Butane	ND	< 200		670	761	µg/g	88.0	70	- 130
2,2-Dimethylpropane	ND	< 200		1000	955	µg/g	104.7	70	- 130
Methanol	ND	< 200		1290	1610	µg/g	80.1	70	- 130
Ethylene Oxide	ND	< 30		48.8	58.3	µg/g	83.7	70	- 130
2-Methylbutane	ND	< 200		1160	1610	µg/g	72.0	70	- 130
Pentane	ND	< 200		1220	1620	µg/g	75.3	70	- 130
Ethanol	ND	< 200		1320	1610	µg/g	82.0	70	- 130
Ethyl Ether	ND	< 200		1430	1610	µg/g	88.8	70	- 130
2,2-Dimethylbutane	ND	< 30		137	172	µg/g	79.7	70	- 130
Acetone	ND	< 200		1310	1600	µg/g	81.9	70	- 130
2-Propanol	ND	< 200		1310	1620	µg/g	80.9	70	- 130
Acetonitrile	ND	< 100		387	501	µg/g	77.2	70	- 130
2,3-Dimethylbutane	ND	< 30		134	163	µg/g	82.2	70	- 130
Dichloromethane	ND	< 60		412	483	µg/g	85.3	70	- 130
2-Methylpentane	ND	< 30		139	164	µg/g	84.8	70	- 130
3-Methylpentane	ND	< 30		148	164	µg/g	90.2	70	- 130
Hexane	ND	< 30		151	163	µg/g	92.6	70	- 130
Ethyl acetate	ND	< 200		1410	1610	µg/g	87.6	70	- 130
2-Butanol	ND	< 200		1250	1620	µg/g	77.2	70	- 130
Tetrahydrofuran	ND	< 100		399	500	µg/g	79.8	70	- 130
Cyclohexane	ND	< 200		1330	1610	µg/g	82.6	70	- 130
Benzene	ND	< 1		4.89	5.42	µg/g	90.2	70	- 130
Isopropyl Acetate	ND	< 200		1250	1600	µg/g	78.1	70	- 130
Heptane	ND	< 200		1300	1600	µg/g	81.3	70	- 130
1,4-Dioxane	ND	< 100		492	490	µg/g	100.4	70	- 130
2-Ethoxyethanol	ND	< 30		145	163	µg/g	89.0	70	- 130
Ethylene Glycol	ND	< 200		357	484	µg/g	73.8	70	- 130
Toluene	ND	< 200		537	482	µg/g	111.4	70	- 130
Ethylbenzene	ND	< 200		1080	970	µg/g	111.3	70	- 130
m,p-Xylene	ND	< 200		872	991	µg/g	88.0	70	- 130
o-Xylene	ND	< 200		766	967	µg/g	79.2	70	- 130
Cumene	ND	< 30		131	169	µg/g	77.5	70	- 130



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 21-009170/D005.R000
Report Date: 08/20/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

QC - Sample Duplicate Sample ID: 21-009089-0001

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

µg/g - Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 21-009170/D005.R000
Report Date: 08/20/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00



Revision: 1.00 Control: CFL-C21
Revised: 08/12/2019 Effective: 08/15/2019

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662		Units: mg/Kg			Batch ID: 2107395			
Method Blank		Laboratory Control Sample						
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes
Accephate	0.051	< 0.250		1.007	1.000	100.7	69.4 - 129	
Acetamiprid	0.000	< 0.100		0.383	0.400	95.8	70.2 - 130	Q1
Aldicarb	0.000	< 0.200		0.688	0.800	86.0	73.4 - 136	
Abamectin	0.000	< 0.250		0.827	1.000	82.7	70.3 - 131	
Azoxystrobin	0.000	< 0.100		0.391	0.400	97.8	69.3 - 129	
Bifenazate	0.000	< 0.100		0.378	0.400	94.6	73.8 - 137	
Bifenthrin	0.000	< 0.100		0.305	0.400	76.3	69.7 - 129	
Boscalid	0.000	< 0.200		0.766	0.800	95.8	69.6 - 129	
Carbaryl	0.000	< 0.100		0.384	0.400	95.9	69.6 - 129	
Carbofuran	0.000	< 0.100		0.369	0.400	92.3	71.2 - 132	
Chlorantraniliprol	0.000	< 0.100		0.412	0.400	102.9	70.5 - 131	
Chlorfenapyr	0.000	< 0.500		2.114	2.000	105.7	70.1 - 130	
Chlorpyrifos	0.000	< 0.100		0.448	0.400	112.1	68.3 - 127	
Clofentezine	0.000	< 0.100		0.352	0.400	88.1	69.6 - 129	
Cyfluthrin	0.000	< 0.500		1.819	2.000	90.9	70.8 - 131	
Cypermethrin	0.000	< 0.500		1.708	2.000	85.4	70.3 - 131	
Daminozide	0.074	< 0.500		1.858	2.000	92.9	71.5 - 133	
Diazinon	0.000	< 0.100		0.350	0.400	87.5	69.3 - 129	
Dichlorvos	0.000	< 0.500		2.336	2.000	116.8	67.8 - 126	
Dimethoat	0.000	< 0.100		0.364	0.400	91.0	70.0 - 130	
Ethoprophos	0.000	< 0.100		0.379	0.400	94.8	69.0 - 128	
Etofenprox	0.000	< 0.200		0.826	0.800	103.3	70.2 - 130	
Etoxazol	0.000	< 0.100		0.398	0.400	99.4	69.6 - 129	
Fenoxycarb	0.000	< 0.100		0.361	0.400	90.3	69.4 - 129	
Fenpyroximat	0.000	< 0.200		0.727	0.800	90.9	69.8 - 130	
Fipronil	0.000	< 0.200		0.799	0.800	99.9	71.2 - 132	
Flonicamid	0.000	< 0.250		0.917	1.000	91.7	70.0 - 130	
Fludoxonil	0.000	< 0.200		0.634	0.800	79.3	71.5 - 133	
Hexythiazox	0.000	< 0.250		1.093	1.000	109.3	68.2 - 127	
Imazalil	0.000	< 0.100		0.389	0.400	97.3	71.8 - 133	
Imidacloprid	0.000	< 0.200		0.724	0.800	90.5	69.1 - 128	
Kresoxim-Methyl	0.000	< 0.200		0.755	0.800	94.4	69.7 - 129	
Malathion	0.000	< 0.100		0.385	0.400	96.2	69.2 - 129	
Metaxalyl	0.000	< 0.100		0.358	0.400	89.4	70.0 - 130	
Methiocarb	0.000	< 0.100		0.392	0.400	98.1	69.6 - 129	
Methomyl	0.000	< 0.200		0.810	0.800	101.2	69.4 - 129	
MGK 264	0.000	< 0.100		0.318	0.400	79.6	69.3 - 129	
Myclobutanil	0.000	< 0.100		0.360	0.400	89.9	69.6 - 129	
Naled	0.000	< 0.250		0.918	1.000	91.8	71.4 - 133	
Oxamyl	0.000	< 0.500		1.910	2.000	95.5	70.3 - 130	
Paclobutrazol	0.000	< 0.200		0.690	0.800	86.3	70.3 - 131	
Parathion Methyl	0.000	< 0.200		0.727	0.800	90.9	71.6 - 133	
Permethrin	0.000	< 0.100		0.297	0.400	74.3	69.2 - 128	
Phosmet	0.000	< 0.100		0.331	0.400	82.7	69.3 - 129	
Piperonyl butoxide	0.000	< 0.500		2.117	2.000	105.9	70.3 - 130	
Prallethrin	0.000	< 0.100		0.360	0.400	90.0	70.2 - 130	
Propiconazole	0.000	< 0.200		0.813	0.800	101.6	69.7 - 129	
Propoxur	0.004	< 0.100		0.404	0.400	100.9	69.3 - 129	
Pyrethrins	0.000	< 0.100		0.352	0.413	85.3	68.3 - 127	
Pyridaben	0.000	< 0.100		0.342	0.400	85.5	69.0 - 128	
Spinosad	0.000	< 0.100		0.378	0.388	97.3	72.2 - 134	
Spiromesifen	0.000	< 0.100		0.385	0.400	96.2	70.4 - 131	
Spirotetramat	0.000	< 0.100		0.388	0.400	97.0	69.8 - 130	
Spiroxamine	0.000	< 0.200		0.615	0.800	76.9	68.2 - 127	
Tebuconazol	0.000	< 0.200		0.865	0.800	108.1	69.5 - 129	
Thiadoprid	0.000	< 0.100		0.364	0.400	90.9	69.4 - 129	
Thiamethoxam	0.000	< 0.100		0.389	0.400	97.2	69.4 - 129	
Trifloxystrobin	0.000	< 0.100		0.373	0.400	93.1	69.8 - 130	



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 21-009170/D005.R000
 Report Date: 08/20/2021
 ORELAP#: OR100028
 Purchase Order:
 Received: 08/09/21 16:00



Revision: 1.00 Control: CFL-C21
 Revised: 08/12/2019 Effective: 08/15/2019

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662		Units: mg/Kg				Batch ID: 2107395				
Matrix Spike/Matrix Spike Duplicate Recoveries		Sample ID: 21-009089-0010								
Analyte	Result	MS Res	MSD Res	Spike	RPD%	Limit	MS % Rec	MSD % Rec	Limits	Notes
Acephate	0.013	0.934	1.014	1.000	8.3%	< 30	92.1%	100.1%	50 - 150	
Acequinocyl	0.000	6.688	7.638	4.000	13.3%	< 30	167.2%	191.0%	50 - 150	Q1
Acetamidiprid	0.000	0.355	0.371	0.400	4.4%	< 30	88.9%	92.9%	50 - 150	
Aldicarb	0.000	1.010	0.658	0.800	42.2%	< 30	126.3%	82.3%	50 - 150	R
Abamectin	0.000	0.734	0.832	1.000	12.5%	< 30	73.4%	83.2%	50 - 150	
Azoxystrobin	0.000	0.337	0.381	0.400	12.2%	< 30	84.3%	95.3%	50 - 150	
Bifenazate	0.000	0.385	0.399	0.400	3.7%	< 30	96.1%	99.7%	50 - 150	
Bifenthrin	0.000	0.293	0.363	0.400	21.2%	< 30	73.4%	90.8%	50 - 150	
Boscalid	0.000	0.666	0.779	0.800	15.7%	< 30	83.2%	97.4%	50 - 150	
Carbaryl	0.000	0.346	0.379	0.400	9.2%	< 30	86.5%	94.8%	50 - 150	
Carbofuran	0.000	0.328	0.345	0.400	5.0%	< 30	82.0%	86.2%	50 - 150	
Chlorantraniliprol	0.000	0.333	0.438	0.400	27.3%	< 30	83.2%	109.5%	50 - 150	
Chlorfenapyr	0.000	1.987	2.221	2.000	11.1%	< 30	99.3%	111.1%	50 - 150	
Chlorpyrifos	0.000	0.389	0.370	0.400	5.1%	< 30	97.4%	92.5%	50 - 150	
Clofentezine	0.000	0.322	0.343	0.400	6.4%	< 30	80.4%	85.7%	50 - 150	
Cyfluthrin	0.000	1.047	1.322	2.000	23.2%	< 30	52.4%	66.1%	30 - 150	
Cypermethrin	0.000	2.030	2.011	2.000	0.9%	< 30	101.5%	100.6%	50 - 150	
Daminozide	0.061	1.633	2.107	2.000	26.2%	< 30	78.6%	102.3%	30 - 150	
Diazinon	0.000	0.315	0.346	0.400	9.4%	< 30	78.7%	86.5%	50 - 150	
Dichlorvos	0.000	2.365	2.130	2.000	10.5%	< 30	118.3%	106.5%	50 - 150	
Dimethoat	0.000	0.343	0.355	0.400	3.4%	< 30	85.7%	88.6%	50 - 150	
Ethoprophos	0.000	0.361	0.370	0.400	2.4%	< 30	90.3%	92.5%	50 - 150	
Etofenprox	0.000	0.739	0.807	0.800	8.7%	< 30	92.4%	100.9%	50 - 150	
Etoxazol	0.008	0.324	0.318	0.400	2.1%	< 30	79.0%	77.4%	50 - 150	
Fenoxycarb	0.000	0.351	0.379	0.400	7.8%	< 30	87.7%	94.8%	50 - 150	
Fenpyroximat	0.000	0.709	0.874	0.800	20.8%	< 30	88.6%	109.2%	50 - 150	
Fipronil	0.000	0.771	0.729	0.800	5.5%	< 30	96.3%	91.2%	50 - 150	
Fonicamid	0.000	0.871	0.907	1.000	4.0%	< 30	87.1%	90.7%	50 - 150	
Fludioxonil	0.000	0.868	0.595	0.800	37.3%	< 30	108.5%	74.4%	50 - 150	R
Hexythiazox	0.000	0.807	0.844	1.000	4.5%	< 30	80.7%	84.4%	50 - 150	
Imazalil	0.000	0.390	0.409	0.400	4.9%	< 30	97.4%	102.3%	50 - 150	
Imidacloprid	0.000	0.718	0.703	0.800	2.1%	< 30	89.7%	87.8%	50 - 150	
Kresoxim-Methyl	0.000	0.704	0.739	0.800	4.8%	< 30	88.0%	92.3%	50 - 150	
Malathion	0.000	0.312	0.369	0.400	16.8%	< 30	78.0%	92.3%	50 - 150	
Metaxyl	0.000	0.312	0.353	0.400	12.5%	< 30	78.0%	88.3%	50 - 150	
Methiocarb	0.000	0.326	0.363	0.400	10.7%	< 30	81.5%	90.8%	50 - 150	
Methomyl	0.000	0.771	0.755	0.800	2.0%	< 30	96.3%	94.4%	50 - 150	
MGK 264	0.000	0.278	0.343	0.400	20.7%	< 30	69.6%	85.7%	50 - 150	
Myclobutanil	0.000	0.323	0.351	0.400	8.3%	< 30	80.8%	87.9%	50 - 150	
Naled	0.000	0.850	0.924	1.000	8.3%	< 30	85.0%	92.4%	50 - 150	
Oxamyl	0.000	1.821	2.048	2.000	11.7%	< 30	91.0%	102.4%	50 - 150	
Paclobutrazol	0.000	0.656	0.686	0.800	4.4%	< 30	82.0%	85.7%	50 - 150	
Parathion Methyl	0.000	0.599	0.652	0.800	8.5%	< 30	74.9%	81.6%	30 - 150	
Permethrin	0.000	0.347	0.387	0.400	11.0%	< 30	86.7%	96.8%	50 - 150	
Phosmet	0.000	0.298	0.354	0.400	17.3%	< 30	74.4%	88.5%	50 - 150	
Piperonyl butoxide	0.000	1.581	1.702	2.000	7.4%	< 30	79.0%	85.1%	50 - 150	
Prallethrin	0.000	0.365	0.345	0.400	5.8%	< 30	91.4%	86.2%	50 - 150	
Propiconazole	0.000	0.708	0.739	0.800	4.3%	< 30	88.5%	92.4%	50 - 150	
Propoxur	0.000	0.368	0.386	0.400	5.0%	< 30	91.9%	96.6%	50 - 150	
Pyrethrins	0.000	0.304	0.350	0.413	14.0%	< 30	73.7%	84.7%	50 - 150	
Pyridaben	0.000	0.410	0.397	0.400	3.0%	< 30	102.4%	99.4%	50 - 150	
Spinosad	0.000	0.341	0.359	0.388	5.1%	< 30	87.9%	92.6%	50 - 150	
Spiromesifen	0.000	0.338	0.335	0.400	0.8%	< 30	84.5%	83.8%	50 - 150	
Spirotetramat	0.000	0.347	0.370	0.400	6.5%	< 30	86.7%	92.6%	50 - 150	
Spiroxamine	0.000	0.676	0.679	0.800	0.5%	< 30	84.5%	84.9%	50 - 150	
Tebuconazol	0.000	0.672	0.731	0.800	8.4%	< 30	84.0%	91.4%	50 - 150	
Thiadoprid	0.000	0.344	0.362	0.400	5.2%	< 30	85.9%	90.5%	50 - 150	
Thiamethoxam	0.000	0.361	0.344	0.400	4.7%	< 30	90.1%	86.0%	50 - 150	
Trifloxystrobin	0.000	0.376	0.429	0.400	13.2%	< 30	93.9%	107.2%	50 - 150	



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 21-009170/D005.R000
Report Date: 08/20/2021
ORELAP#: OR100028
Purchase Order:
Received: 08/09/21 16:00

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.