

### **CERTIFICATE OF ANALYSIS**

**DATE ISSUED 04/28/2022** 

#### SAMPLE NAME: Gummies - Women's Multivitamin 1500mg & 200mg

Infused, Hemp Infused

**CULTIVATOR / MANUFACTURER** 

**Business Name:** License Number:

Address:

SAMPLE DETAIL

Batch Number: PV041120223 Sample ID: 220421N008

**DISTRIBUTOR / TESTED FOR** 

**Business Name: CBDFX** 

License Number:

Address: 19851 Nordhoff PI, #105

Chatsworth CA 91311

Date Collected: 04/21/2022 Date Received: 04/21/2022

Batch Size:

Sample Size: 2.0 units

Unit Mass: 4.6448 grams per Unit Serving Size: 4.6448 grams per Serving





Scan QR code to verify authenticity of results.

#### **CANNABINOID ANALYSIS - SUMMARY**

**Total THC: Not Detected** 

Total CBD: 30.637 mg/unit

Sum of Cannabinoids: 31.023 mg/unit

Total Cannabinoids: 31.023 mg/unit

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:

Total THC =  $\Delta^9$ -THC + (THCa (0.877)) Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids =  $\Delta^9$ -THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa +  $\Delta^8$ -THC + CBL + CBN Total Cannabinoids =  $(\Delta^9$ -THC+0.877\*THCa) + (CBD+0.877\*CBDa) + (CBG+0.877\*CBGa) + (THCV+0.877\*THCVa) + (CBC+0.877\*CBCa) +

 $(CBDV+0.877*CBDVa) + \Delta^{8}-THC + CBL + CBN$ 

#### **SAFETY ANALYSIS - SUMMARY**

Pesticides: PASS

Heavy Metals: OPASS

Water Activity: PASS

Mycotoxins: PASS

Microbiology (PCR): PASS

Residual Solvents: PASS

Foreign Material: PASS

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: Action Limits used in this report are a compilation of guidance from state regulatory agencies in all states except Alaska. Action limits for required tests are the lower of any conflicting state regulations.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT)

LQC verified by: Josh Antunovich Date: 04/28/2022

Approved by: Josh Wurzer, President te: 04/28/2022



### **CERTIFICATE OF ANALYSIS**



GUMMIES - WOMEN'S MULTIVITAMIN 1500MG & 200MG | DATE ISSUED 04/28/2022



Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

**TOTAL THC: Not Detected** Total THC (Δ<sup>9</sup>-THC+0.877\*THCa)

TOTAL CBD: 30.637 mg/unit
Total CBD (CBD+0.877\*CBDa)

TOTAL CANNABINOIDS: 31.023 mg/unit

 $\begin{array}{l} Total \ Cannabinoids \ (Total \ THC) + (Total \ CBD) + \\ (Total \ CBG) + (Total \ THCV) + (Total \ CBC) + \\ (Total \ CBDV) + \Delta^8 - THC + CBL + CBN \end{array}$ 

TOTAL CBG: 0.307 mg/unit

Total CBG (CBG+0.877\*CBGa)

**TOTAL THCV: ND** 

Total THCV (THCV+0.877\*THCVa)

TOTAL CBC: ND
Total CBC (CBC+0.877\*CBCa)

TOTAL CBDV: 0.079 mg/unit
Total CBDV (CBDV+0.877\*CBDVa)

#### **CANNABINOID TEST RESULTS - 04/24/2022**

	COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
Ī	CBD	0.004 / 0.011	±0.2460	6.596	0.6596
	CBG	0.002 / 0.006	±0.0032	0.066	0.0066
	CBDV	0.002/0.012	±0.0007	0.017	0.0017
Ī	Δ <sup>9</sup> -THC	0.002/0.014	N/A	ND	ND
	Δ <sup>8</sup> -THC	0.01 / 0.02	N/A	ND	ND
	THCa	0.001 / 0.005	N/A	ND	ND
Ī	THCV	0.002/0.012	N/A	ND	ND
	THCVa	0.002/0.019	N/A	ND	ND
	CBDa	0.001 / 0.026	N/A	ND	ND
	CBDVa	0.001 / 0.018	N/A	ND	ND
4	CBGa	0.002 / 0.007	N/A	ND	ND
	CBL	0.003 / 0.010	N/A	ND	ND
Ī	CBN	0.001 / 0.007	N/A	ND	ND
	СВС	0.003 / 0.010	N/A	ND	ND
	CBCa	0.001 / 0.015	N/A	ND	ND
	SUM OF CANNAI	BINOIDS	6.679 mg/g	0.6679%	

#### Unit Mass: 4.6448 grams per Unit / Serving Size: 4.6448 grams per Serving

$\Delta^9$ -THC per Unit	TM	ND
Δ <sup>9</sup> -THC per Serving		ND
Total THC per Unit		ND
Total THC per Serving		ND
CBD per Unit		30.637 mg/unit
CBD per Serving		30.637 mg/serving
Total CBD per Unit		30.637 mg/unit
Total CBD per Serving		30.637 mg/serving
Sum of Cannabinoids per Unit		31.023 mg/unit
Sum of Cannabinoids per Serving		31.023 mg/serving
Total Cannabinoids per Unit		31.023 mg/unit
Total Cannabinoids per Serving		31.023 mg/serving
	Δ9-THC per Serving  Total THC per Unit  Total THC per Serving  CBD per Unit  CBD per Serving  Total CBD per Unit  Total CBD per Serving  Sum of Cannabinoids per Unit  Sum of Cannabinoids per Serving  Total Cannabinoids per Unit	Total THC per Serving  Total THC per Serving  CBD per Unit  CBD per Serving  Total CBD per Unit  Total CBD per Unit  Total CBD per Unit  Total CBD per Serving  Sum of Cannabinoids per Unit  Sum of Cannabinoids per Unit



### **CERTIFICATE OF ANALYSIS**



GUMMIES - WOMEN'S MULTIVITAMIN 1500MG & 200MG | DATE ISSUED 04/28/2022



## **Pesticide Analysis**

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

\*GC-MS utilized where indicated.

**Method:** QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

Exclusions<sup>1</sup> see last page

Exclusions<sup>2</sup> see last page

### PESTICIDE TEST RESULTS - 04/27/2022 PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (μg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (μg/g)	RESULT
Abamectin	0.03 / 0.10	0.3	N/A	ND	PASS
Acephate	0.02 / 0.07	5	N/A	ND	PASS
Acequinocyl	0.02 / 0.07	4	N/A	ND	PASS
Acetamiprid	0.02 / 0.05	5	N/A	ND	PASS
Aldicarb	0.03 / 0.08	≥LOD	N/A	ND	PASS
Azoxystrobin	0.02 / 0.07	40	N/A	ND	PASS
Bifenazate	0.01 / 0.04	5	N/A	ND	PASS
Bifenthrin	0.02 / 0.05	0.5	N/A	ND	PASS
Boscalid	0.03 / 0.09	10	N/A	ND	PASS
Captan	0.19/0.57	5	N/A	ND	PASS
Carbaryl	0.02 / 0.06	0.5	N/A	ND	PASS
Carbofuran	0.02 / 0.05	≥LOD	N/A	ND	PASS
Chlorantraniliprole	0.04 / 0.12	40	N/A	ND	PASS
Chlordane*	0.03 / 0.08	≥LOD	N/A	ND	PASS
Chlorfenapyr*	0.03 / 0.10	≥LOD	N/A	ND	PASS
Chlorpyrifos	0.02 / 0.06	≥LOD	N/A	ND	PASS
Clofentezine	0.03 / 0.09	0.5	N/A	ND	PASS
Coumaphos	0.02 / 0.07	≥LOD	N/A	ND	PASS
Cyfluthrin	0.12 / 0.38	1	N/A	ND	PASS
Cypermethrin	0.11/0.32	1	N/A	ND	PASS
Daminozide	0.02 / 0.07	≥LOD	N/A	ND	PASS
Diazinon	0.02 / 0.05	0.2	N/A	ND	PASS
Dichlorvos (DDVP)	0.03 / 0.09	≥LOD	N/A	ND	PASS
Dimethoate	0.03 / 0.08	≥LOD	N/A	ND	PASS
Dimethomorph	0.03 / 0.09	20	N/A	ND	PASS
Ethoprophos	0.03 / 0.10	≥LOD	N/A	ND	PASS
Etofenprox	0.02 / 0.06	≥LOD	N/A	ND	PASS
Etoxazole	0.02 / 0.06	1.5	N/A	ND	PASS
Fenhexamid	0.03 / 0.09	10	N/A	ND	PASS
Fenoxycarb	0.03 / 0.08	≥LOD	N/A	ND	PASS
Fenpyroximate	0.02 / 0.06	2	N/A	ND	PASS
Fipronil	0.03 / 0.08	≥LOD	N/A	ND	PASS
Flonicamid	0.03 / 0.10	2	N/A	ND	PASS
Fludioxonil	0.03 / 0.10	30	N/A	ND	PASS
Hexythiazox	0.02 / 0.07	2	N/A	ND	PASS
Imazalil	0.02 / 0.06	≥LOD	N/A	ND	PASS
Imidacloprid	0.04 / 0.11	3	N/A	ND	PASS
Kresoxim-methyl	0.02 / 0.07	1	N/A	ND	PASS
Malathion	0.03 / 0.09	5	N/A	ND	PASS
Metalaxyl	0.02 / 0.07	15	N/A	ND	PASS
Methiocarb	0.02 / 0.07	≥LOD	N/A	ND	PASS

Continued on next page



### **CERTIFICATE OF ANALYSIS**



GUMMIES - WOMEN'S MULTIVITAMIN 1500MG & 200MG | DATE ISSUED 04/28/2022



# **Pesticide Analysis** Continued

#### PESTICIDE TEST RESULTS - 04/27/2022 continued **⊘** PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Methomyl	0.03 / 0.10	0.1	N/A	ND	PASS
Mevinphos	0.03 / 0.09	≥LOD	N/A	ND	PASS
Myclobutanil	0.03 / 0.09	9	N/A	ND	PASS
Naled	0.02 / 0.07	0.5	N/A	ND	PASS
Oxamyl	0.04 / 0.11	0.2	N/A	ND	PASS
Paclobutrazol	0.02 / 0.05	≥LOD	N/A	ND	PASS
Parathion-methyl	0.03 / 0.10	≥LOD	N/A	ND	PASS
Pentachloronitrobenzene*	0.03 / 0.09	0.2	N/A	ND	PASS
Permethrin	0.04 / 0.12	20	N/A	ND	PASS
Phosmet	0.03 / 0.10	0.2	N/A	ND	PASS
Piperonyl Butoxide	0.02 / 0.07	8	N/A	ND	PASS
Prallethrin	0.03 / 0.08	0.4	N/A	ND	PASS
Propiconazole	0.02 / 0.07	20	N/A	ND	PASS
Propoxur	0.03 / 0.09	≥LOD	N/A	ND	PASS
Pyrethrins	0.04 / 0.12	1	N/A	ND	PASS
Pyridaben	0.02 / 0.07	3	N/A	ND	PASS
Spinetoram	0.02 / 0.07	3	N/A	ND	PASS
Spinosad	0.02 / 0.07	3	N/A	ND	PASS
Spiromesifen	0.02 / 0.05	12	N/A	ND	PASS
Spirotetramat	0.02 / 0.06	13	N/A	ND	PASS
Spiroxamine	0.03 / 0.08	≥LOD	N/A	ND	PASS
Tebuconazole	0.02 / 0.07	2	N/A	ND	PASS
Thiacloprid	0.03 / 0.10	≥LOD	N/A	ND	PASS
Thiamethoxam	0.03 / 0.10	4.5	N/A	ND	PASS
Trifloxystrobin	0.03 / 0.08	30	N/A	ND	PASS



# Mycotoxin Analysis

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

**Method:** QSP 1212 - Analysis of Pesticides and Mycotoxins by I.C.-MS

Exclusions<sup>3</sup> see last page

#### MYCOTOXIN TEST RESULTS - 04/27/2022 **⊘** PASS

	COMPOUND	LOD/LOQ (µg/kg)	ACTION LIMIT (µg/kg)	MEASUREMENT UNCERTAINTY (μg/kg)	RESULT (µg/kg)	RESULT
	Aflatoxin B1	2.0 / 6.0		N/A	ND	
	Aflatoxin B2	1.8 / 5.6		N/A	ND	
	Aflatoxin G1	1.0 / 3.1		N/A	ND	
	Aflatoxin G2	1.2 / 3.5		N/A	ND	
	Total Aflatoxin		20		ND	PASS
	Ochratoxin A	6.3 / 19.2	20	N/A	ND	PASS



### **CERTIFICATE OF ANALYSIS**



GUMMIES - WOMEN'S MULTIVITAMIN 1500MG & 200MG | DATE ISSUED 04/28/2022



# **Residual Solvents Analysis**

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

Exclusions<sup>4</sup> see last page

#### RESIDUAL SOLVENTS TEST RESULTS - 04/28/2022 **⊘** PASS

Propane         10/20         5000         N/A         ND         PASS           n-Butane         10/50         5000         N/A         ND         PASS           n-Pentane         20/50         5000         N/A         ND         PASS           n-Hexane         2/5         290         N/A         ND         PASS           n-Heptane         20/60         5000         N/A         ND         PASS           Benzene         0.03/0.09         1         N/A         ND         PASS           Toluene         7/21         890         N/A         ND         PASS           Total Xylenes         50/160         2170         N/A         ND         PASS           Methanol         50/200         3000         N/A         ND         PASS           Ethanol         20/50         5000         N/A         ND         PASS           Ethanol         20/50         5000         N/A         ND         PASS           Acetone         20/50         5000         N/A         ND         PASS           Ethyl Ether         20/50         5000         N/A         ND         PASS           Ethyl Acetate         2	COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
n-Pentane         20/50         5000         N/A         ND         PASS           n-Hexane         2/5         290         N/A         ND         PASS           n-Heptane         20/60         5000         N/A         ND         PASS           Benzene         0.03/0.09         1         N/A         ND         PASS           Toluene         7/21         890         N/A         ND         PASS           Total Xylenes         50/160         2170         N/A         ND         PASS           Methanol         50/200         3000         N/A         ND         PASS           Ethanol         20/50         5000         N/A         ND         PASS           2-Propanol (Isopropyl Alcohol)         10/40         5000         N/A         ND         PASS           Acetone         20/50         5000         N/A         ND         PASS           Ethyl Ether         20/50         5000         N/A         ND         PASS           Ethyl Acetate         20/60         5000         N/A         ND         PASS           Chloroform         0.1/0.2         1         N/A         ND         PASS           Di	Propane	10/20	5000	N/A	ND	PASS
n-Hexane         2/5         290         N/A         ND         PASS           n-Heptane         20/60         5000         N/A         ND         PASS           Benzene         0.03/0.09         1         N/A         ND         PASS           Toluene         7/21         890         N/A         ND         PASS           Total Xylenes         50/160         2170         N/A         ND         PASS           Methanol         50/200         3000         N/A         ND         PASS           Ethanol         20/50         5000         N/A         ND         PASS           2-Propanol (Isopropyl Alcohol)         10/40         5000         N/A         ND         PASS           Acetone         20/50         5000         N/A         ND         PASS           Ethyl Ether         20/50         5000         N/A         ND         PASS           Ethyl Acetate         20/60         5000         N/A         ND         PASS           Ethyl Acetate         20/60         5000         N/A         ND         PASS           Chloroform         0.1/0.2         1         N/A         ND         PASS <t< th=""><th>n-Butane</th><th>10/50</th><th>5000</th><th>N/A</th><th>ND</th><th>PASS</th></t<>	n-Butane	10/50	5000	N/A	ND	PASS
n-Heptane         20 / 60         5000         N/A         ND         PASS           Benzene         0.03 / 0.09         1         N/A         ND         PASS           Toluene         7 / 21         890         N/A         ND         PASS           Total Xylenes         50 / 160         2170         N/A         ND         PASS           Methanol         50 / 200         3000         N/A         ND         PASS           Ethanol         20 / 50         5000         N/A         ND         PASS           2-Propanol (Isopropyl Alcohol)         10 / 40         5000         N/A         ND         PASS           Acetone         20 / 50         5000         N/A         ND         PASS           Ethyl Ether         20 / 50         5000         N/A         ND         PASS           Ethyl en Oxide         0.3 / 0.8         1         N/A         ND         PASS           Ethyl Acetate         20 / 60         5000         N/A         ND         PASS           Chloroform         0.1 / 0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.1 / 0.3         1         N/A         ND<	n-Pentane	20/50	5000	N/A	ND	PASS
Benzene         0.03/0.09         1         N/A         ND         PASS           Toluene         7/21         890         N/A         ND         PASS           Total Xylenes         50/160         2170         N/A         ND         PASS           Methanol         50/200         3000         N/A         ND         PASS           Ethanol         20/50         5000         N/A         ND         PASS           2-Propanol (Isopropyl Alcohol)         10/40         5000         N/A         ND         PASS           Acetone         20/50         5000         N/A         ND         PASS           Ethyl Ether         20/50         5000         N/A         ND         PASS           Ethylene Oxide         0.3/0.8         1         N/A         ND         PASS           Ethyl Acetate         20/60         5000         N/A         ND         PASS           Chloroform         0.1/0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.3/0.9         1         N/A         ND         PASS           Trichloroethylene         0.1/0.3         1         N/A         ND         PA	n-Hexane	2/5	290	N/A	ND	PASS
Toluene         7/21         890         N/A         ND         PASS           Total Xylenes         50/160         2170         N/A         ND         PASS           Methanol         50/200         3000         N/A         ND         PASS           Ethanol         20/50         5000         N/A         ND         PASS           2-Propanol (Isopropyl Alcohol)         10/40         5000         N/A         ND         PASS           Acetone         20/50         5000         N/A         ND         PASS           Ethyl Ether         20/50         5000         N/A         ND         PASS           Ethylene Oxide         0.3/0.8         1         N/A         ND         PASS           Ethyl Acetate         20/60         5000         N/A         ND         PASS           Chloroform         0.1/0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.3/0.9         1         N/A         ND         PASS           Trichloroethylene         0.1/0.3         1         N/A         ND         PASS	n-Heptane	20/60	5000	N/A	ND	PASS
Total Xylenes         50 / 160         2170         N/A         ND         PASS           Methanol         50 / 200         3000         N/A         ND         PASS           Ethanol         20 / 50         5000         N/A         ND         PASS           2-Propanol (Isopropyl Alcohol)         10 / 40         5000         N/A         ND         PASS           Acetone         20 / 50         5000         N/A         ND         PASS           Ethyl Ether         20 / 50         5000         N/A         ND         PASS           Ethylene Oxide         0.3 / 0.8         1         N/A         ND         PASS           Ethyl Acetate         20 / 60         5000         N/A         ND         PASS           Chloroform         0.1 / 0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.3 / 0.9         1         N/A         ND         PASS           Trichloroethylene         0.1 / 0.3         1         N/A         ND         PASS	Benzene	0.03 / 0.09	1	N/A	ND	PASS
Methanol         50/200         3000         N/A         ND         PASS           Ethanol         20/50         5000         N/A         ND         PASS           2-Propanol (Isopropyl Alcohol)         10/40         5000         N/A         ND         PASS           Acetone         20/50         5000         N/A         ND         PASS           Ethyl Ether         20/50         5000         N/A         ND         PASS           Ethylene Oxide         0.3/0.8         1         N/A         ND         PASS           Ethyl Acetate         20/60         5000         N/A         ND         PASS           Chloroform         0.1/0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.3/0.9         1         N/A         ND         PASS           Trichloroethylene         0.1/0.3         1         N/A         ND         PASS	Toluene	7/21	890	N/A	ND	PASS
Ethanol         20/50         5000         N/A         ND         PASS           2-Propanol (Isopropyl Alcohol)         10/40         5000         N/A         ND         PASS           Acetone         20/50         5000         N/A         ND         PASS           Ethyl Ether         20/50         5000         N/A         ND         PASS           Ethylene Oxide         0.3/0.8         1         N/A         ND         PASS           Ethyl Acetate         20/60         5000         N/A         ND         PASS           Chloroform         0.1/0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.3/0.9         1         N/A         ND         PASS           Trichloroethylene         0.1/0.3         1         N/A         ND         PASS	Total Xylenes	50 / 160	2170	N/A	ND	PASS
2-Propanol (Isopropyl Alcohol)         10 / 40         5000         N/A         ND         PASS           Acetone         20 / 50         5000         N/A         ND         PASS           Ethyl Ether         20 / 50         5000         N/A         ND         PASS           Ethylene Oxide         0.3 / 0.8         1         N/A         ND         PASS           Ethyl Acetate         20 / 60         5000         N/A         ND         PASS           Chloroform         0.1 / 0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.3 / 0.9         1         N/A         ND         PASS           Trichloroethylene         0.1 / 0.3         1         N/A         ND         PASS	Methanol	50/200	3000	N/A	ND	PASS
(Isopropyl Alcohol)         10740         3000         N/A         ND         PASS           Acetone         20/50         5000         N/A         ND         PASS           Ethyl Ether         20/50         5000         N/A         ND         PASS           Ethylene Oxide         0.3/0.8         1         N/A         ND         PASS           Ethyl Acetate         20/60         5000         N/A         ND         PASS           Chloroform         0.1/0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.3/0.9         1         N/A         ND         PASS           Trichloroethylene         0.1/0.3         1         N/A         ND         PASS	Ethanol	20/50	5000	N/A	ND	PASS
Ethyl Ether         20/50         5000         N/A         ND         PASS           Ethylene Oxide         0.3/0.8         1         N/A         ND         PASS           Ethyl Acetate         20/60         5000         N/A         ND         PASS           Chloroform         0.1/0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.3/0.9         1         N/A         ND         PASS           Trichloroethylene         0.1/0.3         1         N/A         ND         PASS		10 / 40	5000	N/A	ND	PASS
Ethylene Oxide         0.3/0.8         1         N/A         ND         PASS           Ethyl Acetate         20/60         5000         N/A         ND         PASS           Chloroform         0.1/0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.3/0.9         1         N/A         ND         PASS           Trichloroethylene         0.1/0.3         1         N/A         ND         PASS	Acetone	20/50	5000	N/A	ND	PASS
Ethyl Acetate         20 / 60         5000         N/A         ND         PASS           Chloroform         0.1 / 0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.3 / 0.9         1         N/A         ND         PASS           Trichloroethylene         0.1 / 0.3         1         N/A         ND         PASS	Ethyl Ether	20/50	5000	N/A	ND	PASS
Chloroform         0.1/0.2         1         N/A         ND         PASS           Dichloromethane (Methylene Chloride)         0.3/0.9         1         N/A         ND         PASS           Trichloroethylene         0.1/0.3         1         N/A         ND         PASS	Ethylene Oxide	0.3 / 0.8	1	N/A	ND	PASS
Dichloromethane (Methylene Chloride)     0.3 / 0.9     1     N/A     ND     PASS       Trichloroethylene     0.1 / 0.3     1     N/A     ND     PASS	Ethyl Acetate	20/60	5000	N/A	ND	PASS
(Methylene Chloride)     0.370.9     1     N/A     ND     PASS       Trichloroethylene     0.1/0.3     1     N/A     ND     PASS	Chloroform	0.1 / 0.2	1	N/A	ND	PASS
		0.3 / 0.9	1	N/A	ND	PASS
<b>1,2-Dichloroethane</b> 0.05 / 0.1 1 N/A ND PASS	Trichloroethylene	0.1 / 0.3	1	N/A	ND	PASS
	1,2-Dichloroethane	0.05 / 0.1	1	N/A	ND	PASS
Acetonitrile 2/7 410 N/A ND PASS	Acetonitrile	2/7	410	N/A	ND	PASS



## **Heavy Metals Analysis**

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

#### **HEAVY METALS TEST RESULTS** - 04/26/2022 PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (μg/g)	RESULT (µg/g)	RESULT
Arsenic	0.02 / 0.1	0.42	N/A	ND	PASS
Cadmium	0.02 / 0.05	0.27	N/A	ND	PASS
Lead	0.04 / 0.1	0.5	N/A	ND	PASS
Mercury	0.002 / 0.01	0.4	N/A	ND	PASS



# Microbiology Analysis

PCF

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

#### MICROBIOLOGY TEST RESULTS (PCR) - 04/27/2022 PASS

COMPOUND	ACTION LIMIT	RESULT	RESULT
Shiga toxin-producing Escherichia coli	Not Detected in 1g	ND	PASS
Salmonella spp.	Not Detected in 1g	ND	PASS



### **CERTIFICATE OF ANALYSIS**



GUMMIES - WOMEN'S MULTIVITAMIN 1500MG & 200MG | DATE ISSUED 04/28/2022



Visual analysis includes, but is not limited to, sand, soil, cinders, dirt, mold, hair, insect fragments, and mammalian excreta.

**Method:** QSP 1226 - Analysis of Foreign Material in Cannabis and Cannabis Products

### FOREIGN MATERIAL TEST RESULTS - 04/27/2022 PASS

COMPOUND	ACTION LIMIT	RESULT
Total Sample Area Covered by Sand, Soil, Cinders, or Dirt	>25%	PASS
Total Sample Area Covered by Mold	>25%	PASS
Total Sample Area Covered by an Imbedded Foreign Material	>25%	PASS
Insect Fragment Count	> 1 per 3 grams	PASS
Hair Count	> 1 per 3 grams	PASS
Mammalian Excreta Count	> 1 per 3 grams	PASS



### **Water Activity Analysis**

Method: QSP 1227 - Analysis of Water Activity in Cannabis and Cannabis Products

#### WATER ACTIVITY TEST RESULTS - 04/26/2022 OPASS

COMPOUND	ACTION LIMIT (Aw)	MEASUREMENT UNCERTAINTY (Aw)	RESULT (Aw)	RESULT
Water Activity	0.86	±0.03428	0.7039	PASS

#### **NOTES**

Unit mass corresponds to the mass of the largest unit size sampled. The batch is packaged in 8ct and 60ct unit sizes. This product batch contains less than .3% THC as our COA states THC as Non-detect. COA amended to reflect requested assays.

- 1. Exclusions: QSP 1213 Sample Certification: California Code of Regulation Title 4 Division 19
- 2. Exclusions: QSP 1212 Sample Certification: California Code of Regulation Title 4 Division 19
- 3. Exclusions: Sample Certification: California Code of Regulation Title 4 Division 19
- 4. Exclusions: Sample Certification: California Code of Regulation Title 4 Division 19