

CERTIFICATE OF ANALYSIS

PRODUCT NAME: Organic CBD Tincture - Mint
PRODUCT STRENGTH: 2250mg
TINCTURE BATCH: 251202B
BEST BY DATE: 12/2/2027
HEMP EXTRACT LOT: O-1206-0129-FT-bsd

Physical Attributes

Test	Method	Specification	Results
Color	Joy Internal	Clear to Amber	PASS
Odor	Joy Internal	Characteristic - Olive and Hemp, Minty	PASS
Appearance	Joy Internal	Golden to Amber oil in brown glass bottle with dropper.	PASS
Primary Package Eval.	Joy Internal	Container clean and free of filth. Container caps tight and shrink bands intact	PASS
Secondary Package Eval.	Joy Internal	Labeling Compliance Checked, Cartons sturdy and clean. Sufficient cushion material exists. Box taped and secure.	PASS

Review of Third-Party Analysis

Panel	Method	Specification	Results*	Pass/Fail
Potency - Total CBD	HPLC-UV DAD	LOQ*: ≥ product strength mg / bottle	2764mg	PASS
Potency - D9-THC	HPLC-UV DAD	LOQ: <0.01% (broad spectrum)	Below LOQ	PASS
Expanded Pesticide Panel	HPLC-QQQ	LOQ: Complies with CDPHE 6 CCR 1010-21 Industrial Hemp Extract	Below LOQ	PASS
Microbial Escherichia coli (STEC)	PCR	Complies with CDPHE 6 CCR 1010-21 - LOQ 1 CFU/25 gram**	Absent	PASS
Microbial Salmonella	PCR	Complies with CDPHE 6 CCR 1010-21 - LOQ 1 CFU/25 gram	Absent	PASS
Microbial Yeast and Mold	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10 ² CFU/gram	Below LOQ	PASS
Microbial Total Coliforms	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10 ² CFU/gram	Below LOQ	PASS
Microbial Total Aerobic Count	Culture Plating	Complies with CDPHE 6 CCR 1010-21 - LOQ 10 ³ CFU/gram	Below LOQ	PASS
Heavy Metals	ICP-MS	Arsenic (As): ≤1.5 ppm† Cadmium (Cd): ≤0.5 ppm Lead (Pb): ≤0.5 ppm Mercury (Hg): ≤1.5 ppm	Below LOQ	PASS
Mycotoxins	ICP-MS	Total Aflatoxins <20 ppb†† Aflatoxin B1 < 5 ppb Ochratoxin < 5 ppb	Below LOQ	PASS
Residual Solvents	GC-HS-MSD	LOQ: Complies with CDPHE 6 CCR 1010-21 Industrial Hemp Extract	Below LOQ	PASS

*Level of Quantification
 **Colony Forming Units per Gram
 † Parts Per Million †† Part Per Billion

Values expressed in scientific notation.
 Examples:
 10²=100
 10³=1,000

Quality Certified


 Name

12/23/2025

Date




Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: Not Detected

Total THC (Δ^9 -THC+0.877*THCa)

TOTAL CBD: 2764.380 mg/unit

Total CBD (CBD+0.877*CBDA)

TOTAL CANNABINOIDS: 2906.910 mg/unit

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ^8 -THC + CBL + CBN

TOTAL CBG: 136.140 mg/unit

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: 0.960 mg/unit

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: 5.430 mg/unit

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 06/20/2025

COMPOUND	LOD/LOQ (mg/g)	MEASUREMENT UNCERTAINTY (mg/g)	RESULT (mg/g)	RESULT (%)
CBD	0.004 / 0.011	±3.4370	92.146	9.2146
CBG	0.002 / 0.006	±0.2201	4.538	0.4538
CBDV	0.002 / 0.012	±0.0074	0.181	0.0181
CBC	0.003 / 0.010	±0.0010	0.032	0.0032
Δ^9 -THC	0.002 / 0.014	N/A	ND	ND
Δ^8 -THC	0.01 / 0.02	N/A	ND	ND
THCa	0.001 / 0.005	N/A	ND	ND
THCV	0.002 / 0.012	N/A	ND	ND
THCVa	0.002 / 0.019	N/A	ND	ND
CBDA	0.001 / 0.026	N/A	ND	ND
CBDVa	0.001 / 0.018	N/A	ND	ND
CBGa	0.002 / 0.007	N/A	ND	ND
CBL	0.003 / 0.010	N/A	ND	ND
CBN	0.001 / 0.007	N/A	ND	ND
CBCa	0.001 / 0.015	N/A	ND	ND
SUM OF CANNABINOIDS			96.897 mg/g	9.6897%

Unit Mass: 30 grams per Unit / Serving Size: 1 gram per Serving

Δ^9 -THC per Unit	110 per-package limit	ND	PASS
Δ^9 -THC per Serving		ND	PASS
Total THC per Unit		ND	
Total THC per Serving		ND	
CBD per Unit		2764.380 mg/unit	
CBD per Serving		92.146 mg/serving	
Total CBD per Unit		2764.380 mg/unit	
Total CBD per Serving		92.146 mg/serving	
Sum of Cannabinoids per Unit		2906.910 mg/unit	
Sum of Cannabinoids per Serving		96.897 mg/serving	
Total Cannabinoids per Unit		2906.910 mg/unit	
Total Cannabinoids per Serving		96.897 mg/serving	

DENSITY TEST RESULT

0.923 g/mL
Tested 06/20/2025
Method: QSP 7870 - Sample Preparation

NOTES

Reason for Amendment: Order Detail Information Change Sample serving mass provided by client. Sample unit mass provided by client.

Batch ID or Lot Number: 251202B Test, Test ID and Methods:
Various

Matrix:
Concentrate

Page 4 of 6

**Residual Solvents -
Colorado Compliance**


Test ID: T000297931

Methods: TM04 (GC-MS); Residual

Solvents	Dynamic Range (ppm)	Result (ppm)	Notes
Propane	83 - 1670	ND	
Butanes (Isobutane, n-Butane)	165 - 3308	ND	
Methanol	52 - 1035	ND	
Pentane	86 - 1710	ND	
Ethanol	90 - 1806	ND	
Acetone	91 - 1817	ND	
Isopropyl Alcohol	95 - 1900	ND	
Hexane	6 - 110	ND	
Ethyl Acetate	94 - 1872	ND	
Benzene	0.2 - 3.6	ND	
Heptanes	89 - 1782	ND	
Toluene	17 - 331	ND	
Xylenes (m,p,o-Xylenes)	122 - 2430	ND	

Final Approval


Judith Marquez
07:50:00 AM MST
PREPARED BY / DATE


Sam Smith
07:56:00 AM MST
APPROVED BY / DATE

Batch ID or Lot Number: 251202B Test, Test ID and Methods: Various Matrix: Concentrate Page 5 of 6


Pesticides

Test ID: T000297928

Methods: TM17

(LC-QQ LC MS/MS)	Dynamic Range (ppb)	Result (ppb)	Dynamic Range (ppb)	Result (ppb)	
Abamectin	381 - 2759	ND	Malathion	286 - 2743	ND
Acephate	34 - 2749	ND	Metalaxyl	38 - 2758	ND
Acetamiprid	42 - 2758	ND	Methiocarb	38 - 2785	ND
Azoxystrobin	42 - 2753	ND	Methomyl	40 - 2813	ND
Bifenazate	39 - 2790	ND	MGK 264 1	180 - 1624	ND
Boscalid	45 - 2734	ND	MGK 264 2	121 - 1060	ND
Carbaryl	39 - 2680	ND	Myclobutanil	38 - 2746	ND
Carbofuran	41 - 2706	ND	Naled	50 - 2647	ND
Chlorantraniliprole	40 - 2746	ND	Oxaryl	39 - 2825	ND
Chlorpyrifos	44 - 2701	ND	Paclobutrazol	44 - 2652	ND
Clofentezine	280 - 2730	ND	Permethrin	274 - 2782	ND
Diazinon	287 - 2743	ND	Phosmet	39 - 2602	ND
Dichlorvos	283 - 2801	ND	Prophos	286 - 2745	ND
Dimethoate	42 - 2774	ND	Propoxur	41 - 2694	ND
E-Fenpyroximate	267 - 2835	ND	Pyridaben	275 - 2837	ND
Etofenprox	43 - 2749	ND	Spinosad A	32 - 2062	ND
Etoxazole	272 - 2718	ND	Spinosad D	64 - 682	ND
Fenoxycarb	41 - 2722	ND	Spiromesifen	255 - 2820	ND
Fipronil	28 - 2719	ND	Spirotetramat	284 - 2765	ND
Flonicamid	44 - 2818	ND	Spiroxamine 1	14 - 1080	ND
Fludioxonil	279 - 2760	ND	Spiroxamine 2	23 - 1623	ND
Hexythiazox	40 - 2862	ND	Tebuconazole	308 - 2714	ND
Imazalil	282 - 2760	ND	Thiacloprid	42 - 2838	ND
Imidacloprid	39 - 2826	ND	Thiamethoxam	41 - 2821	ND
Kresoxim-methyl	40 - 2752	ND	Trifloxystrobin	45 - 2726	ND

Final Approval

 Sam Smith
10:36:00 AM MST
PREPARED BY / DATE

 Karen Winternheimer
10:38:00 AM MST
APPROVED BY / DATE

Batch ID or Lot Number: 251202B Test, Test ID and Methods: Various Matrix: Concentrate Page 3 of 6


d:


Mycotoxins - Colorado Compliance

Test ID: T000297932
Methods: TM18 (UHPLC-QQQ)
LCMS/MS: Mycotoxins

	Dynamic Range (ppb)	Result (ppb)	Notes
Ochratoxin A	3.63 - 119.61	ND	N/A
Aflatoxin B1	1.02 - 30.28	ND	
Aflatoxin B2	1.04 - 29.76	ND	
Aflatoxin G1	1.04 - 30.28	ND	
Aflatoxin G2	1.07 - 30.68	ND	
Total Aflatoxins (B1, B2, G1, and G2)		ND	

Final Approval


PREPARED BY / DATE
Sam Smith
06Feb2025
09:14:00 AM MST


APPROVED BY / DATE
Karen Winternheimer
09:16:00 AM MST


Heavy Metals - Colorado Compliance

Test ID: T000297930
Methods: TM19 (ICP-MS): Heavy Metals

	Dynamic Range (ppm)	Result (ppm)	Notes
Arsenic	0.04 - 4.25	ND	
Cadmium	0.04 - 4.27	ND	
Mercury	0.05 - 5.31	ND	
Lead	0.04 - 4.44	ND	

Final Approval


PREPARED BY / DATE
Judith Marquez
04Feb2025
01:35:00 PM MST


APPROVED BY / DATE
Sam Smith
04Feb2025
01:38:00 PM MST



Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

Analysis conducted by 3M™ Petrifilm™ and plate counts of microbiological contaminants.

Method: QSP 6794 - Plating with 3M™ Petrifilm™

MICROBIOLOGY TEST RESULTS (PCR) - 12/09/2025 ✔ PASS

COMPOUND	ACTION LIMIT	RESULT	RESULT
<i>Salmonella</i> spp.	Not Detected in 1g	ND	PASS
Shiga toxin-producing <i>Escherichia coli</i>	Not Detected in 1g	ND	PASS

MICROBIOLOGY TEST RESULTS (PLATING) - 12/09/2025 ✔ PASS

COMPOUND	ACTION LIMIT (cfu/g)	RESULT (cfu/g)	RESULT
Coliforms	100	ND	PASS
Total Aerobic Bacteria	10000	ND	PASS
Total Yeast and Mold	1000	ND	PASS

