

Q SOP.006.T3 CBD Product Certificate of Analysis (CofA) Template	
Revision:00	
Revision Date: 06/10/2022	

Last Edits BY: JENA Murray
Approval: Jena Murray
Approval Date: 06/29/2022

PRODUCT INFO									
PRODUCT NAME	Medterra Good Morning Capsules, 25mg,	ITEM Number	7301053340025120						
	30ct								
Lot Number	69322	Amount Per Bottle:	30ct						
Expiration Date:	10/2026	Storage	Room temperature, away from						
		Recommendation:	light.						
	PHYSICAL QUA	ALITIES							
STRENGTH	25mg CBD / 25mg CBG per Capsule	COLOR	Tan						
SIZE	30ct	ODOR	Herbal						
ADDITIONAL	n/a	FLAVOR	Unflavored						
INFO									
Test Performed:		PASS / FAIL							
Potency:		Pass							
Heavy Metals:		Pass Pass							
Mycotoxins:		Pass Pass							
Pesticides:		Pass							
Residual Solvent		Pass							
Listeria Monocyt	togenes:	Pass							
Pathogens:		Pass							

Test Performed	Method	Specification	Result	Pass/Fail
Caffeine	LCMS	≥ 75mg / capsule	Pass	☐ Pass☐ Fail
CBD	UHPLC-DAD	≥ 25mg / capsule	Pass	☐ Pass☐ Fail
THC	UHPLC-DAD	≤ 0.001%	Pass	☐ Pass☐ Fail
CBG	UHPLC-DAD	≥ 25mg / capsule	Pass	☐ Pass☐ Fail
Arsenic	ICP-MS	≤ 1500ppb	Pass	☐ Pass☐ Fail
Cadmium	ICP-MS	≤ 500ppb	Pass	☐ Pass☐ Fail
Lead	ICP-MS	≤ 500ppb	Pass	☐ Pass☐ Fail
Mercury	ICP-MS	≤ 3000ppb	Pass	☐ Pass☐ Fail
Aflatoxin B1	LCMS	≤ 20 ppb	Pass	✓ Pass✓ Fail
Aflatoxin G1	LCMS	≤ 20 ppb	Pass	☐ Pass☐ Fail
Ochratoxin A	LCMS	≤ 20 ppb	Pass	☐ Pass☐ Fail
E. Coli	USP2022	Absent	Pass	⊠ Pass □ Fail



Q SOP.006.T3 CBD Product Certificate of Analysis	(CofA) Template
--	-------	------------

Revision:00

Revision Date: 06/10/2022 Last Edits BY: JENA Murray

Approval: Jena Murray Approval Date: 06/29/2022

Test Performed	Method	Specification	Result	Pass/Fail
Salmonella	USP2022	Absent	Pass	☑ Pass☐ Fail
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	qPCR	Absent	Pass	∑ Pass ☐ Fail
Listeria Monocytogenes	qPCR	Absent	NT	Pass Fail
Full Pesticide Panel (see attached results for each tested)	LCMS / GCMS	See attached results for Specification of each Pesticide tested	See Attached	⊠ Pass □ Fail
Residual Solvents (see attached results for each tested)	GCMS	See attached results for Specification of each Residual Solvent tested	See Attached	⊠ Pass □ Fail

tested)		Residual Solvent tested		
NOTES:			n/a 12/03/2024	rcg
	APPROVED			

Released:

APPROVED

By Raquel Garza at 2:33 pm, Dec 03, 2024

Quality Assurance: ______ Date:_____





Certificate of Analysis

ICAL ID: 20241125-002 Sample: CA241125-002-002 Medterra Good Morning Capsules, 25mg, 30ct Strain: Medterra Good Morning Capsules, 25mg,

Category: Ingestible Type: Capsule

Medterra CBD 18500 Von Karman Ave Irvine, CA 92612

Lic.#

Batch#: 69322 Batch Size Collected: Total Batch Size:

Collected: 11/27/2024; Received: 11/27/2024

Completed: 11/27/2024

Moisture	Δ9-THC	CBD	Total Cannabinoids	Sum of Cannabinoids	Total Terpenes
NT	ND	937.96 mg/unit	1,610.20	1,610.20	NT
Water Activity		9	mg/unit	mg/unit	
NT	0.00 mg/serving	31.27 mg/serving	53.67 mg/serving	· ·	

Summary **SOP** Used Batch Cannabinoids Microbials Mycotoxins Heavy Metals

Foreign Matter

Pesticides

Date Tested Pass POT-PREP-004 High 11/25/2024 Complete MICRO-PREP-001 11/27/2024 11/25/2024 Pass PESTMYCO-LC-PREP-001 Pass HM-PREP-001 11/25/2024 Pass FM-PREP-001 11/25/2024 **Pass** PESTMYCO-LC-PREP-001/ 11/25/2024 Pass PEST-GC-PREP-001



Scan to see results

Cannabinoid Profile

1 Unit = container, 14.62 g. 30 serving(s) per container.

Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	mg/unit	Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	mg/unit
THCa	0.1841	0.0614	ND	ND	ND	CBGa	0.2669	0.0890	ND	ND	ND
Δ9-THC	0.0794	0.0265	ND	ND	ND	CBG	0.0915	0.0305	4.570	45.70	668.06
Δ8-THC	0.0824	0.0275	ND	ND	ND	CBN	0.1112	0.0371	ND	ND	ND
THCV	0.0714	0.0238	ND	ND	ND	Total THC			ND	ND	ND
CBDa	0.0880	0.0293	ND	ND	ND	Total CBD			6.42	64.16	937.96
CBD	0.0755	0.0252	6.416	64.16	937.96	Total			11.01	110.14	1610.20
CBDV	0.0741	0.0247	0.029	0.29	4.18	Sum of			11.01	110 14	1610.20
CBC	0.2221	0.0740	ND	ND	ND	Cannabinoids			11.01	110.14	1010.20

Total THC=THCa * 0.877 + d9-THC + d8-THC: Total CBD = CBDa * 0.877 + CBD. Total Cannabinoids=(Acidic Cannabinoids) * 0.877 + Non-acidic Cannabinoids: Sum of Cannabinoids=Acidic Cannabinoids=Non-acidic Cannabinoids. LOD= Limit of Detection, LOQ= Limit of Quantitation, ND= Not Detected, NR= Not Reported. Potency is reported on a dry weight basis. Instrumentation and analysis SOPs used: Cannabinoids: UHPLC-DAD(POT-INST-005), Moisture: Moisture Analyzer (MOISTURE-001), Water Activity: Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity Meter (WA-INST-002), Microscope (WA-INST-002), Microscope (WA-INST-002), Microscope (WA-INST-002), Microscope (WA-INST-002), Microscope (measured at 0-90% RH. All QA submitted by the client, All CA State Compliance sampled using SAMPL-SOP-001.

Terpene Profile

LOQ (mg/g) LOD (mg/g) % LOQ (mg/g) LOD (mg/g) % Analyte mg/g Analyte mg/g

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP TERP-INST-003.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-000047-LIC

Josh Swider

Lab Director, Managing Partner 11/27/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



2 of 3



Certificate of Analysis

ICAL ID: 20241125-002 Sample: CA241125-002-002 Medterra Good Morning Capsules, 25mg, 30ct Strain: Medterra Good Morning Capsules, 25mg, 30ct Category: Ingestible Medterra CBD Lic. # 18500 Von Karman Ave Irvine, CA 92612

Lic.#

Batch#: 69322 Batch Size Collected: Total Batch Size: Collected: 11/27/202

Collected: 11/27/2024; Received: 11/27/2024

Completed: 11/27/2024

Residual Solvent Analysis

Type: Capsule

Catagory 1	100 101	D Limit	Ctatus (Catagony 2	100	LOD	Limit	Ctatus	Catagonia	LOO	LOD	Limit	Ctatus
Category 1	LOQ LOI) Limit	Status (Category 2	LUQ	LOD	LIMIT	Status	Category 2	LUQ	LOD	LIMIT	Status

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP RS-INST-003.

Heavy Metal Screening

		LOQ	LOD	Limit	Status
	μg/g	µg/g	µg/g	µg/g	
Arsenic	0.036	0.009	0.003	1.5	Pass
Cadmium	0.012	0.002	0.001	0.5	Pass
Lead	0.094	0.004	0.001	0.5	Pass
Mercury	ND	0.014	0.005	3	Pass

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: ICP-MS; samples analyzed according to SOP HM-INST-003.

Microbiological Screening

	Limit	Result	Status
	CFU/g	CFU/g	
Total Aerobic Plate Count	10000	ND	Pass
Aspergillus flavus		Not Detected	Pass
Aspergillus fumigatus		Not Detected	Pass
Aspergillus niger		Not Detected	Pass
Aspergillus terreus		Not Detected	Pass
Total Coliforms	100	NR	NT
STEC		Not Detected	Pass
Enterobacteriaceae		NR	NT
Listeria		NR	NT
Pseudomonas aeruginosa		Not Detected	Pass
Salmonella SPP		Not Detected	Pass
Total E. coli		NR	NT
Staphylococcus aureus		Not Detected	Pass
Total Yeast and Mold	1000	ND	Pass

ND=Not Detected, Analytical instrumentation used: aPCR: samples analyzed according to SOP MICRO-INST-001.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-000047-LIC

Josh M Swider
Josh Swider

Josh Swider Lab Director, Managing Partner 11/27/2024 Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.





Certificate of Analysis

ICAL ID: 20241125-002 Sample: CA241125-002-002 $Medterra\,Good\,Morning\,Capsules, 25mg, 30ct$ Strain: Medterra Good Morning Capsules, 25mg, Category: Ingestible

Medterra CBD 18500 Von Karman Ave Irvine, CA 92612

Lic.#

Batch#: 69322 Batch Size Collected: Total Batch Size:

Collected: 11/27/2024; Received: 11/27/2024

Completed: 11/27/2024

Chemical Residue Screening

Type: Capsule

Category 1		LOQ	LOD	Status	Mycotoxins		LOQ	LOD	Limit	Status
	μg/g	µg/g	µg/g			μg/kg	µg/kg	µg/kg	µg/kg	
Aldicarb	ND	0.065	0.022	Pass	B1	ND	7.88	2.6		Tested
Carbofuran	ND	0.030	0.009	Pass	B2	ND	6.18	2.04		Tested
Chlordane	ND	0.075	0.025	Pass	G1	ND	8.99	2.97		Tested
Chlorfenapyr	ND	0.075	0.025	Pass	G2	ND	5.72	1.89		Tested
Chlorpyrifos	ND	0.053	0.018	Pass	Ochratoxin A	ND	11.72	3.87	20	Pass
Coumaphos	ND	0.056	0.018	Pass	Total Aflatoxins	ND			20	Pass
Daminozide	ND	0.079	0.026	Pass						
Dichlorvos	ND	0.067	0.022	Pass						
Dimethoate	ND	0.036	0.012	Pass						
Ethoprophos	ND	0.053	0.017	Pass						
Etofenprox	ND	0.030	0.008	Pass						
Fenoxycarb	ND	0.043	0.014	Pass						
Fipronil	ND	0.045	0.015	Pass						
Imazalil	ND	0.047	0.016	Pass						
Methiocarb	ND	0.047	0.016	Pass						
Mevinphos	ND	0.042	0.014	Pass						
Paclobutrazol	ND	0.040	0.013	Pass						
Parathion Methyl	ND	0.024	0.008	Pass						
Propoxur	ND	0.047	0.016	Pass						
Spiroxamine	ND	0.032	0.011	Pass						
Thiacloprid	ND	0.042	0.014	Pass						

Category 2		LOQ	LOD	Limit	Status	Category 2		LOQ	LOD	Limit	Status
	μg/g	µg/g	µg/g	μg/g			μg/g	µg/g	µg/g	µg/g	
Abamectin	ND	0.030	0.010	0.3	Pass	Kresoxim Methyl	ND	0.038	0.012	1	Pass
Acephate	ND	0.050	0.016	5	Pass	Malathion	ND	0.035	0.012	5	Pass
Acequinocyl	ND	0.059	0.019	4	Pass	Metalaxyl	ND	0.031	0.010	15	Pass
Acetamiprid	ND	0.044	0.015	5	Pass	Methomyl	ND	0.048	0.016	0.1	Pass
Azoxystrobin	ND	0.029	0.010	40	Pass	Myclobutanil	ND	0.055	0.018	9	Pass
Bifenazate	ND	0.035	0.012	5	Pass	Naled	ND	0.051	0.017	0.5	Pass
Bifenthrin	ND	0.040	0.013	0.5	Pass	Oxamyl	ND	0.046	0.015	0.3	Pass
Boscalid	ND	0.060	0.020	10	Pass	Pentachloronitrobenzene	ND	0.054	0.018	0.2	Pass
Captan	ND	0.358	0.120	5	Pass	Permethrin	ND	0.030	0.008	20	Pass
Carbary l	ND	0.049	0.016	0.5	Pass	Phosmet	ND	0.038	0.012	0.2	Pass
Chlorantraniliprole	ND	0.063	0.021	40	Pass	Piperonyl Butoxide	ND	0.030	0.008	8	Pass
Clofentezine	ND	0.039	0.013	0.5	Pass	Prallethrin	ND	0.068	0.023	0.4	Pass
Cyfluthrin	ND	0.056	0.019	1	Pass	Propiconazo l e	ND	0.059	0.019	20	Pass
Cypermethrin	ND	0.044	0.015	1	Pass	Pyrethrins	ND	0.030	0.004	1	Pass
Diazinon	ND	0.030	0.006	0.2	Pass	Pyridaben	ND	0.035	0.012	3	Pass
Dimethomorph	ND	0.042	0.014	20	Pass	Spinetoram	ND	0.030	0.006	3	Pass
Etoxazo l e	ND	0.030	0.008	1.5	Pass	Spinosad	ND	0.030	0.004	3	Pass
Fenhexamid	ND	0.039	0.013	10	Pass	Spiromesifen	ND	0.042	0.014	12	Pass
Fenpyroximate	ND	0.030	0.010	2	Pass	Spirotetramat	ND	0.041	0.013	13	Pass
Flonicamid	ND	0.081	0.027	2	Pass	Tebuconazo l e	ND	0.044	0.014	2	Pass
Fludioxonil	ND	0.046	0.015	30	Pass	Thiamethoxam	ND	0.055	0.018	4.5	Pass
Hexythiazox	ND	0.078	0.026	2	Pass	Trifloxystrobin	ND	0.031	0.010	30	Pass
<u>lmidacloprid</u>	ND	0.071	0.023	3	Pass						

Other Analyte(s): Caffeine: 15.42%; 75.14 mg/capsule; 2254 mg/container

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-0000047-LIC

Josh Swider Lab Director, Managing Partner 11/27/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.

Infinite Chemical Analysis Labs



Certificate of Analysis Appendix

Residual Solvents - Utah Industrial Hemp

Analyte	Result (ug/g)	LOD (ug/g)	LOQ (ug/g)	Action Limit(ug/g)	Status
1,2 Dimethoxyethane	ND	5.9917	17.975	100	Pass
1,4 Dioxane	ND	12.8684	38.6052	380	Pass
1-Butanol	ND	3.1446	9.4337	5,000	Pass
1-Pentanol	ND	9.9794	29.9383	5,000	Pass
1-Propanol	ND	6.9987	20.9962	5,000	Pass
2-Butanol	ND	9.5709	28.7127	5,000	Pass
2-Butanone	ND	7.2129	21.6386	5,000	Pass
2-Ethoxyethanol	ND	3.8723	11.6169	160	Pass
2-methylbutane	ND	0.679	2.037	5,000	Pass
2-methylpentane	ND	9.0715	27.2145	290	Pass
3-methylpentane	ND	7.3795	22.1384	290	Pass
2-Propanol (IPA)	<loq< td=""><td>11.5286</td><td>34.5857</td><td>5,000</td><td>Pass</td></loq<>	11.5286	34.5857	5,000	Pass
Acetone	ND	8.2267	24.6802	5,000	Pass
Acetonitrile	<loq< td=""><td>8.3746</td><td>25.1238</td><td>410</td><td>Pass</td></loq<>	8.3746	25.1238	410	Pass
Benzene	ND	0.3588	1.0763	2	Pass
Butane	ND	9.552	28.6559	5,000	Pass
Cumene	ND	8.32	24.96	70	Pass
Cyclohexane	ND	8.4235	25.2705	3,880	Pass
Dichloromethane	ND	3.9511	11.8533	600	Pass
2,2-dimethylbutane	ND	0.8804	2.6412	290	Pass
2,3-dimethylbutane	ND	0.9493	2.8479	290	Pass
Dimethyl sulfoxide	ND	8.3992	25.1976	5,000	Pass
Ethanol	ND	4.8156	14.4469	5,000	Pass
Ethyl acetate	ND	14.2542	42.7625	5,000	Pass
Ethyl ether	ND	6.8124	20.4372	5,000	Pass
Ethylene glycol	ND	3.4447	10.334	620	Pass
Ethylene Oxide	ND	6.5244	19.5733	50	Pass
Heptane	3.0253	0.4144	1.2431	5,000	Pass
Hexane	ND	0.5026	1.5078	290	Pass
Isobutane	ND	10.2495	30.7486	5,000	Pass
Isopropyl acetate	ND	4.1274	12.3823	5,000	Pass
Methanol	ND	18.42	55.26	3,000	Pass
N,N-dimethylacetamide	ND	268.955	806.8649	1,090	Pass
N,N-dimethylformamide	ND	2.7382	8.2147	880	Pass
Pentane	ND	0.8382	2.5146	5,000	Pass
Propane	ND	7.9467	23.8402	5,000	Pass
Pyridine	ND	19.55	58.64	100	Pass
Sulfolane	ND	22.886	68.6581	160	Pass
Tetrahydrofuran	ND	6.2156	18.6469	720	Pass
Toluene	ND	0.4061	1.2184	890	Pass
Total Xylenes	ND	10.3738	31.1216	2,170	Pass



Lab Director, CEO