



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
http://www.cctestinglabs.com  
Lic# CB-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

# Full Spectrum THC/CBD/CBN Tincture - 30ml - 1500mg

<b>Sample ID:</b> 2111CCT5311.12547	<b>Produced:</b>	<b>Client:</b>	
<b>Strain:</b> Full Spectrum THC/CBD/CBN	<b>Collected:</b> 11/22/2021	<b>CBD FX</b>	<b>CCTL-RD-12598 12599 12600 12601 12602 12603</b>
<b>Matrix:</b> Ingestible	<b>Received:</b> 11/22/2021	<b>Lic. #</b>	
<b>Type:</b> Tincture	<b>Completed:</b> 11/24/2021	19801 Nordhoff Place #105	
<b>Sample Size:</b> ; Batch:	<b>Batch#:</b> CBN1500.1122	Chatsworth, CA 91311	



## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	11/23/2021	Pass
Residual Solvents	11/24/2021	Pass
Microbials	11/24/2021	Pass
Mycotoxins	11/24/2021	Pass
Pesticides	11/24/2021	Pass
Heavy Metals	11/24/2021	Pass
Foreign Matter	11/23/2021	Pass

## Cannabinoids

Pass

<b>2.199 mg/serving</b>	<b>54.584 mg/serving</b>	<b>74.238 mg/serving</b>
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	Result	Result	Result
	mg/g	mg/g	mg/serving	mg/g	%	mg/mL	mg/container	mg/unit
THCa	0.025000	0.050000	ND	ND	ND	ND	ND	ND
Δ9-THC	0.025000	0.050000	2.199	2.113	0.211	2.199	65.957	2.199
Δ8-THC	0.025000	0.050000	0.857	0.824	0.082	0.857	25.725	0.857
THCV	0.025000	0.050000	ND	ND	ND	ND	ND	ND
CBDa	0.025000	0.050000	ND	ND	ND	ND	ND	ND
CBD	0.025000	0.050000	54.584	52.464	5.246	54.584	1637.516	54.584
CBDV	0.025000	0.050000	0.306	0.294	0.029	0.306	9.167	0.306
CBN	0.025000	0.050000	16.293	15.660	1.566	16.293	488.789	16.293
CBGa	0.025000	0.050000	ND	ND	ND	ND	ND	ND
CBG	0.025000	0.050000	ND	ND	ND	ND	ND	ND
CBC	0.025000	0.050000	ND	ND	ND	ND	ND	ND
<b>Total THC</b>			<b>2.199</b>	<b>2.113</b>	<b>0.211</b>	<b>2.199</b>	<b>65.957</b>	<b>2.199</b>
<b>Total CBD</b>			<b>54.584</b>	<b>52.464</b>	<b>5.246</b>	<b>54.584</b>	<b>1637.516</b>	<b>54.584</b>
<b>Total</b>			<b>74.238</b>	<b>71.356</b>	<b>7.136</b>	<b>74.238</b>	<b>2227.154</b>	<b>74.238</b>

Density: 1.0404g/mL

Date Tested: 11/23/2021

1 Unit = 1.0404g. 1 mL = 1.0404g. 30 serving(s) per container.

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: HPLC UV-DAD; Method: CCTL-PM002. Samples were collected as per 16 CCR Section 5707

<b>Not Required</b>	<b>Not Required</b>	<b>Pass</b>
Moisture Content	Water Activity	Foreign Matter
Moisture Analyzer	Rotronic AwTherm	Intertek Magnifier Lamp



*P. M. Anngeri*

Satish Anngeri  
Scientific Director  
11/24/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
http://www.cctestinglabs.com  
Lic# C8-000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

# Full Spectrum THC/CBD/CBN Tincture - 30ml - 1500mg

Sample ID: 2111CCT5311.12547	Produced:	Client
Strain: Full Spectrum THC/CBD/CBN	Collected: 11/22/2021	CBD FX
Volume: 30ml - 1500mg	Received: 11/22/2021	CCTL-RD-12598 12599 12600 12601 12602 12603
Type: Tincture	Completed: 11/24/2021	Lic. #
Sample Size: ; Batch:	Batch#: CBN1500.1122	19801 Nordhoff Place #105 Chatsworth, CA 91311

## Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.006176	0.01235	0.1	ND	Pass	Fludioxonil	0.006176	0.01235	0.1	ND	Pass
Acephate	0.006176	0.01235	0.1	ND	Pass	Hexythiazox	0.006176	0.01235	0.1	ND	Pass
Acequinocyl	0.0125	0.025	0.1	ND	Pass	*Imazalil	0.006176	0.01235	0.006176	ND	Pass
Acetamiprid	0.006176	0.01235	0.1	ND	Pass	Imidacloprid	0.006176	0.01235	5	ND	Pass
*Aldicarb	0.006176	0.01235	0.006176	ND	Pass	Kresoxim Methyl	0.006176	0.01235	0.1	ND	Pass
Azoxystrobin	0.006176	0.01235	0.1	ND	Pass	Malathion	0.006176	0.01235	0.5	ND	Pass
Bifenazate	0.006176	0.01235	0.1	ND	Pass	Metalaxyl	0.006176	0.01235	2	ND	Pass
Bifenthrin	0.025	0.05	3	ND	Pass	*Methiocarb	0.006176	0.01235	0.006176	ND	Pass
Boscalid	0.006176	0.01235	0.1	ND	Pass	Methomyl	0.006176	0.01235	1	ND	Pass
Captan	0.2515	0.503	0.7	ND	Pass	*Mevinphos	0.006176	0.01235	0.006176	ND	Pass
Carbaryl	0.006176	0.01235	0.5	ND	Pass	Myclobutanil	0.006176	0.01235	0.1	ND	Pass
*Carbofuran	0.006176	0.01235	0.006176	ND	Pass	Naled	0.006176	0.01235	0.1	ND	Pass
Chlorantraniliprole	0.006176	0.01235	10	ND	Pass	Oxamyl	0.006176	0.01235	0.5	ND	Pass
*Chlordane	0.0314	0.0628	0.0314	ND	Pass	*Paclobutrazol	0.006176	0.01235	0.006176	ND	Pass
*Chlorfenapyr	0.0314	0.0628	0.0314	ND	Pass	*Parathion Methyl	0.032	0.064	0.032	ND	Pass
*Chlorpyrifos	0.006176	0.01235	0.006176	ND	Pass	Pentachloronitrobenzene	0.032	0.064	0.1	ND	Pass
Clofentezine	0.006176	0.01235	0.1	ND	Pass	Permethrin	0.025	0.05	0.5	ND	Pass
*Coumaphos	0.006176	0.01235	0.006176	ND	Pass	Phosmet	0.006176	0.01235	0.1	ND	Pass
Cyfluthrin	0.0247	0.0494	2	ND	Pass	Piperonyl Butoxide	0.006176	0.01235	3	ND	Pass
Cypermethrin	0.01235	0.0247	1	ND	Pass	Prallethrin	0.006176	0.01235	0.1	ND	Pass
*Daminozide	0.006176	0.01235	0.006176	ND	Pass	Propiconazole	0.006176	0.01235	0.1	ND	Pass
Diazinon	0.006176	0.01235	0.1	ND	Pass	*Propoxur	0.006176	0.01235	0.006176	ND	Pass
*Dichlorvos	0.006176	0.01235	0.006176	ND	Pass	Pyrethrins	0.03124	0.0625	0.5	ND	Pass
*Dimethoate	0.006176	0.01235	0.006176	ND	Pass	Pyridaben	0.006176	0.01235	0.1	ND	Pass
Dimethomorph	0.006176	0.01235	2	ND	Pass	Spinetoram	0.006176	0.01235	0.1	ND	Pass
*Ethoprophos	0.006176	0.01235	0.006176	ND	Pass	Spinosad	0.012352	0.0247	0.1	ND	Pass
*Etofenprox	0.006176	0.01235	0.006176	ND	Pass	Spiromesifen	0.006176	0.01235	0.1	ND	Pass
Etoxazole	0.006176	0.01235	0.1	ND	Pass	Spirotetramat	0.006176	0.01235	0.1	ND	Pass
Fenhexamid	0.006176	0.01235	0.1	ND	Pass	*Spiroxamine	0.006176	0.01235	0.006176	ND	Pass
*Fenoxycarb	0.0125	0.025	0.0125	ND	Pass	Tebuconazole	0.006176	0.01235	0.1	ND	Pass
Fenpyroximate	0.006176	0.01235	0.1	ND	Pass	*Thiacloprid	0.006176	0.01235	0.006176	ND	Pass
*Fipronil	0.006176	0.01235	0.006176	ND	Pass	Thiamethoxam	0.006176	0.01235	5	ND	Pass
Fonicamid	0.006176	0.01235	0.1	ND	Pass	Trifloxystrobin	0.006176	0.01235	0.1	ND	Pass

Date Tested: 11/24/2021  
LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: LC/MS, GC/MS; Method: CCTL-PM020 (LC/MS), CCTL-PM030 (GC/MS). Samples were collected as per 16 CCR Section 5707. \* Category I residual pesticides



*P. M. Anngeri*

Satish Anngeri  
Scientific Director  
11/24/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
http://www.cctestinglabs.com  
Lic# C8-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

## Full Spectrum THC/CBD/CBN Tincture - 30ml - 1500mg

<b>Sample ID:</b> 2111CCT5311.12547	<b>Produced:</b>	<b>Client:</b>	
<b>Strain:</b> Full Spectrum THC/CBD/CBN	<b>Collected:</b> 11/22/2021	<b>CBD FX</b>	<b>CCTL-RD-12598 12599 12600 12601 12602 12603</b>
<b>Matrix:</b> Ingestible	<b>Received:</b> 11/22/2021	<b>Lic. #</b>	
<b>Type:</b> Tincture	<b>Completed:</b> 11/24/2021	<b>19801 Nordhoff Place #105</b>	
<b>Sample Size:</b> ; Batch:	<b>Batch#:</b> CBN1500.1122	<b>Chatsworth, CA 91311</b>	

### Microbials

Pass

Analyte	Result	Status
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 11/24/2021

TNTC = Too Numerous to Count; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: qPCR; Method: CCTL-QC-0010, CCTL-QC-0011, CCTL-QC-0012. Samples were collected as per 16 CCR Section 5707.

### Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.54	3.088		ND	Tested
B2	3.088	6.16		ND	Tested
G1	1.54	3.088		ND	Tested
G2	1.54	3.088		ND	Tested
Total Aflatoxins	7.708	15.424	20	ND	Pass
Ochratoxin A	6.16	12.32	20	ND	Pass

Date Tested: 11/24/2021

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: LC/MS; Method: CCTL-PM020. Samples were collected as per 16 CCR Section 5707.

### Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.016190454	0.1	1.5	ND	Pass
Cadmium	0.017157262	0.1	0.5	ND	Pass
Lead	0.014850831	0.1	0.5	ND	Pass
Mercury	0.008172028	0.02	3	ND	Pass

Date Tested: 11/24/2021

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: ICP-MS; Method: CCTL-PM005. Samples were collected as per 16 CCR Section 5707.



*S. M. Anjeri*

Satish Anjeri  
Scientific Director  
11/24/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
http://www.cctestinglabs.com  
Lic# C8-000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

## Full Spectrum THC/CBD/CBN Tincture - 30ml - 1500mg

Sample ID: 2111CCT5311.12547	Produced:	Client	
Strain: Full Spectrum THC/CBD/CBN	Collected: 11/22/2021	CBD FX	CCTL-RD-12598 12599 12600 12601
Volume: 30ml - 1500mg	Received: 11/22/2021		12602 12603
Matrix: Ingestible		Lic. #	
Type: Tincture	Completed: 11/24/2021	19801 Nordhoff Place #105	
Sample Size: ; Batch:	Batch#: CBN1500.1122	Chatsworth, CA 91311	

### Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
*1-2-Dichloro-Ethane	0.30	0.64	1.00	ND	Pass
Acetone	46.73	104.18	5000.00	ND	Pass
Acetonitrile	93.47	178.85	410.00	ND	Pass
*Benzene	0.30	0.65	1.00	ND	Pass
Butane	93.47	202.03	5000.00	ND	Pass
*Chloroform	0.30	0.67	1.00	ND	Pass
Ethanol	93.47	207.53		ND	Pass
Ethyl-Acetate	46.73	89.27	5000.00	ND	Pass
Ethyl-Ether	93.47	213.50	5000.00	ND	Pass
*Ethylene Oxide	0.30	0.62	1.00	ND	Pass
Heptane	46.73	101.40	5000.00	ND	Pass
Isopropanol	46.73	90.11		ND	Pass
Methanol	93.47	207.60	3000.00	ND	Pass
*Methylene-Chloride	0.30	0.49	1.00	ND	Pass
n-Hexane	93.47	187.88	290.00	ND	Pass
Pentane	46.73	111.32	5000.00	ND	Pass
Propane	186.94	438.47	5000.00	ND	Pass
Toluene	46.73	98.84	890.00	ND	Pass
*Trichloroethene	0.30	0.64	1.00	ND	Pass
Total Xylenes	93.47	150.63	2170.00	ND	Pass

Date Tested: 11/24/2021

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: GC; Method: CCTL-PM010. Samples were collected as per 16 CCR Section 5707. \* Category I residual solvents



*P. M. Annigeri*

Satish Annigeri  
Scientific Director  
11/24/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.