SC Labs®

# Hemp Regulatory Compliance Testing
# CERTIFICATE OF ANALYSIS

**DATE ISSUED 09/10/2024**

## SAMPLE NAME: 3000mg Recover
Infused, Topical

### CULTIVATOR / MANUFACTURER
**Business Name:**
**License Number:**
**Address:**

### DISTRIBUTOR / TESTED FOR
**Business Name:** cbdMD
**License Number:**
**Address:**


### SAMPLE DETAIL
**Batch Number:** 2570400
**Sample ID:** 240906K005

**Date Collected:** 09/06/2024
**Date Received:** 09/06/2024
**Batch Size:**
**Sample Size:** 1.0 units
**Unit Mass:** 148 grams per Unit
**Serving Size:** 1 grams per Serving

Scan QR code to verify authenticity of results.

## CANNABINOID ANALYSIS - SUMMARY

**Total THC: Not Detected**

**Total CBD: 3092.608 mg/unit**

**Sum of Cannabinoids: 3142.780 mg/unit**

**Total Cannabinoids: 3142.780 mg/unit**

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:
Total THC = $\Delta^9$-THC + (THCa (0.877))
Total CBD = CBD + (CBDa (0.877))
Sum of Cannabinoids = $\Delta^9$-THC + THCa + CBD + CBDa + CBG + CBGa + THCV + THCVa + CBC + CBCa + CBDV + CBDVa + $\Delta^8$-THC + CBL + CBN
Total Cannabinoids = ($\Delta^9$-THC+0.877*THCa) + (CBD+0.877*CBDa) + (CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) + (CBDV+0.877*CBDVa) + $\Delta^8$-THC + CBL + CBN

## TERPENOID ANALYSIS - SUMMARY

39 TESTED, TOP 3 HIGHLIGHTED

**Total Terpenoids: 0.1626%**



Menthol 0.338 mg/g | Camphor 0.304 mg/g | α-Pinene 0.288 mg/g

## SAFETY ANALYSIS - SUMMARY

**Pesticides:** PASS
**Mycotoxins:** PASS
**Residual Solvents:** PASS
**Heavy Metals:** PASS
**Microbiology (PCR):** PASS
**Microbiology (Plating):** ND
**Foreign Material:** PASS

These results relate only to the sample included on this report.
This report shall not be reproduced, except in full, without written approval of the laboratory.

**Sample Certification:** California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

**Decision Rule:** Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

**References:** limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)

LQC verified by: Juan Romero-Cortez
Job Title: Laboratory Analyst II
Date: 09/10/2024

Approved by: Josh Wurzer
Job Title: Chief Compliance Officer
Date: 09/10/2024


 

## Cannabinoid Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

**Method:** QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

### TOTAL THC: Not Detected

Total THC ($\Delta^9$-THC+0.877*THCa)

### TOTAL CBD: 3092.608 mg/unit

Total CBD (CBD+0.877*CBDa)

### TOTAL CANNABINOIDS: 3142.780 mg/unit

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + $\Delta^8$-THC + CBL + CBN

### TOTAL CBG: 19.240 mg/unit

Total CBG (CBG+0.877*CBGa)

### TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

### TOTAL CBC: <LOQ

Total CBC (CBC+0.877*CBCa)

### TOTAL CBDV: 22.496 mg/unit

Total CBDV (CBDV+0.877*CBDVa)

**CANNABINOID TEST RESULTS -** 09/10/2024

| COMPOUND | LOD/LOQ (mg/g) | MEASUREMENT UNCERTAINTY (mg/g) | RESULT (mg/g) | RESULT (%) |
|---|---|---|---|---|
| CBD | *0.004 / 0.011* | *±0.7794* | 20.896 | 2.0896 |
| CBDV | *0.002 / 0.012* | *±0.0062* | 0.152 | 0.0152 |
| CBG | *0.002 / 0.006* | *±0.0063* | 0.130 | 0.0130 |
| CBN | *0.001 / 0.007* | *±0.0016* | 0.057 | 0.0057 |
| CBC | *0.003 / 0.010* | *N/A* | <LOQ | <LOQ |
| $\Delta^9$-THC | *0.002 / 0.014* | *N/A* | ND | ND |
| $\Delta^8$-THC | *0.01 / 0.02* | *N/A* | ND | ND |
| THCa | *0.001 / 0.005* | *N/A* | ND | ND |
| THCV | *0.002 / 0.012* | *N/A* | ND | ND |
| THCVa | *0.002 / 0.019* | *N/A* | ND | ND |
| CBDa | *0.001 / 0.026* | *N/A* | ND | ND |
| CBDVa | *0.001 / 0.018* | *N/A* | ND | ND |
| CBGa | *0.002 / 0.007* | *N/A* | ND | ND |
| CBL | *0.003 / 0.010* | *N/A* | ND | ND |
| CBCa | *0.001 / 0.015* | *N/A* | ND | ND |
| SUM OF CANNABINOIDS | | | 21.235 mg/g | 2.1235% |

Unit Mass: 148 grams per Unit / Serving Size: 1 grams per Serving

| | |
|---|---|
| $\Delta^9$-THC per Unit | ND |
| $\Delta^9$-THC per Serving | ND |
| Total THC per Unit | ND |
| Total THC per Serving | ND |
| CBD per Unit | 3092.608 mg/unit |
| CBD per Serving | 20.896 mg/serving |
| Total CBD per Unit | 3092.608 mg/unit |
| Total CBD per Serving | 20.896 mg/serving |
| Sum of Cannabinoids per Unit | 3142.780 mg/unit |
| Sum of Cannabinoids per Serving | 21.235 mg/serving |
| Total Cannabinoids per Unit | 3142.780 mg/unit |
| Total Cannabinoids per Serving | 21.235 mg/serving |

## Terpenoid Analysis

Terpene analysis utilizing gas chromatography-flame ionization detection (GC-FID).

**Method:** QSP 1192 - Analysis of Terpenoids by GC-FID

### 1 Menthol

A monoterpenoid alcohol with a fragrance that can be described as fresh, cool and herbal. It is responsible for the distinct odor of mint. It is frequently added to cigarettes and mouthwash as a flavorant. Found in mint, sunflower, micromeria, mountain mint, rose geranium, pennyroyal, tarragon, savory, basil, juniper, couch grass, rhubarb, acinos (basil thyme), ironwort, muña...etc.

### 2 Camphor

A monoterpenoid ketone with a pungent fragrance that is as reminiscent of mothballs. It is commonly derived from *Cinnamomum* camphora, from which it lends its lame. It is a constituent of turpentine and has been used by certain cultures as an embalming fluid due to its antimicrobial effects. Found in camphor laurel, rosemary, East African camphorwood, goldenasters, coriander, feverfew, tarragon, nutmeg, sweet wormwood, yerba buena, mountain mint, hyssop, forskohlii, tansy, thyme, turmeric...etc.

### 3 α-Pinene

One of two isomers of the monoterpene Pinene, the most abundant terpene in the natural world. It is responsible for the distinct aroma of many coniferous trees, particularly pines, from which it derives its name. It is a primary constituent of turpentine. Found in pines, rose gun, parsley, frankincense, guava, juniper, rosemary, nutmeg, blue gum, valerian...etc.

**TERPENOID TEST RESULTS -** 09/10/2024

| COMPOUND | LOD/LOQ (mg/g) | MEASUREMENT UNCERTAINTY (mg/g) | RESULT (mg/g) | RESULT (%) |
|---|---|---|---|---|
| Menthol | *0.008 / 0.025* | *±0.0105* | **0.338** | **0.0338** |
| Camphor | *0.006 / 0.036* | *±0.0084* | **0.304** | **0.0304** |
| α-Pinene | *0.005 / 0.036* | *±0.0019* | **0.288** | **0.0288** |
| Eucalyptol | *0.006 / 0.018* | *±0.0047* | **0.241** | **0.0241** |
| Camphene | *0.005 / 0.015* | *±0.0012* | **0.134** | **0.0134** |
| Limonene | *0.005 / 0.036* | *±0.0011* | **0.103** | **0.0103** |
| β-Pinene | *0.004 / 0.014* | *±0.0007* | **0.082** | **0.0082** |
| Borneol | *0.005 / 0.016* | *±0.0012* | **0.038** | **0.0038** |
| Terpineol | *0.009 / 0.031* | *±0.0017* | **0.036** | **0.0036** |
| β-Caryophyllene | *0.004 / 0.012* | *±0.0007* | **0.024** | **0.0024** |
| p-Cymene | *0.005 / 0.016* | *±0.0005* | **0.022** | **0.0022** |
| Isoborneol | *0.004 / 0.012* | *±0.0005* | **0.016** | **0.0016** |
| γ-Terpinene | *0.006 / 0.018* | *N/A* | **<LOQ** | **<LOQ** |
| Linalool | *0.009 / 0.036* | *N/A* | **<LOQ** | **<LOQ** |
| Sabinene | *0.004 / 0.014* | *N/A* | **ND** | **ND** |
| Myrcene | *0.008 / 0.025* | *N/A* | **ND** | **ND** |
| α-Phellandrene | *0.006 / 0.036* | *N/A* | **ND** | **ND** |
| $\Delta^3$-Carene | *0.005 / 0.018* | *N/A* | **ND** | **ND** |
| α-Terpinene | *0.005 / 0.017* | *N/A* | **ND** | **ND** |
| β-Ocimene | *0.006 / 0.025* | *N/A* | **ND** | **ND** |
| Sabinene Hydrate | *0.006 / 0.036* | *N/A* | **ND** | **ND** |
| Fenchone | *0.009 / 0.036* | *N/A* | **ND** | **ND** |
| Terpinolene | *0.008 / 0.036* | *N/A* | **ND** | **ND** |
| Fenchol | *0.010 / 0.036* | *N/A* | **ND** | **ND** |
| Isopulegol | *0.005 / 0.036* | *N/A* | **ND** | **ND** |
| Nerol | *0.003 / 0.036* | *N/A* | **ND** | **ND** |
| Citronellol | *0.003 / 0.036* | *N/A* | **ND** | **ND** |
| Pulegone | *0.003 / 0.011* | *N/A* | **ND** | **ND** |
| Geraniol | *0.002 / 0.036* | *N/A* | **ND** | **ND** |
| Geranyl Acetate | *0.004 / 0.036* | *N/A* | **ND** | **ND** |
| α-Cedrene | *0.005 / 0.016* | *N/A* | **ND** | **ND** |
| trans-β-Farnesene | *0.008 / 0.025* | *N/A* | **ND** | **ND** |
| α-Humulene | *0.009 / 0.180* | *N/A* | **ND** | **ND** |
| Valencene | *0.009 / 0.180* | *N/A* | **ND** | **ND** |
| Nerolidol | *0.006 / 0.021* | *N/A* | **ND** | **ND** |
| Caryophyllene Oxide | *0.010 / 0.033* | *N/A* | **ND** | **ND** |
| Guaiol | *0.009 / 0.030* | *N/A* | **ND** | **ND** |
| Cedrol | *0.008 / 0.027* | *N/A* | **ND** | **ND** |
| α-Bisabolol | *0.008 / 0.026* | *N/A* | **ND** | **ND** |
| **TOTAL TERPENOIDS** | | | **1.626 mg/g** | **0.1626%** |

## Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

**Method:** QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

**PESTICIDE TEST RESULTS** - 09/10/2024 PASS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|---|---|---|---|---|---|
| Abamectin | 0.03 / 0.10 | 0.3 | N/A | ND | PASS |
| Acephate | 0.02 / 0.07 | 5 | N/A | ND | PASS |
| Acequinocyl | 0.02 / 0.07 | 4 | N/A | ND | PASS |
| Acetamiprid | 0.02 / 0.05 | 5 | N/A | ND | PASS |
| Aldicarb | 0.03 / 0.08 | ≥ LOD | N/A | ND | PASS |
| Azoxystrobin | 0.02 / 0.07 | 40 | N/A | ND | PASS |
| Bifenazate | 0.01 / 0.04 | 5 | N/A | ND | PASS |
| Bifenthrin | 0.02 / 0.05 | 0.5 | N/A | ND | PASS |
| Boscalid | 0.03 / 0.09 | 10 | N/A | ND | PASS |
| Captan | 0.19 / 0.57 | 5 | N/A | ND | PASS |
| Carbaryl | 0.02 / 0.06 | 0.5 | N/A | ND | PASS |
| Carbofuran | 0.02 / 0.05 | ≥ LOD | N/A | ND | PASS |
| Chlorantraniliprole | 0.04 / 0.12 | 40 | N/A | ND | PASS |
| Chlordane* | 0.03 / 0.08 | ≥ LOD | N/A | ND | PASS |
| Chlorfenapyr* | 0.03 / 0.10 | ≥ LOD | N/A | ND | PASS |
| Chlorpyrifos | 0.02 / 0.06 | ≥ LOD | N/A | ND | PASS |
| Clofentezine | 0.03 / 0.09 | 0.5 | N/A | ND | PASS |
| Coumaphos | 0.02 / 0.07 | ≥ LOD | N/A | ND | PASS |
| Cyfluthrin | 0.12 / 0.38 | 1 | N/A | ND | PASS |
| Cypermethrin | 0.11 / 0.32 | 1 | N/A | ND | PASS |
| Daminozide | 0.02 / 0.07 | ≥ LOD | N/A | ND | PASS |
| Diazinon | 0.02 / 0.05 | 0.2 | N/A | ND | PASS |
| Dichlorvos (DDVP) | 0.03 / 0.09 | ≥ LOD | N/A | ND | PASS |
| Dimethoate | 0.03 / 0.08 | ≥ LOD | N/A | ND | PASS |
| Dimethomorph | 0.03 / 0.09 | 20 | N/A | ND | PASS |
| Ethoprophos | 0.03 / 0.10 | ≥ LOD | N/A | ND | PASS |
| Etofenprox | 0.02 / 0.06 | ≥ LOD | N/A | ND | PASS |
| Etoxazole | 0.02 / 0.06 | 1.5 | N/A | ND | PASS |
| Fenhexamid | 0.03 / 0.09 | 10 | N/A | ND | PASS |
| Fenoxycarb | 0.03 / 0.08 | ≥ LOD | N/A | ND | PASS |
| Fenpyroximate | 0.02 / 0.06 | 2 | N/A | ND | PASS |
| Fipronil | 0.03 / 0.08 | ≥ LOD | N/A | ND | PASS |
| Flonicamid | 0.03 / 0.10 | 2 | N/A | ND | PASS |
| Fludioxonil | 0.03 / 0.10 | 30 | N/A | ND | PASS |
| Hexythiazox | 0.02 / 0.07 | 2 | N/A | ND | PASS |
| Imazalil | 0.02 / 0.06 | ≥ LOD | N/A | ND | PASS |
| Imidacloprid | 0.04 / 0.11 | 3 | N/A | ND | PASS |
| Kresoxim-methyl | 0.02 / 0.07 | 1 | N/A | ND | PASS |
| Malathion | 0.03 / 0.09 | 5 | N/A | ND | PASS |
| Metalaxyl | 0.02 / 0.07 | 15 | N/A | ND | PASS |
| Methiocarb | 0.02 / 0.07 | ≥ LOD | N/A | ND | PASS |

Continued on next page

## Pesticide Analysis *Continued*

**PESTICIDE TEST RESULTS** - 09/10/2024 *continued* PASS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|---|---|---|---|---|---|
| Methomyl | 0.03 / 0.10 | 0.1 | N/A | ND | PASS |
| Mevinphos | 0.03 / 0.09 | ≥ LOD | N/A | ND | PASS |
| Myclobutanil | 0.03 / 0.09 | 9 | N/A | ND | PASS |
| Naled | 0.02 / 0.07 | 0.5 | N/A | ND | PASS |
| Oxamyl | 0.04 / 0.11 | 0.2 | N/A | ND | PASS |
| Paclobutrazol | 0.02 / 0.05 | ≥ LOD | N/A | ND | PASS |
| Parathion-methyl | 0.03 / 0.10 | ≥ LOD | N/A | ND | PASS |
| Pentachloronitro-benzene (Quintozene)* | 0.03 / 0.09 | 0.2 | N/A | ND | PASS |
| Permethrin | 0.04 / 0.12 | 20 | N/A | ND | PASS |
| Phosmet | 0.03 / 0.10 | 0.2 | N/A | ND | PASS |
| Piperonyl Butoxide | 0.02 / 0.07 | 8 | N/A | ND | PASS |
| Prallethrin | 0.03 / 0.08 | 0.4 | N/A | ND | PASS |
| Propiconazole | 0.02 / 0.07 | 20 | N/A | ND | PASS |
| Propoxur | 0.03 / 0.09 | ≥ LOD | N/A | ND | PASS |
| Pyrethrins | 0.04 / 0.12 | 1 | N/A | ND | PASS |
| Pyridaben | 0.02 / 0.07 | 3 | N/A | ND | PASS |
| Spinetoram | 0.02 / 0.07 | 3 | N/A | ND | PASS |
| Spinosad | 0.02 / 0.07 | 3 | N/A | ND | PASS |
| Spiromesifen | 0.02 / 0.05 | 12 | N/A | ND | PASS |
| Spirotetramat | 0.02 / 0.06 | 13 | N/A | ND | PASS |
| Spiroxamine | 0.03 / 0.08 | ≥ LOD | N/A | ND | PASS |
| Tebuconazole | 0.02 / 0.07 | 2 | N/A | ND | PASS |
| Thiacloprid | 0.03 / 0.10 | ≥ LOD | N/A | ND | PASS |
| Thiamethoxam | 0.03 / 0.10 | 4.5 | N/A | ND | PASS |
| Trifloxystrobin | 0.03 / 0.08 | 30 | N/A | ND | PASS |

## Mycotoxin Analysis

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

**Method:** QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS

**MYCOTOXIN TEST RESULTS** - 09/10/2024 PASS

| COMPOUND | LOD/LOQ (µg/kg) | ACTION LIMIT (µg/kg) | MEASUREMENT UNCERTAINTY (µg/kg) | RESULT (µg/kg) | RESULT |
|---|---|---|---|---|---|
| Aflatoxin B1 | 2.0 / 6.0 | | N/A | ND | |
| Aflatoxin B2 | 1.8 / 5.6 | | N/A | ND | |
| Aflatoxin G1 | 1.0 / 3.1 | | N/A | ND | |
| Aflatoxin G2 | 1.2 / 3.5 | | N/A | ND | |
| Total Aflatoxin | | 20 | | ND | PASS |
| Ochratoxin A | 6.3 / 19.2 | 20 | N/A | ND | PASS |

## Residual Solvents Analysis

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

**Method:** QSP 1204 - Analysis of Residual Solvents by GC-MS

**RESIDUAL SOLVENTS TEST RESULTS** - 09/08/2024 PASS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|---|---|---|---|---|---|
| Propane | 10 / 20 | 5000 | N/A | ND | PASS |
| n-Butane | 10 / 50 | 5000 | N/A | ND | PASS |
| n-Pentane | 20 / 50 | 5000 | N/A | ND | PASS |
| n-Hexane | 2 / 5 | 290 | N/A | ND | PASS |
| n-Heptane | 20 / 60 | 5000 | N/A | ND | PASS |
| Benzene | 0.03 / 0.09 | 1 | N/A | ND | PASS |
| Toluene | 7 / 21 | 890 | N/A | ND | PASS |
| Total Xylenes | 50 / 160 | 2170 | N/A | ND | PASS |
| Methanol | 50 / 200 | 3000 | N/A | ND | PASS |
| Ethanol | 20 / 50 | | N/A | ND | |
| 2-Propanol (Isopropyl Alcohol) | 10 / 40 | | N/A | ND | |
| Acetone | 20 / 50 | 5000 | N/A | ND | PASS |
| Ethyl Ether | 20 / 50 | 5000 | N/A | ND | PASS |
| Ethylene Oxide | 0.3 / 0.8 | 1 | N/A | ND | PASS |
| Ethyl Acetate | 20 / 60 | 5000 | N/A | ND | PASS |
| Chloroform | 0.1 / 0.2 | 1 | N/A | ND | PASS |
| Dichloromethane (Methylene Chloride) | 0.3 / 0.9 | 1 | N/A | ND | PASS |
| Trichloroethylene | 0.1 / 0.3 | 1 | N/A | ND | PASS |
| 1,2-Dichloroethane | 0.05 / 0.1 | 1 | N/A | ND | PASS |
| Acetonitrile | 2 / 7 | 410 | N/A | ND | PASS |

## Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

**Method:** QSP 1160 - Analysis of Heavy Metals by ICP-MS

**HEAVY METALS TEST RESULTS** - 09/08/2024 PASS

| COMPOUND | LOD/LOQ (µg/g) | ACTION LIMIT (µg/g) | MEASUREMENT UNCERTAINTY (µg/g) | RESULT (µg/g) | RESULT |
|---|---|---|---|---|---|
| Arsenic | 0.02 / 0.1 | 1.5 | N/A | ND | PASS |
| Cadmium | 0.02 / 0.05 | 0.5 | N/A | ND | PASS |
| Lead | 0.04 / 0.1 | 0.5 | N/A | ND | PASS |
| Mercury | 0.002 / 0.01 | 3 | N/A | ND | PASS |

## Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

**Method:** QSP 1221 - Analysis of Microbiological Contaminants

**MICROBIOLOGY TEST RESULTS (PCR)** - 09/10/2024 PASS

| COMPOUND | ACTION LIMIT | RESULT | RESULT |
|---|---|---|---|
| Shiga toxin-producing *Escherichia coli* | Not Detected in 1g | ND | PASS |
| *Salmonella* spp. | Not Detected in 1g | ND | PASS |
| *Listeria monocytogenes* | | ND | |

## Microbiology Analysis *Continued*

Analysis conducted by 3M™ Petrifilm™ and plate counts of microbiological contaminants.

**Method:** QSP 6794 - Plating with 3M™ Petrifilm™

**MICROBIOLOGY TEST RESULTS (PLATING) -** 09/10/2024 **ND**

| COMPOUND | RESULT (cfu/g) |
|---|---|
| Total Aerobic Bacteria | ND |
| Total Yeast and Mold | ND |

## Foreign Material Analysis

Visual analysis includes, but is not limited to, sand, soil, cinders, dirt, mold, hair, insect fragments, and mammalian excreta.

**Method:** QSP 1226 - Analysis of Foreign Material in Cannabis and Cannabis Products

**FOREIGN MATERIAL TEST RESULTS -** 09/07/2024 PASS

| COMPOUND | ACTION LIMIT | RESULT | RESULT |
|---|---|---|---|
| Total Sample Area Covered by Sand, Soil, Cinders, or Dirt | *>25%* | None | PASS |
| Total Sample Area Covered by Mold | *>25%* | None | PASS |
| Total Sample Area Covered by an Imbedded Foreign Material | *>25%* | None | PASS |
| Insect Fragment Count | *> 1 per 3 grams* | 0.0 | PASS |
| Hair Count | *> 1 per 3 grams* | 0.0 | PASS |
| Mammalian Excreta Count | *> 1 per 3 grams* | 0.0 | PASS |