BlueLeaf Laboratory 673 N. Bardstown Rd. Mount Washington, KY, 40047 (502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P

## Certificate of Analysis

Sep 14,2021 | Black Tie Group LLC

730 Kiley Ave Yuba City CA, 95991 888-702-2285

## San anno

CBN.090821

Matrix: Derivative

Accession Number: 091021UD0018

Harvest/Lot ID: CBN.090821

Seed to Sale: \*

Batch Date: 09/08/21 Batch #: CBN.090821

Sample Size Received: 1000 mg

**Retail Product Size:** 


**Ordered:** 09/08/21

**Completed:** 09/14/21 **Expires:** 09/13/22

Sampling Method: SOP Client Method

## **CANNABINOID RESULTS**

Total THC	Total CBD	<b>Total Cannabinoids</b>
0.000%	0.000%	99.069%



 Analyzed by
 Date
 Instrument used
 Analysis Method

 TW
 09/13/2021
 Shimadzu HPLC w/ PDA
 SOP.KY.02.012

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-PDA). SOP.KY.02.005 for sample prep and SOP.KY.02.012 for analysis. % = %w/w = Percent (Weight of Analyte/Weight Product) Total Cannabinoids result reflects the absolute sum of all cannabinoids detected. \*\*Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation Total THC = THC + (THCa\*0.877) Total CBD = CBD + (CBDa\*0.877)

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Voli after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for commption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

## **Daniel Burriss**

Lab Director State License # 19-05-02P ISO/IEC 17025:2017



Duf Bris

09/14/21

Signature

Signed On

Page 1 of 1