

Prepared for:

FABCBD

1550 LARIMER ST. #964
Denver, CO USA 80202

FABCBD Body Salve

Batch ID or Lot Number: EB49AB	Test: Potency	Reported: 04Aug2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000251308	Started: 02Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 01Aug2023	Status: N/A

Cannabinoids


	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.016	0.060	<LOQ	<LOQ	
Cannabichromenic Acid (CBCA)	0.014	0.055	ND	ND	
Cannabidiol (CBD)	0.055	0.160	3.330	33.30	
Cannabidiolic Acid (CBDA)	0.057	0.164	ND	ND	
Cannabidivarin (CBDV)	0.013	0.038	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.024	0.068	ND	ND	
Cannabigerol (CBG)	0.009	0.034	0.440	4.40	
Cannabigerolic Acid (CBGA)	0.038	0.142	ND	ND	
Cannabinol (CBN)	0.012	0.044	ND	ND	
Cannabinolic Acid (CBNA)	0.026	0.097	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.045	0.169	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.041	0.154	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.036	0.136	ND	ND	
Tetrahydrocannabivarin (THCV)	0.008	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.032	0.120	ND	ND	
Total Cannabinoids			3.770	37.70	
Total Potential THC			ND	ND	
Total Potential CBD			3.330	33.30	

Final Approval



Karen Winternheimer
04Aug2023
12:26:00 PM MDT

PREPARED BY / DATE



Sam Smith
04Aug2023
12:27:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/oaas/uuid/8d36e5a6-9595-4b26-b6b1-2f8a5a6eadfe>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCA * (0.877)) and Total CBD = CBD + (CBDA * (0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Gen #4329.02
8d36e5a695954b26b6b12f8a5a6eadfe.1

CERTIFICATE OF ANALYSIS

Prepared for:

FABCBD


1550 LARIMER ST. #964
Denver, CO USA 80202

FABCBD Body Salve

Batch ID or Lot Number: EB49AB	Test: Heavy Metals	Reported: 08Aug2023	USDA License: NA
Matrix: Finished Product	Test ID: T000251311	Started: 08Aug2023	Sampler ID: NA
	Method(s): TM19 (ICP-MS): Heavy Metals	Received: 01Aug2023	Status: NA

Heavy Metals	Dynamic Range (ppm)	Result (ppm)	Notes
Arsenic	0.05 - 4.83	ND	
Cadmium	0.05 - 4.62	ND	
Mercury	0.05 - 4.52	ND	
Lead	0.04 - 4.40	ND	

Final Approval



Sam Smith
08Aug2023
03:37:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
08Aug2023
03:40:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/a57ec070-0e58-43e2-b4cd-8ab3c6f39cb1>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Gen #4329.02
a57ec0700e5943e2b4cd8ab3c6f39cb1.1

Prepared for:

FABCBD

1550 LARIMER ST. #964
Denver, CO USA 80202

FABCBD Body Salve

Batch ID or Lot Number: EB49AB	Test: Microbial Contaminants	Reported: 07Aug2023	USDA License: NA
Matrix: Finished Product	Test ID: T000251310	Started: 02Aug2023	Sampler ID: NA
	Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Received: 01Aug2023	Status: NA

Microbial

Contaminants

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Brianne Maillot
06Aug2023
10:39:00 AM MDT

PREPARED BY / DATE



Eden Thompson-Wright
07Aug2023
09:39:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/oaas/uuid/271449b5-aefd-43f0-af4-6fc89fc8bde0.1>

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Gen #4329.02
271449b5aefd43f0af46fc89fc8bde0.1

Prepared for:

FABCBD

1550 LARIMER ST. #964
Denver, CO USA 80202


FABCBD Body Salve

Batch ID or Lot Number: EB49AB	Test: Pesticides	Reported: 03Aug2023	USDA License: NA
Matrix: Finished Product	Test ID: T000251309	Started: 02Aug2023	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 01Aug2023	Status: NA

Pesticides

Pesticides	Dynamic Range (ppb)	Result (ppb)	Pesticides	Dynamic Range (ppb)	Result (ppb)
Abamectin	405 - 2594	ND	Malathion	303 - 2745	ND
Acephate	38 - 2739	ND	Metalaxyl	43 - 2698	ND
Acetamiprid	41 - 2701	ND	Methiocarb	40 - 2731	ND
Azoxystrobin	46 - 2690	ND	Methomyl	39 - 2736	ND
Bifenazate	42 - 2685	ND	MGK 264 1	185 - 1690	ND
Boscalid	42 - 2763	ND	MGK 264 2	112 - 1093	ND
Carbaryl	38 - 2710	ND	Myclobutanil	30 - 2725	ND
Carbofuran	44 - 2694	ND	Naled	41 - 2674	ND
Chlorantraniliprole	39 - 2719	ND	Oxamyl	40 - 2747	ND
Chlorpyrifos	41 - 2733	ND	Paclobutrazol	43 - 2700	ND
Clofentezine	294 - 2738	ND	Permethrin	307 - 2723	ND
Diazinon	301 - 2710	ND	Phosmet	43 - 2685	ND
Dichlorvos	279 - 2725	ND	Prophos	317 - 2737	ND
Dimethoate	43 - 2691	ND	Propoxur	42 - 2716	ND
E-Fenpyroximate	308 - 2765	ND	Pyridaben	313 - 2703	ND
Etofenprox	43 - 2718	ND	Spinosad A	30 - 2095	ND
Etoxazole	318 - 2725	ND	Spinosad D	72 - 666	ND
Fenoxycarb	42 - 2714	ND	Spiromesifen	302 - 2737	ND
Fipronil	51 - 2692	ND	Spirotetramat	327 - 2733	ND
Fonicamid	43 - 2744	ND	Spiroxamine 1	17 - 1242	ND
Fludioxonil	320 - 2720	ND	Spiroxamine 2	21 - 1511	ND
Hexythiazox	43 - 2750	ND	Tebuconazole	318 - 2716	ND
Imazalil	296 - 2740	ND	Thiacloprid	40 - 2696	ND
Imidacloprid	42 - 2739	ND	Thiamethoxam	39 - 2740	ND
Kresoxim-methyl	44 - 2723	ND	Trifloxystrobin	42 - 2699	ND

Final Approval



Karen Winternheimer
03Aug2023
01:15:00 PM MDT

PREPARED BY / DATE



Sam Smith
03Aug2023
01:18:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/b73e1eeb-8a00-44ac-8392-f9d5b4cc5f68>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range
ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
b73e1eeb8a0044ac8392f9d5b4cc5f68.1

CERTIFICATE OF ANALYSIS

Prepared for:

FABCBD

1550 LARIMER ST. #964
Denver, CO USA 80202

FABCBD Body Salve

Batch ID or Lot Number: EB49AB	Test: Residual Solvents	Reported: 03Aug2023	USDA License: N/A
Matrix: Topical	Test ID: T000251312	Started: 02Aug2023	Sampler ID: N/A
	Method(s): TM04 (GC-MS): Residual Solvents	Received: 01Aug2023	Status: Active


Residual Solvents	Dynamic Range (ppm)	Result (ppm)	Notes
Propane	94 - 1881	ND	
Butanes (Isobutane, n-Butane)	185 - 3692	ND	
Methanol	57 - 1144	ND	
Pentane	93 - 1860	ND	
Ethanol	92 - 1836	ND	
Acetone	94 - 1873	ND	
Isopropyl Alcohol	95 - 1900	ND	
Hexane	6 - 116	ND	
Ethyl Acetate	93 - 1862	ND	
Benzene	0.2 - 3.8	ND	
Heptanes	94 - 1879	ND	
Toluene	17 - 338	ND	
Xylenes (m,p,o-Xylenes)	123 - 2468	ND	

Final Approval



Karen Winternheimer
03Aug2023
01:42:00 PM MDT

PREPARED BY / DATE



Sam Smith
03Aug2023
01:46:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/8651f405f8bd410c9f7308f124d87cb6>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Gen #4329.02
8651f405f8bd410c9f7308f124d87cb6.1