

Prepared for:

FABCBD

1550 LARIMER ST. #964
Denver, CO USA 80202

FABCBD Topical Cream

Batch ID or Lot Number: CRMFO6, CRMFC6	Test: Potency	Reported: 04Aug2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000251323	Started: 02Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 01Aug2023	Status: N/A

Cannabinoids	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.016	0.060	<LOQ	<LOQ	
Cannabichromenic Acid (CBCA)	0.014	0.055	ND	ND	
Cannabidiol (CBD)	0.055	0.160	1.990	19.90	
Cannabidiolic Acid (CBDA)	0.057	0.164	ND	ND	
Cannabidivarin (CBDV)	0.013	0.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.024	0.068	ND	ND	
Cannabigerol (CBG)	0.009	0.034	ND	ND	
Cannabigerolic Acid (CBGA)	0.038	0.142	ND	ND	
Cannabinol (CBN)	0.012	0.044	ND	ND	
Cannabinolic Acid (CBNA)	0.026	0.097	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.045	0.169	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.041	0.154	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.036	0.136	ND	ND	
Tetrahydrocannabivarin (THCV)	0.008	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.032	0.120	ND	ND	
Total Cannabinoids			1.990	19.90	
Total Potential THC			ND	ND	
Total Potential CBD			1.990	19.90	

Final Approval



Karen Winternheimer
04Aug2023
12:26:00 PM MDT

PREPARED BY / DATE



Sam Smith
04Aug2023
12:27:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/ea50f5cf-0412-4d0d-91df-a308fb886ee7>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329 02
ea50f5cf04124d0d91dfa308fb886ee7.1

CERTIFICATE OF ANALYSIS

Prepared for:

FABCBD

1550 LARIMER ST. #964
Denver, CO USA 80202

FABCBD Topical Cream

Batch ID or Lot Number: CRMFO6, CRMFC6	Test: Heavy Metals	Reported: 08Aug2023	USDA License: NA
Matrix: Finished Product	Test ID: T000251326	Started: 08Aug2023	Sampler ID: NA
	Method(s): TM19 (ICP-MS): Heavy Metals	Received: 01Aug2023	Status: NA

Heavy Metals	Dynamic Range (ppm)	Result (ppm)	Notes
Arsenic	0.05 - 4.83	ND	
Cadmium	0.05 - 4.62	ND	
Mercury	0.05 - 4.52	ND	
Lead	0.04 - 4.40	ND	

Final Approval



Sam Smith
08Aug2023
03:37:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
08Aug2023
03:40:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e2ff46bc-b2dc-498b-948a-f6d51e2adf15>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329 02
e2ff46bc2dc408b048a9d51e2adf15.1
Certified Test Laboratory

Prepared for:

FABCBD

1550 LARIMER ST. #964
Denver, CO USA 80202

FABCBD Topical Cream

Batch ID or Lot Number: CRM06, CRMFC6	Test: Microbial Contaminants	Reported: 07Aug2023	USDA License: NA
Matrix: Finished Product	Test ID: T000251325	Started: 02Aug2023	Sampler ID: NA
	Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Received: 01Aug2023	Status: NA

Microbial

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	Free from visual mold, mildew, and foreign matter
Salmonella	TM25: PCR	10 ⁰ CFU/25g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Brianne Maillot
06Aug2023
10:39:00 AM MDT

PREPARED BY / DATE



Eden Thompson-Wright
07Aug2023
09:39:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/0253e4cc-8571-490f-9fe5-3c24c3b8e0d7>

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329 02
0253e4cc8571490f9fe53c24c3b8e0d7.1

Prepared for:

FABCBD

1550 LARIMER ST. #964
Denver, CO USA 80202

FABCBD Topical Cream

Batch ID or Lot Number: CRMFO6, CRMFC6	Test: Pesticides	Reported: 03Aug2023	USDA License: NA
Matrix: Finished Product	Test ID: T000251324	Started: 02Aug2023	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 01Aug2023	Status: NA

Pesticides	Dynamic Range (ppb)	Result (ppb)	Pesticides	Dynamic Range (ppb)	Result (ppb)
Abamectin	405 - 2594	ND	Malathion	303 - 2745	ND
Acephate	38 - 2739	ND	Metalaxyl	43 - 2698	ND
Acetamiprid	41 - 2701	ND	Methiocarb	40 - 2731	ND
Azoxystrobin	46 - 2690	ND	Methomyl	39 - 2736	ND
Bifenazate	42 - 2685	ND	MGK 264 1	185 - 1690	ND
Boscalid	42 - 2763	ND	MGK 264 2	112 - 1093	ND
Carbaryl	38 - 2710	ND	Myclobutanil	30 - 2725	ND
Carbofuran	44 - 2694	ND	Naled	41 - 2674	ND
Chlorantraniliprole	39 - 2719	ND	Oxamyl	40 - 2747	ND
Chlorpyrifos	41 - 2733	ND	Paclobutrazol	43 - 2700	ND
Clofentazine	294 - 2738	ND	Permethrin	307 - 2723	ND
Diazinon	301 - 2710	ND	Phosmet	43 - 2685	ND
Dichlorvos	279 - 2725	ND	Prophos	317 - 2737	ND
Dimethoate	43 - 2691	ND	Propoxur	42 - 2716	ND
E-Fenpyroximate	308 - 2765	ND	Pyridaben	313 - 2703	ND
Etofenprox	43 - 2718	ND	Spinosad A	30 - 2095	ND
Etoxazole	318 - 2725	ND	Spinosad D	72 - 666	ND
Fenoxycarb	42 - 2714	ND	Spiromesifen	302 - 2737	ND
Fipronil	51 - 2692	ND	Spirotetramat	327 - 2733	ND
Flonicamid	43 - 2744	ND	Spiroxamine 1	17 - 1242	ND
Fludioxonil	320 - 2720	ND	Spiroxamine 2	21 - 1511	ND
Hexythiazox	43 - 2750	ND	Tebuconazole	318 - 2716	ND
Imazalil	296 - 2740	ND	Thiadicloprid	40 - 2696	ND
Imidacloprid	42 - 2739	ND	Thiamethoxam	39 - 2740	ND
Kresoxim-methyl	44 - 2723	ND	Trifloxystrobin	42 - 2699	ND

Final Approval



Karen Winternheimer
03Aug2023
01:15:00 PM MDT

PREPARED BY / DATE



Sam Smith
03Aug2023
01:18:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/93dad74e-d11c-4fb6-97ae-a5610677625c>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range
ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329 D2
93dad74ed11c4fb697aea5610677625c.1

CERTIFICATE OF ANALYSIS

Prepared for:

FABCBD

1550 LARIMER ST. #964
Denver, CO USA 80202

FABCBD Topical Cream

Batch ID or Lot Number: CRMFO6, CRMFC6	Test: Residual Solvents	Reported: 03Aug2023	USDA License: N/A
Matrix: Topical	Test ID: T000251327	Started: 02Aug2023	Sampler ID: N/A
	Method(s): TM04 (GC-MS): Residual Solvents	Received: 01Aug2023	Status: Active

Residual Solvents	Dynamic Range (ppm)	Result (ppm)	Notes
Propane	102 - 2047	ND	
Butanes (Isobutane, n-Butane)	201 - 4018	ND	
Methanol	62 - 1245	ND	
Pentane	101 - 2024	ND	
Ethanol	100 - 1998	ND	
Acetone	102 - 2038	ND	
Isopropyl Alcohol	103 - 2068	ND	
Hexane	6 - 126	ND	
Ethyl Acetate	101 - 2027	ND	
Benzene	0.2 - 4.1	ND	
Heptanes	102 - 2045	ND	
Toluene	18 - 368	ND	
Xylenes (m,p,o-Xylenes)	134 - 2686	ND	

Final Approval



Karen Winternheimer
03Aug2023
01:42:00 PM MDT

PREPARED BY / DATE



Sam Smith
03Aug2023
01:46:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/cabaea03-1c94-414c-8c87-4b4e99409fde>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329 02
cabaea031c94414c8c874b4e99409fde.1