

(502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



Matrix: Edible

Harvest/Lot ID: Seed to Sale: *

Batch Date: 04/18/22 Batch #: 04042205

Ordered: 04/18/22 Completed: 04/21/22

500mg Cats & Dogs Hemp Oil

Sample Size Received: 30 ml Retail Product Size: 30 ml

Accession Number: 041822UD0004


Sampling Method: SOP Client Method

Certificate of Analysis

Apr 21,2022 | Cornbread Hemp

Louisville, KENTUCKY,

CANNABINOID RESULTS



CORNBRE

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-PDA). SOP.KY.02.005 for sample prep and SOP.KY.02.012 for analysis. % = %w/w = Percent (Weight of Analyte/Weight Product) Total Cannabinoids result reflects the absolute sum of all cannabinoids detected. **Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation Total THC = THC + (THCa*0.877) Total CBD = CBD + (CBDa*0.877)

PASSED

Filth & Foreign Matter

Analyzed by	Date	Instrument used	Analysis Method
TW	04/19/2022	Microscope (Amscope)	SOP.KY.02.011

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and byproducts. An SH-2B/T Stereo Microscope is used for inspection. (Method: SOP.KY.02.011)

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly aviewed otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss Lab Director

State License # 19-05-02P ISO/IEC 17025:2017

> PJLA Testing

Accreditation 113856

Danf Bris

04/21/22

Signature

Signed On

Page 1 of 4



(502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



Certificate of Analysis

Cornbread Hemp

Louisville, KENTUCKY, Telephone: Email: Melissa@cornbreadhemp.com



500mg Cats & Dogs Hemp Oil Matrix: Edible Accession Number: 041822UD0004 Harvest/Lot ID: Seed to Sale: * Batch Date: 04/18/22 Batch #: 04042205 Sample Size Received: 30 ml Retail Product Size: 30 ml Ordered: 04/18/22 Completed: 04/21/22

Sampling Method: SOP Client Method

Pesticides										Ρ	AS:	SED
Pesticides	LL	OQ	Result	Units	Action Level	Pass / Fail	Pesticides	LLOQ	Result	Units	Action Level	Pass / Fail
Abamectin B1a	0.02		ND	ppm	0.5	PASS	Acephate	0.01	ND	ppm	0.4	PASS
Acequinocyl	0.05		ND	ppm	2	PASS	Acetamiprid	0.01	ND	ppm	0.2	PASS
Aldicarb	0.02		ND	ppm	0.4	PASS	Azoxystrobin	0.01	ND	ppm	0.2	PASS
Bifenazate	0.01		ND	ppm	3.0	PASS	Bifenthrin	0.01	ND	ppm	0.2	PASS
Boscalid	0.01		ND	ppm	0.4	PASS	Carbaryl	0.01	ND	ppm	0.2	PASS
Carbofuran	0.01		ND	ppm	0.2	PASS	Chlorantraniliprole	0.01	ND	ppm	0.2	PASS
Chlorpyrifos	0.01		ND	ppm	0.2	PASS	cis-Permethrin	0.0041	ND	ppm	0.4	PASS
Clofentezine	0.01		ND	ppm	0.2	PASS	Coumaphos	0.01	ND	ppm	0.2	PASS
Cypermethrin	0.02		ND	ppm	1	PASS	Daminozide	0.02	ND	ppm	1	PASS
Diazanon	0.01		ND	ppm	0.2	PASS	Dichlorvos	0.05	ND	ppm	0.1	PASS
Dimethoate	0.01		ND	ppm	0.2	PASS	Dimethomorph	0.005	ND	ppm	0.1	PASS
Ethoprophos	0.01		ND	ppm	0.2	PASS	Etofenprox	0.01	ND	ppm	0.4	PASS
Etoxazole	0.01		ND	ppm	0.2	PASS	Fenhexamid	0.005	ND	ppm	0.1	PASS
Fenoxycarb	0.01		ND	ppm	0.2	PASS	Fenpyroximate	0.01	ND	ppm	0.4	PASS
Fipronil	0.02		ND	ppm	0.4	PASS	Flonicamid	0.01	ND	ppm	1	PASS
Fludioxonil	0.01		ND	ppm	0.4	PASS	Hexythiazox	0.01	ND	ppm	1	PASS
Imazalil	0.01		ND	ppm	0.2	PASS	Imidacloprid	0.01	ND	ppm	0.4	PASS
Kresoxim-Methyl	0.01		ND	ppm	0.4	PASS	Malathion	0.01	ND	ppm	0.2	PASS
Metalaxyl	0.01		ND	ppm	0.2	PASS	Methiocarb	0.01	ND	ppm	0.2	PASS
Methomyl	0.01		ND	ppm	0.4	PASS	Mevinphos	0.01	ND	ppm	0.1	PASS
Myclobutanil	0.01		ND	ppm	0.2	PASS	Naled	0.01	ND	ppm	0.5	PASS
Oxamyl	0.01		ND	ppm	1	PASS	Paclobutrazol	0.01	ND	ppm	0.4	PASS
Permethrins (sum)	0.05		ND	ppm	1	PASS	Phosmet	0.01	ND	ppm	0.2	PASS
Piperonyl Butoxide	0.01		ND	ppm	2	PASS	Prallethrin	0.05	ND	ppm	0.2	PASS
Propiconazole	0.01		ND	ppm	0.4	PASS	Propoxur	0.01	ND	ppm	0.2	PASS
Pyrethrin I	0.01		ND	ppm	1	PASS	Pyridaben	0.01	ND	ppm	0.2	PASS
Spinetoram	0.01		ND	ppm	0.5	PASS	Spinosad (Spinosyn A)	0.01	ND	ppm	0.2	PASS
Spinosad (Spinosyn D)	0.01		ND	ppm	0.2	PASS	Spiromesifen	0.01	ND	ppm	0.2	PASS
Spirotetramat	0.02		ND	ppm	0.2	PASS	Spiroxamine	0.01	ND	ppm	0.2	PASS
Tebuconazole	0.01		ND	ppm	0.4	PASS	Thiacloprid	0.01	ND	ppm	0.2	PASS
Thiamethoxam	0.01		ND	ppm	0.2	PASS	trans-Permethrin	0.0118	ND	ppm	0.4	PASS
Trifloxystrobin	0.01		ND	ppm	0.2	PASS						
Analyzed by	Date			Instrument used			Analysis Metho	d				
DB	04	/19/2022		Shimadzu LCM	ISMS 8060		SOP.KY.02.022					

Pesticide screening is performed using LC/MS/MS which can screen down to below single digit ppb concentrations for the 57 pesticides analyzed. (Method: SOP.KY.02.022)

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly avived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Sillion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss

Lab Director State License # 19-05-02P ISO/IEC 17025:2017

> PJLA Testing

Accreditation 113856

Danf Bris

04/21/22

Signature

Signed On

Page 2 of 4



(502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



Certificate of Analysis

Cornbread Hemp

Louisville, KENTUCKY, **Telephone**:

Email: Melissa@cornbreadhemp.com



500mg Cats & Dogs Hemp Oil Matrix: Edible Accession Number: 041822UD0004 Harvest/Lot ID: Seed to Sale: * Batch Date: 04/18/22 Batch #: 04042205 Sample Size Received: 30 ml Retail Product Size: 30 ml Ordered: 04/18/22 Completed: 04/21/22

Sampling Method: SOP Client Method

Mycotox	ins									PAS	SED
Analyte	LLOQ	Result	Units	Action Level	Pass / Fail	Analyte	LLOQ	Result	Units	Action Level	Pass / Fail
Aflatoxin B1	0.001	ND	ppm	0.2	PASS	Aflatoxin B2	0.001	ND	ppm	0.2	PASS
Aflatoxin G1	0.001	ND	ppm	0.2	PASS	Aflatoxin G2	0.001	ND	ppm	0.2	PASS
Ocratoxin A+	0.001	ND	ppm	0.2	PASS						
Analyzed by	D	ate	Instru	iment used		Analysis M	lethod				
DB	04	/19/2022	Shimadzu	LCMSMS 8060		SOP.KY.02.022					

PASSE

Aflatoxins B1, B2, G1, G2, and Ochratoxins A testing using LC/MS/MS. (Method: SOP.KY.02.022)

Residual Solvents

Suiveill	<u> </u>				
Solvent	LLOQ	Result	Units	Action Level (PPM)	Pass/Fail
2-Propanol	60	ND	ppm	5000	PASS
Acetone	60	ND	ppm	5000	PASS
Acetonitrile	60	ND	ppm	410	PASS
Butane	200	ND	ppm	5000	PASS
Ethanol	80	ND	ppm	5000	PASS
Ethyl Acetate	60	ND	ppm	5000	PASS
Ethyl Ether	40	ND	ppm	5000	PASS
Heptane	40	ND	ppm	5000	PASS
Hexane	40	ND	ppm	290	PASS
Isobutane	200	ND	ppm	5000	PASS
M/P-Xylene	80	ND	ppm	2170	PASS
Methanol	40	ND	ppm	3000	PASS
O-Xylene	40	ND	ppm	2170	PASS
Pentane	60	ND	ppm	5000	PASS
Propane	400	ND	ppm	5000	PASS
Toluene	40	ND	ppm	890	PASS
Total Xylenes	120	ND	ppm	2170	PASS
Analyzed by	Date 04/18/2022	Instru Shimadzu	ment used	Analy SOP.KY.	ysis Method
	0 1/ 20/ 2022	0	00 2010 1	201.1(1.)	52.010

Residual solvents testing for 16 common extraction solvents is performed via GC/MS. (Method: SOP.KY.02.024)

Heavy	y Metals	5		PA:	SSED
Metal	LLOQ	Result	Unit	Action Level	Pass / Fail
Arsenic	0.2	ND	ppm	2	PASS
Cadmium	0.2	ND	ppm	2	PASS
Lead	0.2	ND	ppm	5	PASS
Mercury	0.2	ND	ppm	1	PASS
Analyzed	by Date 04/19/2022		r ument (Izu ICP/MS		alysis Method
Micro	bials			PA:	SSED
Analyte					Resul
Aspergillus Fla	vus				not present in 1 grar
Aspergillus Fur	nigatus				not present in 1 gran
Aspergillus Nig	er				
					not present in 1 grar
Aspergillus Ter	reus				not present in 1 gran not present in 1 gran
	reus				
Aspergillus Ter E. Coli Salmonella	rreus				not present in 1 grar

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.KY.02.018) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

PathogenDX

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly avived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Sillion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Daniel Burriss

04/19/2022

Lab Director State License # 19-05-02P ISO/IEC 17025:2017

> PJLA Testing

Accreditation 113856

Danf Bris

04/21/22

Signature

Signed On

SOP.KY.02.018

Page 3 of 4



(502) 444-2044 www.blueleaflaboratory.com Lic # 19-05-02P



Certificate of Analysis

Cornbread Hemp

Louisville, KENTUCKY, Telephone: Email: Melissa@cornbreadhemp.com



500mg Cats & Dogs Hemp Oil Matrix: Edible Accession Number: 041822UD0004 Harvest/Lot ID: Seed to Sale: * Batch Date: 04/18/22 Batch #: 04042205 Sample Size Received: 30 ml Retail Product Size: 30 ml Ordered: 04/18/22 Completed: 04/21/22

Sampling Method: SOP Client Method

TESTED

Terpenes

Terpenes	LLOQ	Units	Resu	Ilt (%) Terpenes	LLOQ	Units		Result (%)
3-Carene	0.005	%	ND	alpha-Bisabolol	0.005	%	0.006	
alpha-Cedrene	0.005	%	ND	alpha-Humulene	0.005	%	ND	
alpha-Phellandrene	0.005	%	ND	alpha-Pinene	0.005	%	ND	[
alpha-Terpinene	0.005	%	ND	beta-Myrcene	0.005	%	ND	[
oeta-Pinene	0.005	%	ND	Borneol	0.005	%	ND	
Camphene	0.005	%	ND	Camphor	0.005	%	ND	[
Caryophyllene Oxide	0.005	%	ND	Cedrol	0.005	%	ND	[
cis-Nerolidol	0.005	%	ND	Eucalyptol	0.005	%	ND	
Fenchone	0.005	%	ND	Fenchyl Alcohol	0.005	%	ND	[
gamma-Terpinene	0.005	%	ND	Geraniol	0.005	%	ND	[
Geranyl Acetate	0.005	%	ND	Guaiol	0.005	%	ND	
Hexahydrothymol	0.005	%	ND	Isoborneol	0.005	%	ND	[
sopulegol	0.005	%	ND	Limonene	0.005	%	ND	[
inalool	0.005	%	ND	Nerol	0.005	%	ND	
Dcimene	0.005	%	ND	Pulegone	0.005	%	ND	[
Sabinene	0.005	%	ND	Sabinene Hydrate	0.005	%	ND	[
Terpineol	0.005	%	ND	Terpinolene	0.005	%	ND	
rans-Caryophyllene	0.005	%	ND	trans-Nerolidol	0.005	%	ND	[
/alencene	0.005	%	ND					
Total				0.006				
Analyzed by	Date 04/19/2022		Instrument used Shimadzu Nexus GC 2030	Analysis Meth SOP.KY.02.024	od			

This report shall not be reproduced, unless in its entirety, without written approval from BlueLeaf Laboratory. This report is an BlueLeaf Laboratory certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on E S. Pule 64-4 310. limits are based on F.S. Rule 64-4.310.

Daniel Burriss

Lab Director State License # 19-05-02P ISO/IEC 17025:2017

> PJLA Testing

Accreditation 113856

Danf Brins

04/21/22

Signature

Signed On

Page 4 of 4