

Prepared for:
FARMHOUSE HEMP

1007 North College Avenue
Fort Collins, CO USA 80524

lip balm

Batch ID or Lot Number: 8	Test: Potency	Reported: 02Jan2023	USDA License: N/A
Matrix: Unit	Test ID: T000231603	Started: 30Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 29Dec2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.775	6.357	ND	ND	# of Servings = 1, Sample Weight=10g
Cannabichromenic Acid (CBCA)	1.623	5.814	ND	ND	
Cannabidiol (CBD)	7.159	17.014	26.260	2.60	
Cannabidiolic Acid (CBDA)	7.343	17.450	ND	ND	
Cannabidivarin (CBDV)	1.693	4.024	ND	ND	
Cannabidivarinic Acid (CBDVA)	3.063	7.279	ND	ND	
Cannabigerol (CBG)	1.008	3.609	ND	ND	
Cannabigerolic Acid (CBGA)	4.212	15.088	ND	ND	
Cannabinol (CBN)	1.315	4.709	ND	ND	
Cannabinolic Acid (CBNA)	2.874	10.294	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	5.018	17.975	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	4.558	16.325	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	4.038	14.464	ND	ND	
Tetrahydrocannabivarin (THCV)	0.917	3.283	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	3.562	12.758	ND	ND	
Total Cannabinoids			26.260	2.60	
Total Potential THC			ND	ND	
Total Potential CBD			26.260	2.60	

Final Approval


Sam Smith
02Jan2023
12:58:00 PM MST

PREPARED BY / DATE


Karen Winternheimer
02Jan2023
01:01:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/3a7517f5-89a4-4a98-91c5-169a62ecd67>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
3a7517f589a44a9891c5169a62ecd67.1