

CBD Releaf Capsules

Sample ID: 2001CSALA3048.2494
Matrix: Concentrates & Extracts
Type: Capsule
Sample Size: 1 units
Batch Size:
Batch#: 201969255

Strain: CBD Releaf Capsules
Produced: N/A
Collected: 01/30/2020
Received: 01/30/2020
Completed: 02/03/2020

Client
P&B Essentials, LLC
Lic. #
1190 N Lake St
Pasadena, CA 91104



Summary		Pass
33.29 mg/serving Total Cannabinoids	Pass Pesticides	Pass Residual Solvents
Pass Microbials	Pass Mycotoxins	Pass Heavy Metals

Cannabinoids

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/serving	mg/g
CBD	0.0059	0.018	29.50	59.36
CBC	0.0009	0.0027	1.53	3.07
CBG	0.0047	0.0143	1.08	2.17
Δ9-THC	0.0038	0.0115	0.95	1.91
CBDV	0.0042	0.0126	0.21	0.43
CBDa	0.0012	0.0037	0.02	0.04
CBGa	0.0016	0.005	ND	ND
CBN	0.0014	0.0041	ND	ND
THCa	0.002	0.006	ND	ND
THCV	0.0036	0.0111	ND	ND
Δ8-THC	0.0038	0.0115	ND	ND
Total			33.29	66.98

Pass

Terpenes

Testing method: HS-GC-FID - SOP 201

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
β-Caryophyllene	0.00017	0.0013	0.11	1.12
β-Myrcene	0.00012	0.0013	0.06	0.62
α-Humulene	0.00057	0.0013	0.03	0.28
Camphene	0.00072	0.0013	ND	ND
Caryophyllene Oxide	0.00017	0.0013	ND	ND
Eucalyptol	0.00017	0.0013	ND	ND
Geraniol	0.00013	0.0013	ND	ND
Guaiol	0.00018	0.0013	ND	ND
Isopulegol	0.00011	0.0013	ND	ND
Linalool	0.00015	0.0013	ND	ND
Ocimene	0.00013	0.0013	ND	ND
p-Cymene	0.0001	0.0013	ND	ND
Terpinolene	0.00016	0.0013	ND	ND
trans-Nerolidol	0.00058	0.0013	ND	ND
α-Bisabolol	0.00015	0.0013	ND	ND
α-Pinene	0.00015	0.0013	ND	ND
α-Terpinene	0.00012	0.0013	ND	ND
β-Pinene	0.00034	0.0013	ND	ND
γ-Terpinene	0.00012	0.0013	ND	ND
δ-3-Carene	0.0004	0.0013	ND	ND
δ-Limonene	0.00016	0.0013	ND	ND
Total			0.20	2.02

Complete

0.95 mg/serving Total THC	29.52 mg/serving Total CBD
-------------------------------------	--------------------------------------

1 serving = 1 Capsule, 0.497 grams; 30.0 servings per package; 28.52 mg/package Total THC; 885.59 mg/package Total CBD;

Date Tested: 01/31/2020

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Date Tested: 01/30/2020

NT Moisture Moisture Analyzer SOP-103 -	0.270 aw Water Activity Water Activity Meter SOP-102 Date Tested: 01/30/2020	NT Foreign Matter Visual Inspection SOP-600 -
---	--	---



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

Mallory Speakman
Laboratory Director - LA
02/03/2020

Anya Engen
Quality Review
02/03/2020

Musa Aman
COA Review
02/03/2020

CBD Releaf Capsules

 Sample ID: 2001CSALA3048.2494
 Matrix: Concentrates & Extracts
 Type: Capsule
 Sample Size: 1 units
 Batch Size:
 Batch#: 201969255

 Strain: CBD Releaf Capsules
 Produced: N/A
 Collected: 01/30/2020
 Received: 01/30/2020
 Completed: 02/03/2020

 Client:
P&B Essentials, LLC
 Lic. #
 1190 N Lake St
 Pasadena, CA 91104

Pesticides

Testing method: LCMS & GCMS-SOP 301 and 302

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.3	ND	Pass	Fludioxonil	0.0143	0.048	30.0	ND	Pass
Acephate	0.005	0.017	5.0	ND	Pass	Hexythiazox	0.0237	0.079	2.0	ND	Pass
Acequinocyl	0.0193	0.064	4.0	ND	Pass	Imazalil *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	5.0	ND	Pass	Imidacloprid	0.0053	0.018	3.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	1.0	ND	Pass
Azoxystrobin	0.015	0.05	40.0	ND	Pass	Malathion	0.015	0.05	5.0	ND	Pass
Bifenazate	0.0129	0.043	5.0	ND	Pass	Metalaxyl	0.0076	0.025	15.0	ND	Pass
Bifenthrin	0.029	0.097	0.5	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	10.0	ND	Pass	Methomyl	0.0109	0.036	0.1	ND	Pass
Captan	0.036	0.12	5.0	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	9.0	ND	Pass
Chlorantraniliprole	0.0095	0.032	40.0	ND	Pass	Naled	0.0107	0.036	0.5	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.2	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclobutrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.2	ND	Pass
Clofentezine	0.0216	0.072	0.5	ND	Pass	Permethrin	0.0142	0.048	20.0	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.2	ND	Pass
Cyfluthrin	0.0107	0.036	1.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	8.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.4	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	20.0	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.2	ND	Pass	Pyrethrins	0.0025	0.008	1.0	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	3.0	ND	Pass
Dimethomorph	0.0025	0.008	20.0	ND	Pass	Spinetoram	0.0042	0.014	3.0	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	3.0	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	12.0	ND	Pass
Etoxazole	0.0269	0.09	1.5	ND	Pass	Spirotetramat	0.0068	0.023	13.0	ND	Pass
Fenhexamid	0.0215	0.072	10.0	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	2.0	ND	Pass
Fenpyroximate	0.0253	0.084	2.0	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	4.5	ND	Pass
Flonicamid	0.0073	0.024	2.0	ND	Pass	Trifloxystrobin	0.0192	0.064	30.0	ND	Pass

Date Tested: 01/31/2020

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 02/03/2020

 Anya Engen
 Quality Review
 02/03/2020

 Musa Aman
 COA Review
 02/03/2020

CBD Releaf Capsules

 Sample ID: 2001CSALA3048.2494
 Matrix: Concentrates & Extracts
 Type: Capsule
 Sample Size: 1 units
 Batch Size:
 Batch#: 201969255

 Strain: CBD Releaf Capsules
 Produced: N/A
 Collected: 01/30/2020
 Received: 01/30/2020
 Completed: 02/03/2020

 Client
P&B Essentials, LLC
 Lic. #
 1190 N Lake St
 Pasadena, CA 91104

Microbials

Testing method: PCR-SOP 400

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 02/03/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Testing method: LCMS-SOP 301

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.0036	0.012		ND	Tested
Aflatoxin B2	0.0092	0.031		ND	Tested
Aflatoxin G1	0.0058	0.019		ND	Tested
Aflatoxin G2	0.0034	0.011		ND	Tested
Total Aflatoxins			20.0	ND	Pass
Ochratoxin A	0.0113	0.038	20.0	ND	Pass

Date Tested: 02/01/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Testing method: ICPMS-SOP 502

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	1.5	ND	Pass
Cadmium	0.03	0.1	0.5	ND	Pass
Lead	0.002	0.005	0.5	0.067	Pass
Mercury	0.02	0.06	3.0	ND	Pass

Date Tested: 01/31/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 02/03/2020

 Anya Engen
 Quality Review
 02/03/2020

 Musa Aman
 COA Review
 02/03/2020

CBD Releaf Capsules

Sample ID: 2001CSALA3048.2494
 Matrix: Concentrates & Extracts
 Type: Capsule
 Sample Size: 1 units
 Batch Size:
 Batch#: 201969255

Strain: CBD Releaf Capsules
 Produced: N/A
 Collected: 01/30/2020
 Received: 01/30/2020
 Completed: 02/03/2020

Client
P&B Essentials, LLC
 Lic. #
 1190 N Lake St
 Pasadena, CA 91104

Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0	5000	ND	Pass
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0	5000	ND	Pass
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 01/30/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

Mallory Speakman
 Laboratory Director - LA
 02/03/2020

Anya Engen
 Quality Review
 02/03/2020

Musa Aman
 COA Review
 02/03/2020