

PharmLabs San Diego Certificate of Analysis



Sample **HM FS CBD Gold LOT: 24292-00**

Delta9 THC **ND** | THCa **ND** | Total THC (THCa * 0.877 + THC) **ND** | Delta8 THC **ND**

Sample ID SD241029-030 (101665) Matrix Tincture
 Tested for MM Inc
 Sampled - Received Oct 29, 2024 Reported Nov 01, 2024
 Analyses executed CAN+, RES, MIBNIG, MTO, PES, HME, FVI Density (g/mL) 0.967

CAN+ - Cannabinoids Analysis

Analyzed Nov 01, 2024 | Instrument HPLC-VWD | Method SOP-001
 The expanded Uncertainty of the Cannabinoid analysis is approximately **±.806%** at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g |
|--|----------|----------|----------|-------------|
| Cannabidiol (CBD) | 0.039 | 0.16 | 0.04 | 0.37 |
| Cannabidiol (CBD) | 0.011 | 0.03 | ND | ND |
| Cannabidiol Acid (CBDA) | 0.001 | 0.16 | ND | ND |
| Cannabigerol Acid (CBGA) | 0.001 | 0.16 | ND | ND |
| Cannabigerol (CBG) | 0.001 | 0.16 | 0.04 | 0.38 |
| Cannabidiol (CBD) | 0.001 | 0.16 | 2.38 | 23.84 |
| Tetrahydrocannabinol (THCV) | 0.001 | 0.16 | ND | ND |
| Cannabinol (CBN) | 0.001 | 0.16 | 0.05 | 0.53 |
| Tetrahydrocannabinol (Δ9-THC) | 0.003 | 0.16 | ND | ND |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.004 | 0.16 | ND | ND |
| Cannabicyclol (CBL) | 0.002 | 0.16 | 0.01 | 0.13 |
| Cannabichromene (CBC) | 0.002 | 0.16 | 0.08 | 0.80 |
| Tetrahydrocannabinolic Acid (THCA) | 0.001 | 0.16 | ND | ND |
| Total THC (THCa * 0.877 + Δ9THC) | | | ND | ND |
| Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC) | | | ND | ND |
| Total CBD (CBDA * 0.877 + CBD) | | | 2.38 | 23.84 |
| Total CBG (CBGA * 0.877 + CBG) | | | 0.04 | 0.38 |
| Total Cannabinoids Analyzed | | | 2.60 | 26.05 |

HME - Heavy Metals Analysis

Analyzed Oct 29, 2024 | Instrument ICP/MSMS | Method SOP-005

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009 | 0.0027 | ND | 1.5 |
| Cadmium (Cd) | 0.0005 | 0.0015 | ND | 0.5 |
| Mercury (Hg) | 0.0058 | 0.0174 | 0.01 | 3 |
| Lead (Pb) | 0.0006 | 0.0018 | ND | 0.5 |

MIBNIG - Microbial Analysis

Analyzed Oct 31, 2024 | Instrument Plating | Method SOP-007

| Analyte | LOD | LOQ | Result CFU/g | Limit | Analyte | LOD | LOQ | Result CFU/g | Limit |
|--|-----|-----|--------------|---------------|-----------------|-----|-----|--------------|---------------|
| Shiga toxin-producing Escherichia Coli | | | ND | ND per 1 gram | Salmonella spp. | | | ND | ND per 1 gram |

MTO - Mycotoxin Analysis

Analyzed Nov 01, 2024 | Instrument LC/MSMS | Method SOP-004

| Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg (ppb) | Limit ug/kg | Analyte | LOD ug/kg | LOQ ug/kg | Result ug/kg (ppb) | Limit ug/kg |
|--------------|-----------|-----------|--------------------|-------------|------------------|-----------|-----------|--------------------|-------------|
| Ochratoxin A | 5.0 | 20.0 | ND | 20 | Aflatoxin B1 | 2.5 | 5.0 | ND | - |
| Aflatoxin B2 | 2.5 | 5.0 | ND | - | Aflatoxin G1 | 2.5 | 5.0 | ND | - |
| Aflatoxin G2 | 2.5 | 5.0 | ND | - | Total Aflatoxins | 10.0 | 20.0 | ND | 20 |

UJ Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
 DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Fri, 01 Nov 2024 15:19:56 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides Analysis

Analyzed Nov 01, 2024 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| CAPPELLE | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb | 0.01 | 0.02 | ND | 0 | Carbofuran | 0.01 | 0.02 | ND | 0 |
| Dimethoate | 0.01 | 0.02 | ND | 0 | Etofenprox | 0.02 | 0.1 | ND | 0 |
| Fenoxycarb | 0.01 | 0.02 | ND | 0 | Thiachlorpid | 0.01 | 0.02 | ND | 0 |
| Daminozide | 0.01 | 0.03 | ND | 0 | Dichlorvos | 0.02 | 0.07 | ND | 0 |
| Imazalil | 0.02 | 0.07 | ND | 0 | Methiocarb | 0.01 | 0.02 | ND | 0 |
| Spiroxamine | 0.01 | 0.02 | ND | 0 | Coumaphos | 0.01 | 0.02 | ND | 0 |
| Fipronil | 0.01 | 0.1 | NT | 0 | Paclobutrazol | 0.01 | 0.03 | ND | 0 |
| Chlorpyrifos | 0.01 | 0.04 | ND | 0 | Ethoprophos (Prophos) | 0.01 | 0.02 | ND | 0 |
| Baygon (Propoxur) | 0.01 | 0.02 | ND | 0 | Chlordane | 0.04 | 0.1 | NT | 0 |
| Chlorfenapyr | 0.03 | 0.1 | NT | 0 | Methyl Parathion | 0.02 | 0.1 | NT | 0 |
| Mevinphos | 0.03 | 0.08 | ND | 0 | Abamectin | 0.03 | 0.08 | ND | 0.3 |
| Acephate | 0.02 | 0.05 | ND | 5 | Acetamiprid | 0.01 | 0.05 | ND | 5 |
| Azoxystrobin | 0.01 | 0.02 | ND | 40 | Bifenazate | 0.01 | 0.05 | ND | 5 |
| Bifenthrin | 0.02 | 0.35 | ND | 0.5 | Boscalid | 0.01 | 0.03 | ND | 10 |
| Carbaryl | 0.01 | 0.02 | ND | 0.5 | Chlorantranilprole | 0.01 | 0.04 | ND | 40 |
| Clofentezine | 0.01 | 0.03 | ND | 0.5 | Diazinon | 0.01 | 0.02 | ND | 0.2 |
| Dimethomorph | 0.02 | 0.06 | ND | 20 | Etoazole | 0.01 | 0.05 | ND | 1.5 |
| Fenpyroximate | 0.02 | 0.1 | ND | 2 | Fonicamid | 0.01 | 0.02 | ND | 2 |
| Fludioxonil | 0.01 | 0.05 | ND | 30 | Hexythiazox | 0.01 | 0.03 | ND | 2 |
| Imidacloprid | 0.01 | 0.05 | ND | 3 | Kresoxim-methyl | 0.01 | 0.03 | ND | 1 |
| Malathion | 0.01 | 0.05 | ND | 5 | Metaxalyl | 0.01 | 0.02 | ND | 15 |
| Methomyl | 0.02 | 0.05 | ND | 0.1 | Myclobutanil | 0.02 | 0.07 | ND | 9 |
| Naled | 0.01 | 0.02 | ND | 0.5 | Oxamyl | 0.01 | 0.02 | ND | 0.2 |
| Permethrin | 0.01 | 0.02 | ND | 20 | Phosmet | 0.01 | 0.02 | ND | 0.2 |
| Piperonyl Butoxide | 0.02 | 0.06 | ND | 8 | Propiconazole | 0.03 | 0.08 | ND | 20 |
| Prallethrin | 0.02 | 0.05 | ND | 0.4 | Pyrethrin | 0.05 | 0.41 | ND | 1 |
| Pyridaben | 0.02 | 0.07 | ND | 3 | Spinosad A | 0.01 | 0.05 | ND | 3 |
| Spinosad D | 0.01 | 0.05 | ND | 3 | Spiromesifen | 0.02 | 0.06 | ND | 12 |
| Spirotetramat | 0.01 | 0.02 | ND | 13 | Tebuconazole | 0.01 | 0.02 | ND | 2 |
| Thiamethoxam | 0.01 | 0.02 | ND | 4.5 | Trifloxystrobin | 0.01 | 0.02 | ND | 30 |
| Acequinocyl | 0.02 | 0.09 | ND | 4 | Captan | 0.01 | 0.02 | ND | 5 |
| Cypermethrin | 0.02 | 0.1 | NT | 1 | Cyfluthrin | 0.04 | 0.1 | NT | 1 |
| Fenhexamid | 0.02 | 0.07 | ND | 10 | Spinetoram J.L | 0.02 | 0.07 | ND | 3 |
| Pentachloronitrobenzene | 0.01 | 0.1 | NT | 0.2 | Chlormequat Chloride | 0.02 | 0.1 | NT | 0.2 |

RES - Residual Solvents Analysis

Analyzed Oct 30, 2024 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

| Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|----------------------------|----------|----------|-------------|------------|------------------------------|----------|----------|-------------|------------|
| Propane (Prop) | 0.08 | 0.4 | 70.1 | 5000 | Butane (But) | 0.08 | 0.4 | 58.1 | 5000 |
| Methanol (Metha) | 0.08 | 0.4 | <LOQ | 3000 | Ethylene Oxide (EthOx) | 0.08 | 0.4 | ND | 1 |
| Pentane (Pen) | 0.08 | 0.4 | 95.5 | 5000 | Ethanol (Ethan) | 0.08 | 0.4 | ND | 5000 |
| Ethyl Ether (EthEt) | 0.08 | 0.4 | ND | 5000 | Acetone (Acet) | 0.08 | 0.4 | 43.9 | 5000 |
| Isopropanol (2-Pro) | 0.08 | 0.4 | <LOQ | 5000 | Acetonitrile (Acetonit) | 0.08 | 0.4 | <LOQ | 410 |
| Methylene Chloride (MetCh) | 0.08 | 0.4 | ND | 1 | Hexane (Hex) | 0.08 | 0.4 | ND | 290 |
| Ethyl Acetate (EthAc) | 0.08 | 0.4 | ND | 5000 | Chloroform (Clo) | 0.08 | 0.4 | ND | 1 |
| Benzene (Ben) | 0.08 | 0.4 | ND | 1 | 1,2-Dichloroethane (12-Dich) | 0.08 | 0.4 | ND | 1 |
| Heptane (Hep) | 0.08 | 0.4 | <LOQ | 5000 | Trichloroethylene (TriClEth) | 0.08 | 0.4 | ND | 1 |
| Toluene (Toluene) | 0.08 | 0.4 | ND | 890 | Xylenes (Xyl) | 0.08 | 0.4 | ND | 2170 |

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Oct 31, 2024 | Instrument Microscope | Method SOP-010

| Analyte / Limit | Result | Analyte / Limit | Result |
|--|--------|--|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND | > 1/4 of the total sample area covered by mold | ND |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g | ND | > 1/4 of the total sample area covered by an imbedded foreign material | ND |

UJ Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
 DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Fri, 01 Nov 2024 15:19:56 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.